:: Allergan

SAFETY DATA SHEET

Revision Date 08-Mar-2018 Version 4.01

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Neurotoxin from Organism (Clostridium botulinum) Lyophilized Drug Product

Other means of identification

Product Code FP-66 Synonyms Botox

Recommended use of the chemical and restrictions on use

Recommended Use Acetylcholine release inhibitor and Neuromuscular blocking agent for OAB, Prophylaxis of

headaches in adults with chronic migraine, spasticity in adults, cervical dystonia in adults,

blepharospasm associated with dystonia, strabismus

This safety data sheet is written to provide health, safety and environmental information for people handling this formulated product in the workplace. It is not intended to provide information relevant to medicinal use of the product. In this instance patients should consult prescribing information/package insert/product label or consult their pharmacist or physician. For health and safety information for individual ingredients used during manufacturing, refer to the appropriate safety data sheet for each ingredient.

Details of the supplier of the safety data sheet

Manufacturer

ALLERGAN

400 Interpace Parkway, Morris Corporate Center III

Parsippany, NJ 07054, USA

+1-800-272-5525

E-mail address SDS@Allergan.com

Emergency telephone number

Emergency Telephone Call CHEMTREC Day or Night

Within USA or Canada: 1-800-424-9300

Outside USA and Canada: +1-703-741-5970 (collect calls accepted)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Dehydrated product

Contained in a Vial

Physical state Solid

Odor No information available

Chemical Name Symptoms

Botulinum toxin type A The most common adverse reactions (≥5% and >placebo) are: OAB: urinary tract

infection, dysuria, urinary retention; Detrusor Overactivity associated with a neurologic condition: urinary tract infection, urinary retention; Chronic Migraine: neck pain, headache; Spasticity: pain in extremity; Cervical Dystonia: dysphagia, upper respiratory infection, neck pain, headache, increased cough, flu syndrome, back pain, rhinitis; Axillary Hyperhidrosis: injection site pain and hemorrhage, non-axillary sweating, pharyngitis, flu syndrome

Chemical Name Botulinum toxin type A Medical Conditions Aggravated by Exposure

Hypersensitivity to any botulinum toxin preparation or to any of the components in the formulation, Infection at the proposed injection site, Intradetrusor Injections: Urinary

Tract Infection or Urinary Retention

Other Information

Unknown Acute Toxicity

35.7% of the mixture consists of ingredient(s) of unknown toxicity

Over the counter drugs in their solid form are considered exempt under the criteria of the Federal OSHA Hazard Communication Standard 20 CFR 1910.1200. However, in an industrial setting where a component's occupational exposure limit may be surpassed, than can be considered hazardous

3. COMPOSITION/INFORMATION ON INGREDIENTS

	Chemical Name	CAS No.	EINECS	Weight-%
	SODIUM CHLORIDE USP	7647-14-5	231-598-3	40 - 70*
	Human Serum Albumin	70024-90-7	274-272-6	15 - 40*
1	Botulinum toxin type A	93384-43-1	297-253-4	<0.1*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Immediate medical attention is required. **General advice**

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Call a physician

immediately.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

Inhalation Immediate medical attention is required. Remove to fresh air. If not breathing, give artificial

respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately. Never give

anything by mouth to an unconscious person. Drink plenty of water.

Chemical Name

Botulinum toxin type A

Note to physicians

WARNING: DISTANT SPREAD OF TOXIN EFFECT. The effects of BOTOX and all botulinum toxin products may spread from the area of injection to produce symptoms consistent with botulinum toxin effects. These symptoms have been reported hours to weeks after injection. Swallowing and breathing difficulties can be life threatening and there have been reports of death. The risk of symptoms is probably greatest in children treated for spasticity but symptoms can also occur in adults, particularly in those patients who have an underlying condition that would predispose them to these symptoms. In the event of overdose, antitoxin raised against botulinum toxin is available from the Centers for

Disease Control and Prevention (CDC) in Atlanta, GA. However, the antitoxin will not reverse any botulinum toxin-induced effects already apparent by the time of antitoxin administration.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

Specific hazards arising from the chemical

Fire may produce irritating, corrosive and/or toxic gases.

Explosion data

Sensitivity to Mechanical Impact

Not impact sensitive.

Sensitivity to Static Discharge

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

6	AC	חוח	EVI.	ΓΔΙ	PFI	EVSE	MEAS	IDEC
υ.	AU	UID		ᇅᄉ	Γ	LASE	WILAS	UNLO

Personal precautions Use personal protective equipment as required. Keep people away from and upwind of

spill/leak.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

See Section 12 for additional ecological information.

Methods for containment Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or

tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Methods for cleaning upUse personal protective equipment as required. Take up mechanically, placing in

appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly. Cover powder spill with plastic sheet or tarp to minimize spreading and keep

powder dry.

7. HANDLING AND STORAGE

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray.

Do not eat, drink or smoke when using this product.

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children.

Incompatible materialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

	exposure limits established by the region specific regulatory bodies.					
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	Allergan OEL (ug/m³)		
Botulinum toxin type A	N/A	N/A	N/A	0.01 ng/m³		

Appropriate engineering controls

The health hazard risks of handling this material are dependent on factors, such as physical **Engineering Controls**

form and quantity. Site specific risk assessments should be conducted to determine the appropriate exposure control measures. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain

airborne levels as low as reasonably achievable.

Isolator or direct connection with appropriate contained transfer device, and WIP for **Powder Handling**

cleaning (Taped cuffs), displosable or launderable coveralls (Category III equivalent), and

booties

Solutions/Suspensions and coated Not Applicable tablet handling (no powders or aerosols)

Packaging (uncoated tablets, hot

side work)

Appropriate contained transfer device WIP/CIP for the hopper (if possible), and contained

ventilated filler

Laboratory Powder Handling or

aerosol generation

VBSE, BSC or Glove Box

Personal Decontamination

Procedure/Controls

Required

Unless. In controlled containment: Recommended.

Individual protection measures, such as personal protective equipment

PPE The following high level PPE requirements assume Engineering Controls that reduce

exposure below the limit are not in place. More specific requirements may apply

Powder Handling PAPR with full hooded top with max APF and HEPA filter or supplied air, gloves

tablet handling (no powders or aerosols)

Solutions/Suspensions and coated Gloves, long sleeved GMP clothing and safety equipment for the area

Packaging (uncoated tablets, hot

side work)

During cleaning and hopper filler operator - PAPR with full hooded head top with max APF and HEPA filter or supplied air, double gloves (Taped cuffs), disposable or launderable coveralls (Category III equivalent), and booties 1/2 mask, gloves, long sleeved GMP

clothing and safety equipment for the area

Laboratory Powder Handling or

aerosol generation

Minimum lab PPE gloves No controls-controlled area, min lab PPE, gloves and appropriately fitted 1/2 mask for powders

Eye/face protection No eye protection is normally needed during medical administration of this product. During

operations in which dusts of the product may be generated, safety glasses should be

considered.

During medical administration of this product, medical latex or nitrile gloves should be worn Skin and body protection

to avoid absorption of the product. Use appropriate protective clothing for the task (e.g., lab

coat, etc.).

Respiratory protection Respiratory protection is generally not needed during routine conditions of use of this

product. If respiratory protection is needed, use only respiratory protection authorized under

appropriate regional regulations.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

FP-66 Neurotoxin from Organism (Clostridium botulinum) Lyophilized Drug Product

Physical state Solid Appearance Dehydrated product Contained

in a Vial

ColorWhiteOdorNo information availableOdor thresholdNo information available

<u>Property</u> <u>Values</u>

pH No information available
Melting point/freezing point No information available
Boiling point / boiling range No information available
Flash point No information available
Evaporation rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available Specific Gravity No information available Water solubility No information available Solubility in other solvents No information available No information available **Partition coefficient** No information available **Autoignition temperature Decomposition temperature** No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Molecular weightNo information availableVOC Content (%)No information availableDensityNo information availableBulk densityNo information available

10. STABILITY AND REACTIVITY

Reactivity

Not defined As Reactive substance

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Aerosol formation.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Acute toxicity

Chemical Name Inhalation Eye contact Skin Contact Ingestion

Botulinum toxin type A	It is estimated that the lethal			It is reported that a dose of 1
	oral dose of botulinum toxin	information.	through intact skin.	microgram may be fatal to
	is 500 to 700 times greater			humans if swallowed. It is
	than the lethal parenteral			estimated that the lethal oral
	dose and 77 to 100			dose of botulinum toxin is
	timesgreater than the lethal			500 to 700 times greater
	inhalational dose, The			than the lethal parenteral
	human inhalational lethal			dose, The human oral lethal
	dose is approximately			dose is approximately 1.0
	0.01ng/kg.			ng/kg.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
SODIUM CHLORIDE USP	= 3000 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 42 g/m³ (Rat) 1 h
Botulinum toxin type A	1 mg/kg	N/A	N/A

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chemical Name	Germ cell mutagenicity	Carcinogenicity	Reproductive toxicity	Effects on or via lactation
Botulinum toxin type A	Not mutagenic in the	Studies in animals have not	In fertility studies of BOTOX	It is not known whether the
	standard battery of tests.	been performed to evaluate	(4, 8, or 16 Units/kg) in	drug is excreted in human
		the carcinogenic potential of	which either male or female	milk. Because many drugs
		BOTOX® and BOTOX®	rats were injected	are excreted in human milk,
		Cosmetic ☐. The product is	intramuscularly prior to	caution should be exercised
		not structurally related to any	mating and on the day of	when this drug is
		known carcinogens. The	mating (3 doses, 2 weeks	administered to nursing
		clinical experience with	apart for males, 2 doses, 2	mothers.
		BOTOX® (Botulinum Toxin	weeks apart for females) to	
		Type A) Purified Neurotoxin	untreated animals, reduced	
		Complex (100 Units) since	fertility was observed in	
		1980 has provided no	males at the intermediate	
		evidence of carcinogenicity.		
		In addition, in vitro and in	females at the high dose.	
		vivo mutagenicity and	The no-effect doses for	
		genotoxicity studies showed		
		no carcinogenic potential.	Units/kg in males, 8 Units/kg	
			in females) are	
			approximately equal to the	
			maximum recommended	
			human dose of 400 Units on	
			a body weight basis	
			(Units/kg).	

Chemical Name	STOT - single exposure	STOT - repeated exposure
Botulinum toxin type A	It has been estimated that the human LD 50 by injection is	No information available.
	approximately 80 to 560 ng (equivalent to 2800 mouse	
units, depending on the specific potency of the toxin) for a		
70 kg adult. The LD50 values ranged from 50-57		
	kilogram via IV and 71 to 143 units per KG via IM in rats.	
NOEL in monkeys ranged from 4 to 24 units per KG via		
	IM.	

Prolonged or repeated exposure increases the risk. Possible risk of irreversible effects. Chronic toxicity

Respiratory system, Musculo-skeletal system. **Target Organ Effects**

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 35.7% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 3000 mg/kg ATEmix (dermal) 10010 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

35.7% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
SODIUM CHLORIDE USP	N/A	4747 - 7824: 96 h Oncorhynchus	340.7 - 469.2: 48 h Daphnia magna
7647-14-5		mykiss mg/L LC50 flow-through 5560 -	mg/L EC50 Static 1000: 48 h Daphnia
		6080: 96 h Lepomis macrochirus mg/L	magna mg/L EC50
		LC50 flow-through 6420 - 6700: 96 h	
		Pimephales promelas mg/L LC50 static	
		7050: 96 h Pimephales promelas mg/L	
		LC50 semi-static 12946: 96 h Lepomis	
		macrochirus mg/L LC50 static 6020 -	
		7070: 96 h Pimephales promelas mg/L	
		LC50 static	

Chemical Name	Persistence and	Bioaccumulation	Mobility	Partition coefficient
	degradability			
Botulinum toxin type A	Stable in solution for up to 7	N/A	N/A	N/A
93384-43-1	days when protected from			
	heat and/or light			
	destroyed by heat and			
	decomposes when exposed			
	to air for more than 12 hours			

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDenatured solutions may be released to the sanitary sewer system if allowed by local

authorities. Other decontaminated material (i.e. wipedown cloths, etc.) may be discarded with routine waste. Disposal should be in accordance with applicable regional, national and

local laws and regulations.

Contaminated packaging Decontamination with 1N NaOH solution with contact time of 20 minutes or 10%

hypochlorite solution for 10 minutes. Disposal should be in accordance with applicable

regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

ICAO (air) Not regulated

IATA Not regulated

IMDG Not regulated

ADR Not regulated

Not regulated

Not regulated

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Not Listed
DSL/NDSL Not Listed
EINECS/ELINCS Listed

FP-66 Neurotoxin from Organism (Clostridium botulinum) Lyophilized Drug Product

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

16. OTHER INFORMATION

Revision Date 08-Mar-2018

Revision Note No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet