# Safety data sheet

## According to 1907/2006/EC, Article 31

Printing date 13.03.2014

Version number 5

Revision: 10.03.2014

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name:

UnoDent Unoloy 70 Capsules – powder (FAF160-162, 180-182)

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance:

Dental filling material

/the mixture:

Amalgam

1.3 Details of the supplier of the safety data sheet

Manufacturer/supplier:

Made for UnoDent Ltd.

Tel: 01376 500582

Address:

10 Perry Way, Witham, Essex

Fax: 01376 500581

CM8 3SX, UK

Information sector:

**Technical Department** 

Tel: 01376 500582

**Emergency information:** 

**Technical Department** 

Emergency e-mail:

info@undodent.com

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to:

Not applicable

Directive 67/548/EEC or Directive 1999/45/EC.

Classification system:

The classification is according to the latest editions of the EU-lists,

and extended by company and literature data.

## 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms:

Void

Signal word:

Void Void

Hazard statements: Additional information:

Safety data sheet available on request.

#### 2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

# **SECTION 3: Composition/information on ingredients**

# 3.2 Chemical characterization: Mixtures

Description:

Alloy powder and mercury in predosed capsules.

· Dangerous compone	nts:		
CAS: 7440-22-4 EINECS: 231-131-3	silver	substance with a Community workplace exposure limit	50-100%
CAS: 7440-50-8 EINECS: 231-159-6	copper	substance with a Community workplace exposure limit	10-<25%

Additional information:

For the wording of the listed risk phrases refer to section 16.

# **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General information:

No special measures required.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

After skin contact:

Rinse with water.

Generally the product does not irritate the skin.

After eye contact:

Mechanical effects only.

Rinse opened eye for several minutes under running water. Then

consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

## 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents: The product is not flammable.

## 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

# 5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Additional information:

Cool endangered receptacles with water spray.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Not required.

#### 6.2 Environmental precautions

Do not allow to enter sewers/ surface or ground water.

## 6.3 Methods and material for containment and cleaning up

Pick up mechanically.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Only adequately trained personnel should handle this product.

For use in dentistry only.

Information about fire and explosion protection:

No special measures required.

# 7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms & receptacles:

Store only in unopened original

receptacles.

Information about storage in one common storage facility:

Not required.

Further information about storage conditions:

Keep container tightly sealed.

Store receptacle in a well ventilated

area.

#### 7.3 Specific end use(s)

No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities:

No further data; see item 7.

# 8.1 Control parameters

Ingre	dients with limit values that require monitoring at the workplace:	
7440-	22-4 silver	
WEL (	() Long-term value: 0.1 mg/m³	
7440-	50-8 copper	
WEL (	() Short-term value: 2** mg/m³ Long-term value: 0.2* 1** mg/m³ *fume **dusts and mists (as Cu)	
	Long-term value: 0.2* 1** mg/m³	
	*fume **dusts and mists (as Cu)	

Additional information:

The lists valid during the making were used as basis.

## 8.2 Exposure controls

#### Personal protective equipment

General protective and hygienic measures: Usual hygi

Usual hygienic measures for dental practice.

## Respiratory protection

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### Protection of hands



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. After use of gloves apply skin-cleaning agents and skin cosmetics.

## Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### Eye protection

Not required.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

#### **General Information**

Appearance

Form: Powder Colour: Grey

Odourless Odourless

Odour threshold: Not determined. pH-value: Not applicable.

Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: Undetermined.

Flash point: Not applicable.

Flammability (solid, gaseous): Not determined.

Danger of explosion: Product does not present an explosion hazard.

Product is not selfigniting.

**Explosion limits** 

Self-igniting:

Lower: Not determined. Upper: Not determined.

Vapour pressure: Not applicable.

Density: Not determined. Relative density: Not determined.

Vapour density: Not applicable.

**Evaporation rate:** 

Not applicable.

Solubility in / Miscibility with water:

Insoluble.

Partition coefficient (n-octanol/water): Not determined.

Viscosity

Dynamic:

Not applicable.

Kinematic:

Not applicable.

#### 9.2 Other information

No further relevant information available.

## **SECTION 10: Stability and reactivity**

10.1 Reactivity:

No further relevant information available.

10.2 Chemical stability:

Stable under normal handling and storage conditions.

Thermal decomposition/:

No decomposition if used according to specifications.

conditions to be avoided

10.3 Possibility of hazardous reactions: No dangerous reactions known.

10.4 Conditions to avoid:

No further relevant information available. No further relevant information available.

10.5 Incompatible materials: 10.6 Hazardous decomposition:

None under normal conditions of storage and use.

products

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity:

Primary irritant effect:

On the skin:

No irritant effect.

On the eye:

No irritating effect.

Sensitization:

No sensitizing effects known.

### Additional toxicological information

Alloy powder and mercury are predosed in closed capsules, therefore the danger of exposition to mercury vapours are low.

## **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity:

No further relevant information available.

12.2 Persistence and degradability:

No further relevant information available.

12.3 Bioaccumulative potential:

No further relevant information available.

12.4 Mobility in soil:

No further relevant information available.

## Additional ecological information

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### 12.5 Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

#### 12.6 Other adverse effects

No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· European waste catalogue

18 01 10\* amalgam waste from dental care

#### Uncleaned packaging

Recommendation:

Disposal must be made according to official regulations.

#### **SECTION 14: Transport information**

14.1 UN-Number

ADR, ADN, IMDG, IATA:

Void

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA:

Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class:

Void

14.4 Packing group

ADR, IMDG, IATA:

Void

14.5 Environmental hazards:

Marine pollutant:

No

14.6 Special precautions for user

Not applicable.

# 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

Transport/Additional information:

Product is not classified as a dangerous good for transport

(ADR, IMDG, IATA).

UN "Model Regulation":

-

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations:

## Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

Product complies with ISO 13897 Dentistry - Amalgam capsules

Product complies with ISO 24234 Dentistry - Mercury and alloys for dental amalgam.

## 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# Abbreviations and acronyms

ADR:

Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous

Goods by Road)

IMDG:

International Maritime Code for Dangerous Goods

IATA:

International Air Transport Association

**EINECS:** 

**European Inventory of Existing Commercial Chemical Substances** 

**ELINCS:** 

**European List of Notified Chemical Substances** 

CAS:

Chemical Abstracts Service (division of the American Chemical Society)

# Safety data sheet

## According to 1907/2006/EC, Article 31

Printing date 13.03.2014

Version number 5

Revision: 10.03.2014

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name:

UnoDent Unoloy 70 Capsules – Liquid (FAF160-162, 180-182)

CAS Number:

7439-97-6

EC number:

231-106-7

Index number:

080-001-00-0

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance:

Dental filling material

/the mixture

Amalgam

## 1.3 Details of the supplier of the safety data sheet

Manufacturer/supplier:

Made for UnoDent Ltd.

Tel: 01376 500582

Address:

10 Perry Way, Witham, Essex

Fax: 01376 500581

CM8 3SX, UK

Information sector:

**Technical Department** 

Tel: 01376 500582

Emergency information:

**Technical Department** 

Emergency e-mail:

info@undodent.com

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Directive 67/548/EEC or Directive 1999/45/EC

T+:

Very toxic

R26:

Very toxic by inhalation.

T:

Toxic

Repr. Cat.:

2

R61-48/23:

May cause harm to the unborn child. Toxic: danger of serious damage to health by

prolonged exposure through inhalation.

N:

Dangerous for the environment

R50/53:

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### Classification system

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

#### 2.2 Label elements

# Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms:



Signal word:

Danger

Hazard-determining components of labelling:

Mercury

Hazard statements

H330:

Fatal if inhaled.

H360D:

May damage the unborn child.

H372:

Causes damage to organs through prolonged or repeated exposure.

H410:

Very toxic to aquatic life with long lasting effects.

**Precautionary statements** 

P201:

Obtain special instructions before use.

P281:

Use personal protective equipment as required.

P273:

Avoid release to the environment.

P304+P340 IF INHALED:

Remove person to fresh air and keep comfortable for breathing.

P310:

Immediately call a POISON CENTER/doctor.

P403+P233:

Store in a well-ventilated place. Keep container tightly closed.

## Additional information

Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Regulation (EC) No 1272/2008 (CLP/GHS) usually if they are in the finished state and intended for the final user.

#### 2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

## SECTION 3: Composition/information on ingredients

3.1 Chemical characterization: Substances

CAS No. Description:

7439-97-6 mercury

Identification number(s)

EC number:

231-106-7

Index number:

080-001-00-0

Description:

Alloy powder and mercury in predosed capsules.

Dangerous components:

Void

Additional information:

For the wording of the listed risk phrases refer to section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: Supply fresh air.

In case of unconsciousness place patient stably in side position for

transportation.

Seek medical treatment.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a

doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

Antidote:

**DMPS** 

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing agents: The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

# 5.2 Special hazards arising from the substance or mixture

In case of a fire very toxic mercury fumes will generate.

Fumes are heavier than air.

#### 5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Additional information:

Cool endangered receptacles with water spray.

#### SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

# 6.3 Methods and material for containment and cleaning up

- Spillages of mercury should be removed immediately, including from places which are difficult to access.
- Use a plastic syringe to draw it up. Smaller quantities can be covered by sulphur powder and removed.

- Avoid inhalation of vapour.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Only adequately trained personnel should handle this product.

Ensure good ventilation/exhaustion at the workplace.

For use in dentistry only.

Information about fire and explosion protection:

Keep respiratory protective device available.

# 7.2 Conditions for safe storage, including any incompatibilities

# Storage:

Requirements to be met by storerooms & receptacles:

Store only in unopened original

receptacles.

Information about storage in one common storage facility:

Not required.

Further information about storage conditions:

Keep container tightly sealed.

Store receptacle in a well ventilated

area.

# 7.3 Specific end use(s)

No further relevant information available.

# SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities:

No further data; see item 7.

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: Not required.

Ingredients with biological limit values:								
7439-97-	6 mercury							
	20 µmol/mol creatinine Medium: urine Sampling time: random Parameter: mercury		3,11					

Additional information:

The lists valid during the making were used as basis.

#### 8.2 Exposure controls

#### Personal protective equipment:

# General protective and hygienic measures

Usual hygienic measures for dental practice.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

#### Respiratory protection

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Recommended filter device for short term use: Special gas filter Hg-P3

#### Protection of hands



# Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. After use of gloves apply skin-cleaning agents and skin cosmetics.

## Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Natural rubber:

NR

Nitrile rubber:

NBR

Butyl rubber:

BR

Fluorocarbon rubber (Viton)

## Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### Eye protection

Tightly sealed goggles

#### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

# **General Information**

#### Appearance:

Form:

Fluid

Colour:

Silver grey

Odour:

Odourless

Odour threshold:

Not determined.

pH-value:

Not applicable.

Change in condition

Melting point/Melting range:

-38.86 °C

Boiling point/Boiling range:

356 °C

Flash point:

Not applicable.

Flammability (solid, gaseous):

Not determined.

Self-igniting:

Product is not selfigniting.

Danger of explosion:

Product does not present an explosion hazard.

**Explosion limits** 

Lower:

Not determined.

Upper:

Not determined.

Vapour pressure at 20 °C:

0.00163 hPa

Density at 20 °C:

13.54 g/cm<sup>3</sup>

Relative density: Vapour density:

Not determined. Not applicable.

Evaporation rate:

Not determined.

Solubility in / Miscibility with water:

Insoluble.

Partition coefficient (n-octanol/water): Not determined.

Viscosity

Dynamic:

Not determined.

Kinematic:

Not applicable.

## 9.2 Other information

No further relevant information available.

#### SECTION 10: Stability and reactivity

10.1 Reactivity:

No further relevant information available.

10.2 Chemical stability:

Stable under normal handling and storage conditions. No decomposition if used according to specifications.

Thermal decomposition/:

conditions to be avoided:

10.3 Possibility of hazardous reactions: No dangerous reactions known.

10.4 Conditions to avoid:

No further relevant information available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition:

None under normal conditions of storage and use

products.

Additional information:

Avoid contact with ammoniac, amines, metals and strong

acids.

### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity:

Primary irritant effect:

On the skin:

No irritant effect.

On the eye:

No irritating effect.

Sensitization:

Mercury may have a sensitizing effect on the skin and lungs,

or act as a nephrotoxin or neurotoxin.

Additional toxicological information:

Alloy powder and mercury are predosed in closed capsules,

therefore the danger of exposition to mercury vapours are

low. Avoid exposure of mercury to pregnant person.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Repr. 1B

# **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity:

No further relevant information available.

12.2 Persistence and degradability:

No further relevant information available.

12.3 Bioaccumulative potential:

No further relevant information available.

12.4 Mobility in soil:

No further relevant information available.

**Ecotoxical effects:** 

Remark:

Very toxic for fish

## Additional ecological information:

General notes:

Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms

#### 12.5 Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

#### 12.6 Other adverse effects

No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Take to an approved landfill or a waste

incineration plant, under conditions approved by the local authority.

European waste catalogue

18 01 10\* amalgam waste from dental care

Uncleaned packaging

Recommendation:

Disposal must be made according to official regulations.

**SECTION 14: Transport information** 

14.1 UN-Number

ADR, IMDG, IATA:

UN2809

14.2 UN proper shipping name

ADR:

2809 MERCURY, ENVIRONMENTALLY HAZARDOUS

IMDG, IATA: **MERCURY** 

14.3 Transport hazard class(es)

ADR

Class:

8 (CT1) Corrosive substances.

Label:

8+6.1

IMDG, IATA



Class:

8 Corrosive substances.

Label:

8+6.1

14.4 Packing group

ADR, IMDG, IATA:

III

14.5 Environmental hazards:

Marine pollutant:

No

Special marking (ADR):

Symbol (fish and tree)

14.6 Special precautions for user

Warning:

Corrosive substances.

Danger code (Kemler):

80

EMS Number:

F-A,S-B

Segregation groups:

Heavy metals and their salts (including their organometallic

compounds), mercury and mercury compounds

# 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ):

5 kg

Transport category:

3

Tunnel restriction code

Ε

UN "Model Regulation":

UN2809, MERCURY, ENVIRONMENTALLY HAZARDOUS, 8

(6.1), III

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations:

## Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

Product complies with ISO 13897 Dentistry - Amalgam capsules

Product complies with ISO 24234 Dentistry - Mercury and alloys for dental amalgam.

Labelling according to ISO 24234



CAUTION: This product contains mercury

## 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Abbreviations and acronyms:

ADR:

Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous

Goods by Road)

IMDG:

International Maritime Code for Dangerous Goods

IATA:

International Air Transport Association

**EINECS:** 

**European Inventory of Existing Commercial Chemical Substances** 

ELINCS:

**European List of Notified Chemical Substances** 

CAS:

Chemical Abstracts Service (division of the American Chemical Society)

Acute Tox. 2:

Acute toxicity, Hazard Category 2

Repr. 1B:

Reproductive toxicity, Hazard Category 1B

STOT RE 1:

Specific target organ toxicity - Repeated exposure, Hazard Category 1

Aquatic Acute 1: Aquatic Chronic 1:

Hazardous to the aquatic environment - AcuteHazard, Category 1
Hazardous to the aquatic environment - Chronic Hazard, Category 1