Printing date 18.07.2013

Version number 2

Revision: 09.07.2013

## 1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Dispersalloy Powder

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the preparation Dental filling material

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: DENTSPLY DeTrey GmbH De-Trey-Str. 1 D-78467 Konstanz GERMANY

Tel.: +49-(0)7531-583-0 Fax: +49-(0)7531-583-104

email: KonstanzDEU.info-sdb@dentsply.com

· Further information obtainable from:

- Departement Analytical Research / Research & Development for technical information

- Departement Marketing & Sales for distribution of the safety data sheets

1.4 Emergency telephone number: +49-(0)7531-583-0 8:00 - 17:00 (GMT + 1:00)

## 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC

N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

2.2 Label elements

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials

· Code letter and hazard designation of product:



N Dangerous for the environment

· Risk phrases:

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases:

29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

57 Use appropriate container to avoid environmental contamination.

60 This material and its container must be disposed of as hazardous waste.

(Contd. on page 2)

Printing date 18.07.2013

Version number 2

Revision: 09.07.2013

(Contd. of page 1)

Trade name: Dispersalloy Powder

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · 3.2 Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

CAS: 7440-22-4	silver	50-100%
EINECS: 231-131-3	N R50/53  Separatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 7440-50-8 EINECS: 231-159-6	copper substance with a Community workplace exposure limit	10-25%
CAS: 7440-66-6	zinc powder -zinc dust (pyrophoric)  F R15-17; N R50/53  Pyr. Sol. 1, H250; Water-react. 1, H260; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≤ 2.5%

<sup>·</sup> Additional information For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up: Pick up mechanically.

(Contd. on page 3)

Printing date 18.07.2013

Version number 2

Revision: 09.07.2013

(Contd. of page 2)

Trade name: Dispersalloy Powder

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · 7.1 Precautions for safe handling Observe normal care for working with chemicals.
- · Handling Product is intended for dental use only.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Protect from humidity and water.
- · 7.3 Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7440-22-4 silver

WEL Long-term value: 0.1 mg/m<sup>3</sup>

7440-50-8 copper

WEL Short-term value: 2\*\* mg/m3

Long-term value: 0.2\* 1\*\* mg/m<sup>3</sup>

\*fume \*\*dusts and mists (as Cu)

- · Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Respiratory protection: Not necessary if room is well-ventilated.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the great desirable.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

(Contd. on page 4)

Printing date 18.07.2013

Version number 2

Revision: 09.07.2013

Trade name: Dispersalloy Powder

· Body protection: Protective work clothing.

(Contd. of page 3)

9.1 Information on basic physical a	and chemical properties
General Information	ina chemicai properties
Appearance:	
Form:	Powder
Colour:	Grey
Odour: Odour threshold:	Odourless Not determined
pH-value:	Not applicable.
•	ны аррисавіе.
Change in condition  Melting point/Melting range:	
Boiling point/Boiling range:	undetermined undetermined
Flash point:	Not applicable
Flammability (solid, gaseous)	Not determined
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined
Self-igniting:	
Danger of explosion:	Product is not selfigniting.
	Product does not present an explosion hazard.
Explosion limits:  Lower:	
Upper:	Not determined. Not determined.
Vapour pressure:	
	Not applicable.
Density:	Not determined
Relative density Vapour density	Not determined.
Evaporation rate	Not applicable. Not applicable.
Solubility in / Miscibility with	но аррисавіе.
Water:	Insoluble
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0.0 %
Solids content: 9.2 Other information	100.0 %
Solids content:	

(Contd. on page 5)

Printing date 18.07.2013

Version number 2

Revision: 09.07.2013

Trade name: Dispersalloy Powder

(Contd. of page 4)

## 10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with oxygen
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

#### 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.

## 12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

7440-22-4 silver

EC50/48h 0.00022 mg/L (daphnia)

LC50/96h 0.003 mg/l (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

-- GE

(Contd. on page 6)

Printing date 18.07.2013

Version number 2

Revision: 09.07.2013

Trade name: Dispersalloy Powder

(Contd. of page 5)

## 13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

18 01 06\* chemicals consisting of or containing dangerous substances

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

Transport information	
· 14.1 UN-Number · ADR, IMDG, IATA	UN3077
· 14.2 UN proper shipping name	
· ADR	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE
· IMDG	SOLID, N.O.S. (silver)
IMDO	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLII N.O.S. (silver), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLII
. 14 3 Transmort hazard alass(a)	N.O.S. (silver)
· 14.3 Transport hazard class(es) · ADR	
· Class · Label	9 (M7) Miscellaneous dangerous substances and articles.
IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	Yes
Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
7	(Contd. on page

Printing date 18.07.2013

Version number 2

Revision: 09.07.2013

Trade name: Dispersalloy Powder

	(Contd. of page
Special marking (IATA):	Symbol (fish and tree)
· 14.6 Special precautions for user · Danger code (Kemler): · EMS Number:	Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F
14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5 kg
Transport category	3
Tunnel restriction code	E

## 15 Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

#### · Relevant phrases

- H250 Catches fire spontaneously if exposed to air.
- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- R15 Contact with water liberates extremely flammable gases.
- R17 Spontaneously flammable in air.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- · Department issuing MSDS: Analytical Research
- · Contact: HotLine for urgent technical support: +49-7531-583-333
- \* Data compared to the previous version altered.

GB -

Printing date 15.07.2013

Version number 2

Revision: 09.07.2013

## I Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: mercury
- · CAS Number:
- 7439-97-6
- · EC number:
- 231-106-7
- Index number: 080-001-00-0
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the preparation mercury for preparing NON-GAMMA-2-AMALGAM
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

DENTSPLY DeTrey GmbH

De-Trey-Str. 1

D-78467 Konstanz

**GERMANY** 

Tel.: +49-(0)7531-583-0

Fax: +49-(0)7531-583-104

email: KonstanzDEU.info-sdb@dentsply.com

- · Further information obtainable from:
- Departement Analytical Research / Research & Development for technical information
- Departement Marketing & Sales for distribution of the safety data sheets

  1.4 Emergency telephone number: +49-(0)7531-583-0 8:00 17:00 (GMT + 1:00)

#### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 2

H330 Fatal if inhaled.

Repr. 1B

H360D May damage the unborn child.

STOT RE 1

H372 Causes damage to organs through prolonged or repeated exposure.

Aquatic Acute 1

H400 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

T+; Very toxic

R26:

Very toxic by inhalation.

T; Toxic

Repr. Cat. 2

R61-48/23: May cause harm to the unborn child. Toxic: danger of serious damage to health by prolonged exposure through inhalation.

N; Dangerous for the environment

R50/53:

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Information concerning particular hazards for human and environment: not applicable

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Printing date 15.07.2013

Version number 2

Revision: 09.07.2013

(Contd. of page 1)

Trade name: mercury

· Hazard pictograms



· Signal word Danger

· Hazard statements

H330 Fatal if inhaled.

H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P284 Wear respiratory protection.

P310 Immediately call a POISON CENTER or doctor/physician.

P320 Specific treatment is urgent (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

#### 3 Composition/information on ingredients

· 3.1 Chemical characterization: Substances

· CAS No. Description:

7439-97-6 mercury

· Identification number(s): · EC number: 231-106-7

· Index number: 231-100-7

Index number: 080-001-00-0

#### 4 First aid measures

· 4.1 Description of first aid measures

· General information

Personal protection for the First Aider.

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air.

Call a doctor immediately.

Supply fresh air or oxygen; call for doctor.

After skin contact

Seek medical treatment.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing If symptoms persist consult doctor.

(Contd. on page 3)

Printing date 15.07.2013

Version number 2

Revision: 09.07.2013

Trade name: mercury

(Contd. of page 2)

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters
- · Protective equipment: Self-contained respiratory protective device.
- · Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

## 6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Observe normal care for working with chemicals.

Open the capsules only after activation in a caps mixer!

Take notice of the directions for use!

- · Handling Product is intended for dental use only.
- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store receptacle in a well ventilated area.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

Printing date 15.07.2013

Version number 2

Revision: 09.07.2013

Trade name: mercury

· 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

## 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: Not required.
- · Ingredients with biological limit values:

7439-97-6 mercury

BMGV 20 µmol/mol creatinine

Medium: urine

Sampling time: random Parameter: mercury

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment

· General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

Protection of hands:

The glove material has to be impermeable and resistant to the product/the substance/the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

· Body protection: Protective work clothing.

### 9 Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information

Appearance:

Form:

Liquid

Colour:

Silver-coloured

Odour:

Odourless

· Odour threshold:

Not determined.

(Contd. on page 5)

Printing date 15.07.2013

Version number 2

Revision: 09.07.2013

Trade name: mercury

		(Contd. of pa
pH-value:	Neutral	
	Not determined.	
Change in condition		
Melting point/Melting range:	-38.86 °C	
Boiling point/Boiling range:	356.73 °C (bei 1.013 hPa)	
Flash point:	Not applicable	
Flammability (solid, gaseous)	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Self-igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	0.00163 hPa	
Density at 20 °C:	13.54 g/cm <sup>3</sup>	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with	,	
Water:	Fully miscible	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

## 10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
  10.6 Hazardous decomposition products: No dangerous decomposition products known

## 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

Oral LD50 29 mg/qm/30h mg/kg (rab)

(Contd. on page 6)

Printing date 15.07.2013

Version number 2

Revision: 09.07.2013

(Contd. of page 5)

Trade name: mercury

· Primary irritant effect:

on the skin: No irritant effect.

on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Repr. 1B

## 12 Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

EC50/48h 0.01 mg/L (daphnia)

LC50/96h 0.9 mg/l (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Dispose the product after activation to the amalgame into a labelled, tightly closing container. Regard the local official regulations.

· European waste catalogue

18 01 06\* chemicals consisting of or containing dangerous substances

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

– GB

(Contd. on page 7)

Printing date 15.07.2013

Version number 2

Revision: 09.07.2013

Trade name: mercury

(Contd. of page 6)

· 14.1 UN-Number · ADR, IMDG, IATA	LINISON
	UN3506
· 14.2 UN proper shipping name · ADR	3506 MERCURY CONTAINED IN MANUELOTUR
ADR.	3506 MERCURY CONTAINED IN MANUFACTURE ARTICLES, ENVIRONMENTALLY HAZARDOUS
· IMDG	MERCURY CONTAINED IN MANUFACTURED ARTICLE
T. m. i	MARINE POLLUTANT
IATA	MERCURY CONTAINED IN MANUFACTURED ARTICLES
14.3 Transport hazard class(es)	
ADR	
Class	8 (CT3) Corrosive substances.
Label	8+6.1
IMDG	
Class	8 Corrosive substances.
Label	8+6.1
Class	8 Corrosive substances.
Label	8+6.1
14.4 Packing group ADR, IMDG, IATA	III
	<i>III</i>
14.5 Environmental hazards:	Environmentally hazardous substance, liquid; Mari. Pollutant
Marine pollutant:	No
	Yes (PP)
Special marking (400)	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler): EMS Number:	- F-A.S-B
14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	ex 11 of Not applicable.

Printing date 15.07.2013

Version number 2

Revision: 09.07.2013

Trade name: mercury

	(Contd. of page
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5 kg
Transport category	3
Tunnel restriction code	E
UN "Model Regulation":	UN3506, MERCURY CONTAINED IN MANUFACTURED
2002 	ARTICLES, ENVIRONMENTALLY HAZARDOUS, 8 (6.1), III

## 15 Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

- · Department issuing MSDS: Analytical Research
- · Contact: HotLine for urgent technical support: +49-7531-583-333
- \* Data compared to the previous version altered.