

3M UK PLC  
3M CENTRE, CAIN RD,  
BRACKNELL, BERKSHIRE, RG12 8HT  
Tel: 01344 858000

3M IRELAND  
3M HOUSE, ADELPHI CENTRE,  
DUN LAOGHAIRE, CO. DUBLIN  
Tel: 01 2803555

=====  
Kit MSDS  
=====

Document id : 18-9081-3      Issue date : 25/08/2006  
Version : 4.01      Supersedes date : 02/03/2006

-----  
1 INFORMATION REGARDING KIT

Dear Customer,

This is the cover sheet for the KIT MSDS.  
You will find the document numbers of the MSDS that belong to the kit  
here on this page.

Tradename:

3M(TM) ESPE(TM) ADPER(TM) SCOTCHBOND(TM) 1 XT

3M Product ID:

70-2011-1990-9, 70-2010-3674-9, 70-2011-1991-7

Kit Components

10-4782-8

SCOTCHBOND(TM) PHOSPHORIC ETCHING GEL & DELIVERY SYRINGES 7423/7523

18-9028-4

3M(TM) ESPE(TM) ADPER(TM) SCOTCHBOND 1 XT

The information on this Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

□

3M UK PLC  
3M CENTRE, CAIN RD,  
BRACKNELL, BERKSHIRE, RG12 8HT  
Tel: 01344 858000

3M IRELAND  
3M HOUSE, ADELPHI CENTRE,  
DUN LAOGHAIRE, CO. DUBLIN  
Tel: 01 2803555

=====  
MATERIAL SAFETY DATA SHEET  
=====

Document id : 10-4782-8      Issue date : 25/08/2006  
Version : 12.01      Supersedes date : 26/06/2006

-----  
1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION  
-----

Tradename:

SCOTCHBOND(TM) PHOSPHORIC ETCHING GEL & DELIVERY SYRINGES  
7423/7523

3M Product ID:  
70-2010-1442-3, 70-2010-5157-3

---

## 2 COMPOSITION/INFORMATION ON INGREDIENTS

---

Ingredient name and classification	CAS number	Percentage
WATER	7732-18-5	55 - 65
PHOSPHORIC ACID	7664-38-2	35.0 - 45.0
EU Hazard Symbols and Risk Phrases: EU - Adaptation 21 (C; R:34)		
SYNTHETIC AMORPHOUS SILICA	112945-52-5	5 - 10

---

## 3 HAZARDS IDENTIFICATION

---

Critical hazards:  
Corrosive. Causes burns.

---

## 4 FIRST-AID MEASURES

---

**Eye Contact:**

Get immediate medical attention. Immediately flush eyes with large amounts of water for at least 15 minutes.

**Skin Contact:**

Immediately flush skin with large amounts of water for at least 15 minutes. Get immediate medical attention. Remove contaminated clothing and shoes. Wash contaminated clothing and shoes before reuse.

**Inhalation:**

No need for first aid is anticipated.

**Ingestion:**

Do not induce vomiting. Get immediate medical attention. Give victim two glasses of water. Never give anything by mouth to an unconscious person.

---

## 5 FIRE-FIGHTING MEASURES

---

**Suitable Extinguishing Media:**

Non-combustible. Choose material suitable for surrounding fire.

**Hazardous Decomposition:**

Carbon monoxide - During Combustion. Carbon dioxide - during combustion.

**Fire-Fighting Procedures:**

Wear full protective equipment and a self-contained breathing apparatus.

**Special Instructions:**

Not applicable.

---

## 6 ACCIDENTAL RELEASE MEASURES

---

**Personal Precautions:**

Refer to other sections of this Material Safety Data Sheet for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

**Methods for Cleaning up:**

Place in a metal container approved for use in transportation by appropriate authorities. The container must be lined with polyethylene plastic or contain a plastic drum liner made of polyethylene. Ventilate the area with fresh air. Contain spill. Cover with absorbent material. Collect as much of the spilled material as possible. Clean up residue. Collect the resulting residue containing solution. Cover, but do not seal for 48 hours. Dispose of collected material as soon as possible.

---

## 7 HANDLING AND STORAGE

---

**Precautions for Safe Handling:**

Observe precautions from other sections.

---

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

---

**Eye Protection:**

Avoid eye contact. The following should be worn alone or in combination, as appropriate to prevent eye contact: Safety glasses with side shields.

**Skin Protection:**

Avoid skin contact.

**Respiratory Protection:**

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

**Ingestion:**

Do not ingest.

**Recommended Ventilation:**

Not applicable.

**Exposure Limits:**

PHOSPHORIC ACID (7664-38-2)

HSE WEL TWA: 1 mg/m<sup>3</sup>

HSE WEL STEL: 2 mg/m<sup>3</sup>

EEC Exposure Limit

1mg/m 8 hours; 2mg/m short term

---

## 9 PHYSICAL AND CHEMICAL PROPERTIES

---

**Appearance and Odour:**

Blue liquid gel with slight characteristic odour.

**pH:**

1.0

**Boiling point/boiling range:**

100 C

**Melting point/melting range:**

Not applicable

**Flash point:**

Not applicable

**Autoflammability:**

Not applicable

Vapour pressure:	Not applicable
Water Solubility:	Complete
Specific gravity:	1.28
Vapour density:	Not applicable
Volatile organic compounds:	Not determined
Evaporation rate:	Not determined
Viscosity:	100,000 centipoise
Percent Volatile:	Not applicable

---

#### 10 STABILITY AND REACTIVITY

---

Materials to Avoid:  
Strong bases.

Stability and Reactivity:  
Stable. Hazardous polymerisation will not occur.

---

#### 11 TOXICOLOGICAL INFORMATION

---

Effects from Eye Contact:

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

Effects from Skin Contact:

Corrosive (Skin Burns): Signs/symptoms may include localised redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

Effects from Inhalation:

No adverse health effects are expected.

Effects from Ingestion:

Gastrointestinal Corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain, nausea, vomiting, and diarrhea; blood in the faeces and/or vomitus may also be seen.

---

#### 12 ECOLOGICAL INFORMATION

---

Ecotoxicity Data:

Not determined.

Ecofate Data:

Not determined.

Special statements for 2001/58/EC:

A conservative assessment indicates this product presents a low environmental risk because use and disposal are unlikely to result in the significant release of components to the environment.

---

#### 13 DISPOSAL CONSIDERATIONS

---

---

**Product as Sold:**

Incinerate in a permitted hazardous waste incinerator in the presence of a combustible material. As a disposal alternative, dispose of waste product in a permitted hazardous waste facility.

**Special Instructions:**

Since regulations vary, consult applicable regulations or authorities before disposal.

---

**14 TRANSPORT INFORMATION**

---

**UN NUMBER:**

UN number: UN1805

**UK ROAD/SEA FREIGHT (IMO) CLASSIFICATION:**

Substance Identification Number: UN1805  
Class: 8  
Packing Group: III  
Proper Shipping Name: PHOSPHORIC ACID SOLUTION.

**ADR/RID CLASSIFICATION:**

Class: 8  
ADR classification: C1

**ICAO/IATA CLASSIFICATION:**

Class: 8  
Sub-Risk: Not applicable  
Packing Group: Not applicable  
Proper Shipping Name: Dangerous Goods in excepted quantities ( Class 8, UN1805)

---

**15 REGULATORY INFORMATION**

---

Disclosable Ingredients:  
PHOSPHORIC ACID.

Symbol(s):  
(C) Hand and Testube (Corrosive).

Risk Phrases:  
(R34) Causes burns.

Safety Phrases:  
S24/25 Avoid contact with the skin and eyes. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water for 15 minutes. Wear suitable protective clothing, gloves, and eye and face protection. In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible).

---

16 OTHER INFORMATION

---

**Regulatory Information:**

The following UK Regulations as amended may affect the product as supplied: The Chemicals (Hazard Information and Packaging for supply) Regulations, as amended. The Carriage of Dangerous Goods (Classification, Packaging and Labelling) and use of Transportable Pressure Receptacles Regulations 1996, as amended. Carriage of Dangerous Goods by Road regulations, 1996, as amended. The Control of Substances Hazardous to Health Regulations 1999 as amended. The Special Waste Regulations 1996, as amended. The Environmental Protection Act, 1990 The Health and Safety at Work Act, 1974.

**Reissue date/Reason for reissue.**  
Updated section 14.

**Intended Use of Product:**  
Component of Scotchbond(TM) Multi-purpose plus dual-cure dental adhesive system.

**Limitations on Use of Product:**  
For use only by dental professionals

The information on this Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

□

3M UK PLC  
3M CENTRE, CAIN RD,  
BRACKNELL, BERKSHIRE, RG12 8HT  
Tel: 01344 858000

3M IRELAND  
3M HOUSE, ADELPHI CENTRE,  
DUN LAOGHAIRE, CO. DUBLIN  
Tel: 01 2803555

---

MATERIAL SAFETY DATA SHEET

---

Document id : 18-9028-4  
Version : 6.00

Issue date : 07/10/2005  
Supersedes date : 26/08/2005



---

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION

---

## Tradename:

3M(TM) ESPE(TM) ADPER(TM) SCOTCHBOND 1 XT

## 3M Product ID:

70-2010-3675-6

---

2 COMPOSITION/INFORMATION ON INGREDIENTS

---

Ingredient name and classification	CAS number	Percentage
ETHYL ALCOHOL	64-17-5	25 - 35
Regulatory Lists: IARC(Group 1)		
EU Hazard Symbols and Risk Phrases: EU - Adaptation 21 (F;		
R:11)		
EINECS No: 2005786		
BISPHENOL A DIGLYCIDYL ETHER	1565-94-2	10 - 20
DIMETHACRYLATE		
EU Hazard Symbols and Risk Phrases: EU - 3M Classified (Xi;		
R:36-37-38-43)		
SILANE TREATED SILICA (NANOFILLER)	---	10 - 20
2-HYDROXYETHYL METHACRYLATE	868-77-9	5 - 15
EU Hazard Symbols and Risk Phrases: EU - Adaptation 21 (Xi;		
R:36-38-43)		
2-HYDROXY-1,3-DIMETHACRYLOXYPROPANE	1830-78-0	5 - 10
EU Hazard Symbols and Risk Phrases: EU - 3M Classified (Xi;		
R:36-37-38-43)		
COPOLYMER OF ACRYLIC AND ITACONIC	25948-33-8	5 - 10
ACIDS		
DIURETHANE DIMETHACRYLATE	72869-86-4	1 - 5
WATER	7732-18-5	Less Than 5

---

3 HAZARDS IDENTIFICATION

---

## Critical hazards:

Highly flammable. Irritant. Irritating to eyes, respiratory system and skin. May cause sensitisation by skin contact.

---

4 FIRST-AID MEASURES

---

## Eye Contact:

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

## Skin Contact:

Remove contaminated clothing and shoes. Immediately flush skin with large amounts of water. Get medical attention. Wash contaminated clothing and shoes before reuse.

## Inhalation:

Remove person to fresh air. If signs/symptoms develop, get medical attention.

## Ingestion:

Do not induce vomiting. Get immediate medical attention. Give victim two glasses of water. Never give anything by mouth to an unconscious person.

---

## 5 FIRE-FIGHTING MEASURES

---

### Suitable Extinguishing Media:

Use fire extinguishers with class B extinguishing agents (e.g., dry chemical, carbon dioxide).

### Exposure Hazards:

Closed containers exposed to heat from fire may build pressure and explode. Vapours may travel long distances along the ground or floor to an ignition source and flash back.

### Hazardous Decomposition:

Carbon monoxide - During Combustion. Carbon dioxide - during combustion.

### Fire-Fighting Procedures:

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective equipment and a self-contained breathing apparatus.

---

## 6 ACCIDENTAL RELEASE MEASURES

---

### Personal Precautions:

Refer to other sections of this Material Safety Data Sheet for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### Methods for Cleaning up:

Seal the container. Ventilate the area with fresh air. Contain spill. Cover with absorbent material. Collect as much of the spilled material as possible. Clean up residue. Collect the resulting residue containing solution. Dispose of collected material as soon as possible.

---

## 7 HANDLING AND STORAGE

---

### Incompatible Materials/Conditions:

Store away from heat. Store out of direct sunlight.

### Explosion Prevention:

Flammable liquid and vapour. Keep away from heat, sparks, open flame, pilot lights and other sources of ignition.

### Precautions for Safe Handling:

Keep container tightly closed.

---

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### Eye Protection:

Avoid eye contact. The following should be worn alone or in combination, as appropriate to prevent eye contact: Safety glasses with side shields.

### Hand Protection:

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and



then re-glove.

**Skin Protection:**

Avoid skin contact.

**Respiratory Protection:**

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

**Ingestion:**

Do not ingest.

**Recommended Ventilation:**

Not applicable.

**Exposure Limits:**

ETHYL ALCOHOL (64-17-5)

HSE WEL TWA: 1000 ppm; 1920 mg/m3 OES

---

9 PHYSICAL AND CHEMICAL PROPERTIES

---

Appearance and Odour:	White to colourless liquid with a slight acrylate odour.
pH:	Not determined
Boiling point/boiling range:	78 C
Melting point/melting range:	Not applicable
Flash point:	18.5 C CC
Autoflammability:	410 C
Vapour pressure:	Not determined
Water Solubility:	Negligible
Specific gravity:	1.075
Vapour density:	Not determined
Percent Volatile:	Not determined

---

10 STABILITY AND REACTIVITY

---

**Conditions to Avoid:**

Heat. Sparks and/or Flames.

**Materials to Avoid:**

None known.

**Hazardous Decomposition:**

Hazardous polymerisation will not occur. Stable.

---

11 TOXICOLOGICAL INFORMATION

---

**Effects from Eye Contact:**

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

**Effects from Skin Contact:**

Moderate Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness. Prolonged or repeated exposure may cause: Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

**Effects from Inhalation:**

May be absorbed following inhalation and cause target organ effects. Upper Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

**Effects from Ingestion:**

May be absorbed following ingestion and cause target organ effects. Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, nausea, diarrhoea and vomiting.

**Carcinogenicity:**

Note: This product contains ethanol. In IARC published Monograph No. 44, entitled, 'Alcohol Drinking', the carcinogenicity of ethanol was determined based on chronic exposure to ethanol through human consumption of alcoholic beverages. This is not an expected effect during the foreseeable use of this product.

**Other Effects and Information:**

Prolonged or repeated exposure, above recommended guidelines, may cause: Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

---

## 12 ECOLOGICAL INFORMATION

---

**Ecotoxicity Data:**

Not determined.

**Ecofate Data:**

Not determined.

**Special statements for 2001/58/EC:**

A conservative assessment indicates this product presents a low environmental risk because use and disposal are unlikely to result in the significant release of components to the environment.

---

## 13 DISPOSAL CONSIDERATIONS

---

**Product as Sold:**

Incinerate in a permitted hazardous waste incinerator. As a disposal alternative, dispose of waste product in a permitted hazardous waste facility.

**Special Instructions:**

Since regulations vary, consult applicable regulations or authorities before disposal.

---

## 14 TRANSPORT INFORMATION

---

UN NUMBER:

UN number: UN1133

UK ROAD/SEA FREIGHT (IMO) CLASSIFICATION:

Substance Identification Number: UN1133  
 Class: 3.0  
 Packing Group: II  
 Proper Shipping Name: ADHESIVES

ADR/RID CLASSIFICATION:

Class: 3.0  
 ADR classification: F1

ICAO/IATA CLASSIFICATION:

Class: 3.0  
 Sub-Risk: Not applicable  
 Packing Group: Not applicable.  
 Proper Shipping Name: Dangerous goods in excepted quantities (class 3, UN1133)

-----  
 15 REGULATORY INFORMATION  
 -----

Disclosable Ingredients:

BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE; 2-HYDROXYETHYL METHACRYLATE; GLYCEROL 1,3-DIMETHACRYLATE.

Symbol(s):

(F) Flame (Highly Flammable). (Xi) St. Andrew's Cross (Irritant).

Risk Phrases:

(R11) Highly Flammable. (R36/37/38) Irritating to eyes, respiratory system and skin. (R43) May cause sensitisation by skin contact.

Safety Phrases:

Keep away from sources of ignition - No Smoking. Do not breathe vapour. Use only in well ventilated areas. Avoid contact with the skin and eyes. Wear suitable gloves. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of water.

-----  
 16 OTHER INFORMATION  
 -----

Regulatory Information:

The following UK Regulations as amended may affect the product as supplied: The Chemicals (Hazard Information and Packaging for supply) Regulations, as amended. The Carriage of Dangerous Goods (Classification, Packaging and Labelling) and use of

Transportable Pressure  
Receptacles Regulations 1996,  
as amended. Carriage of  
Dangerous Goods by Road  
regulations, 1996, as amended.  
The Control of Substances  
Hazardous to Health  
Regulations 1999 as amended.  
The Special Waste Regulations  
1996, as amended. The  
Environmental Protection Act,  
1990 The Health and Safety at  
Work Act, 1974.

Reissue date/Reason for reissue.  
Updated section 14.

Intended Use of Product:  
For use only by dental professionals

Limitations on Use of Product:  
For use only by dental professionals

The information on this Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

□

3M UK PLC  
3M CENTRE, CAIN RD,  
BRACKNELL, BERKSHIRE, RG12 8HT  
Tel: 01344 858000

3M IRELAND  
3M HOUSE, ADELPHI CENTRE,  
DUN LAOGHAIRE, CO. DUBLIN  
Tel: 01 2803555

---

---

MATERIAL SAFETY DATA SHEET

---

---

Document id : 18-3343-3 Issue date : 02/03/2006  
Version : 2.00 Supersedes date : 15/05/2003

---

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION

---

Tradename:  
7543 3M(TM) ESPE(TM) ADPER SCOTCHBOND MULTI-PURPOSE ADHESIVE

3M Product ID:  
70-2010-3501-4

---

2 COMPOSITION/INFORMATION ON INGREDIENTS

---

Ingredient name and classification	CAS number	Percentage
BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE	1565-94-2	60 - 70
EU Hazard Symbols and Risk Phrases: EU - 3M Classified (Xi; R:36-37-38-43)		
2-HYDROXYETHYL METHACRYLATE	868-77-9	30 - 40
EU Hazard Symbols and Risk Phrases: EU - Adaptation 21 (Xi; R:36-38-43)		

---

3 HAZARDS IDENTIFICATION

---

Critical hazards:  
Irritant. Irritating to eyes, respiratory system and skin.  
May cause sensitisation by skin contact.

---

4 FIRST-AID MEASURES

---

Eye Contact:

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

Skin Contact:

Remove contaminated clothing and shoes. Immediately flush skin with large amounts of water. Get medical attention. Wash contaminated clothing and shoes before reuse.

Inhalation:

Remove person to fresh air. If signs/symptoms develop, get medical attention.

**Ingestion:**

Do not induce vomiting. Get immediate medical attention. Give victim two glasses of water. Never give anything by mouth to an unconscious person.

---

**5 FIRE-FIGHTING MEASURES**

---

**Suitable Extinguishing Media:**

Use fire extinguishers with class B extinguishing agents (e.g., dry chemical, carbon dioxide).

**Hazardous Decomposition:**

Irritant vapours or gases. Carbon Monoxide, Carbon Dioxide.

**Fire-Fighting Procedures:**

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, tunic and trousers (leggings), bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**Special Instructions:**

Not applicable.

---

**6 ACCIDENTAL RELEASE MEASURES**

---

**Personal Precautions:**

Observe precautions from other sections.

**Methods for Cleaning up:**

Ventilate the area with fresh air. Collect as much of the spilled material as possible. Clean up residue. Collect the resulting residue containing solution. Place in a closed container approved for transportation by appropriate authorities. Dispose of collected material as soon as possible.

---

**7 HANDLING AND STORAGE**

---

**Precautions for Safe Handling:**

OBSERVE PRECAUTIONS FROM OTHER SECTIONS

---

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

**Eye Protection:**

Avoid eye contact. The following should be worn alone or in combination, as appropriate to prevent eye contact: Safety glasses with side shields.

**Hand Protection:**

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove.



Skin Protection:  
Avoid skin contact.

Respiratory Protection:  
Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

Ingestion:  
Do not ingest.

Recommended Ventilation:  
Not applicable.

Special Instructions:  
See Sect. 7.1 for more information about skin protection.

Exposure Limits:

---

## 9 PHYSICAL AND CHEMICAL PROPERTIES

---

Appearance and Odour:	Clear, slightly yellow liquid, slight acrylate odour
Boiling point/boiling range:	Greater than 35 C
Flash point:	101.11 C Closed Cup
Vapour pressure:	Less Than 16 psi
Specific gravity:	1.15 Water=1
Viscosity:	250 centipoise Brookfield
Percent Volatile:	

---

## 10 STABILITY AND REACTIVITY

---

Materials to Avoid:  
None known.

Stability and Reactivity:  
Hazardous polymerisation will not occur. Stable.

---

## 11 TOXICOLOGICAL INFORMATION

---

Effects from Eye Contact:  
Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Effects from Skin Contact:  
Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching. Moderate Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness.

**Effects from Inhalation:**

Upper Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

**Effects from Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, nausea, diarrhoea and vomiting.

---

**12 ECOLOGICAL INFORMATION**

---

**Ecotoxicity Data:**

Not determined.

**Ecofate Data:**

Not determined.

**Special statements for 2001/58/EC:**

A conservative assessment indicates this product presents a low environmental risk. Components released to the environment through use and disposal are expected to have minimal environmental impact.

---

**13 DISPOSAL CONSIDERATIONS**

---

**Product after Use:**

Incinerate in an industrial or commercial facility in the presence of a combustible material. As a disposal alternative, dispose of waste product in a facility permitted to accept chemical waste.

**Special Instructions:**

Since regulations vary, consult applicable regulations or authorities before disposal.

---

**14 TRANSPORT INFORMATION**

---

**UN NUMBER:**

UN number:

Not restricted for transportation.

**UK ROAD/SEA FREIGHT (IMO) CLASSIFICATION:**

Substance Identification Number:

Class:

Packing Group:

Proper Shipping Name:

**ADR/RID CLASSIFICATION:**

Class:

ADR classification:

## ICAO/IATA CLASSIFICATION:

Class:

Sub-Risk:

Packing Group:

Proper Shipping Name:

-----  
15 REGULATORY INFORMATION  
-----

## Disclosable Ingredients:

2-HYDROXYETHYL METHACRYLATE

## Symbol(s):

(Xi) St. Andrew's Cross (Irritant).

## Risk Phrases:

(R36/37/38) Irritating to eyes, respiratory system and skin.  
(R43) May cause sensitisation by skin contact.

## Safety Phrases:

Avoid contact with the skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of water. Wear suitable gloves and eye protection. Use only in well ventilated areas.

-----  
16 OTHER INFORMATION  
-----

## Regulatory Information:

The following UK Regulations as amended may affect the product as supplied: The Chemicals (Hazard Information and Packaging for supply) Regulations, as amended. The Carriage of Dangerous Goods (Classification, Packaging and Labelling) and use of Transportable Pressure Receptacles Regulations 1996, as amended. Carriage of Dangerous Goods by Road regulations, 1996, as amended. The Control of Substances Hazardous to Health Regulations 1999 as amended. The Special Waste Regulations 1996, as amended. The Environmental Protection Act, 1990 The Health and Safety at Work Act, 1974.

Reissue date/Reason for reissue.  
UPDATED MSDSIntended Use of Product:  
Dental adhesive.

**Limitations on Use of Product:**  
For use only by dental professionals

The information on this Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

□