

3M UK PLC
3M CENTRE, CAIN RD,
BRACKNELL, BERKSHIRE, RG12 8HT
Tel: 01344 858000

3M IRELAND
3M HOUSE, ADELPHI CENTRE,
DUN LAOGHAIRE, CO. DUBLIN
Tel: 01 2803555

Kit MSDS

Document id : 16-2739-7 Issue date : 13/12/2005
Version : 3.00 Supersedes date : 28/11/2002

1 INFORMATION REGARDING KIT

Dear Customer,

This is the cover sheet for the KIT MSDS.

You will find the document numbers of the MSDS that belong to the kit here on this page.

Tradename:

PROMPT L-POP-ADHESIVE

3M Product ID:

70-2011-0003-2 70-2011-0004-0

Kit Components

16-2729-8 PROMPT L-POP YELLOW CUSHION

16-2738-9 PROMPT L-POP RED CUSHION

The information on this Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

3M UK PLC
3M CENTRE, CAIN RD,
BRACKNELL, BERKSHIRE, RG12 8HT
Tel: 01344 858000

3M IRELAND
3M HOUSE, ADELPHI CENTRE,
DUN LAOGHAIRE, CO. DUBLIN
Tel: 01 2803555

MATERIAL SAFETY DATA SHEET

Document id : 16-2729-8 Issue date : 14/07/2005
Version : 4.00 Supersedes date : 14/10/2003

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION

Tradename:

PROMPT L-POP YELLOW CUSHION

3M Product ID:

2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient name and classification	CAS number	Percentage
WATER	7732-18-5	Greater than 99.0

3 HAZARDS IDENTIFICATION

Critical hazards:
Not applicable

4 FIRST-AID MEASURES

Eye Contact:

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

Skin Contact:

Wash affected area with soap and water. If signs/symptoms develop, get medical attention.

Inhalation:

No need for first aid is anticipated.

Ingestion:

No need for first aid is anticipated.

5 FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Ordinary combustible material. Use fire extinguishers with class A extinguishing agents (e.g., water, foam).

Hazardous Decomposition:

Carbon Monoxide, Carbon Dioxide.

Fire-Fighting Procedures:

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, tunic and trousers (leggings), bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

Special Instructions:

Not applicable.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Observe precautions from other sections.

Methods for Cleaning up:

Ventilate the area with fresh air. Contain spill. Cover with absorbent material. Collect as much of the spilled material as possible. Clean up residue. Collect the resulting residue

containing solution. Place in a closed container approved for transportation by appropriate authorities. Dispose of collected material as soon as possible.

7 HANDLING AND STORAGE

Incompatible Materials/Conditions:
Store away from heat.

Ventilation:
Keep container in a well-ventilated area.

Precautions for Safe Handling:
Observe precautions from other sections.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection:
Avoid eye contact. The following should be worn alone or in combination, as appropriate to prevent eye contact: Safety glasses with side shields.

Skin Protection:
Avoid prolonged or repeated skin contact. Gloves not normally required.

Respiratory Protection:
Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

Ingestion:
Do not ingest.

Recommended Ventilation:
Not applicable.

Exposure Limits:

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odour:	Colourless odourless liquid
pH:	7
Boiling point/boiling range:	100 C
Water Solubility:	Complete
Specific gravity:	1 Water=1
Percent Volatile:	Not determined.

10 STABILITY AND REACTIVITY

Conditions to Avoid:
Heat.

Materials to Avoid:

None known.

Hazardous Decomposition:

Stable. Hazardous polymerisation will not occur.

11 TOXICOLOGICAL INFORMATION

Effects from Eye Contact:

Mild Eye Irritation: Signs/symptoms may include redness, pain, and tearing.

Effects from Skin Contact:

Prolonged or repeated exposure may cause: Mild Skin Irritation: signs/symptoms may include localised redness, swelling, and itching.

Effects from Inhalation:

No adverse health effects are expected.

Effects from Ingestion:

No health effects are expected.

12 ECOLOGICAL INFORMATION

Ecotoxicity Data:

Not determined.

Ecofate Data:

Not determined.

Special statements for 2001/58/EC:

A conservative assessment indicates this product presents a low environmental risk because use and disposal are unlikely to result in the significant release of components to the environment.

13 DISPOSAL CONSIDERATIONS

Product as Sold:

Incinerate in an industrial or commercial facility in the presence of a combustible material. As a disposal alternative, dispose of waste product in a facility permitted to accept chemical waste.

Special Instructions:

Since regulations vary, consult applicable regulations or authorities before disposal.

14 TRANSPORT INFORMATION

UN NUMBER:

UN number:

Not restricted for transportation.

UK ROAD/SEA FREIGHT (IMO) CLASSIFICATION:

Substance Identification Number:

Class:

Packing Group:

Proper Shipping Name:

ADR/RID CLASSIFICATION:

Class:

ADR classification:

ICAO/IATA CLASSIFICATION:

Class:

Sub-Risk:

Packing Group:

Proper Shipping Name:

15 REGULATORY INFORMATION

Disclosable Ingredients:

No ingredients required on label

Symbol(s):

None

Risk Phrases:

None.

Safety Phrases:

Avoid contact with the skin and eyes.

16 OTHER INFORMATION

Regulatory Information:

The following UK Regulations as amended may affect the product as supplied: The Chemicals (Hazard Information and Packaging for supply) Regulations, as amended. The Carriage of Dangerous Goods (Classification, Packaging and Labelling) and use of Transportable Pressure Receptacles Regulations 1996, as amended. Carriage of Dangerous Goods by Road regulations, 1996, as amended. The Control of Substances Hazardous to Health Regulations 1999 as amended. The Special Waste Regulations 1996, as amended. The Environmental Protection Act, 1990 The Health and Safety at Work Act, 1974.

Reissue date/Reason for reissue.
Updated sections 7,9,10,12,15.

Intended Use of Product:
Dental adhesive

The information on this Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

3M UK PLC
3M CENTRE, CAIN RD,
BRACKNELL, BERKSHIRE, RG12 8HT
Tel: 01344 858000

3M IRELAND
3M HOUSE, ADELPHI CENTRE,
DUN LAOGHAIRE, CO. DUBLIN
Tel: 01 2803555

MATERIAL SAFETY DATA SHEET

Document id	: 16-2738-9	Issue date	: 14/07/2005
Version	: 4.00	Supersedes date	: 14/10/2003

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION

Tradename:
PROMPT L-POP RED CUSHION

3M Product ID:

2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient name and classification	CAS number	Percentage
METHACRYLATED PHOSPHORIC ACID ESTERS	Mixture	Approximately 98
DL-CAMPHORQUINONE	10373-78-1	1.0 - 2.0

3 HAZARDS IDENTIFICATION

Critical hazards:
Corrosive. Causes burns. May cause sensitisation by skin contact.

4 FIRST-AID MEASURES

Eye Contact:

Get immediate medical attention. Immediately flush eyes with large amounts of water for at least 15 minutes.

Skin Contact:

Immediately flush skin with large amounts of water for at least 15 minutes. Get immediate medical attention. Remove contaminated clothing and shoes. Wash contaminated clothing and shoes before reuse.

Inhalation:

Remove person to fresh air. If signs/symptoms develop, get medical attention.

Ingestion:

Do not induce vomiting. Get immediate medical attention. Give victim two glasses of water. Never give anything by mouth to an unconscious person.

5 FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Ordinary combustible material. Use fire extinguishers with class A extinguishing agents (e.g., water, foam).

Hazardous Decomposition:

Irritant vapours or gases. Carbon Monoxide, Carbon Dioxide.

Fire-Fighting Procedures:

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, tunic and trousers (leggings), bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

Special Instructions:

Not applicable.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Observe precautions from other sections.

Methods for Cleaning up:

Ventilate the area with fresh air. Contain spill. Cover with absorbent material. Collect as much of the spilled material as possible. Clean up residue. Collect the resulting residue containing solution. Place in a closed container approved for transportation by appropriate authorities. Dispose of collected material as soon as possible.

7 HANDLING AND STORAGE

Incompatible Materials/Conditions:

Store away from heat.

Precautions for Safe Handling:

Observe precautions from other sections.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection:

Avoid eye contact. The following should be worn alone or in combination, as appropriate to prevent eye contact: Safety glasses with side shields.

Hand Protection:

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove.

Skin Protection:

Avoid skin contact.

Respiratory Protection:

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

Ingestion:

Do not ingest.

Recommended Ventilation:

Not applicable.

Special Instructions:

See Sect. 7.1 for more information about skin protection.

Exposure Limits:

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odour:	Slight yellow coloured liquid, with acrylate odour.
Boiling point/boiling range:	> 35 C
Flash point:	> 140 C
Water Solubility:	Complete
Specific gravity:	> 1, Water=1
Evaporation rate:	< 1, BuOAc=1
Viscosity:	10000 centipoise
Percent Volatile:	Not determined.

10 STABILITY AND REACTIVITY

Conditions to Avoid:

Heat.

Materials to Avoid:

None known.

Hazardous Decomposition:

Stable. Hazardous polymerisation will not occur.

11 TOXICOLOGICAL INFORMATION

Effects from Eye Contact:

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

Effects from Skin Contact:

Corrosive (Skin Burns): Signs/symptoms may include localised redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction. Prolonged or repeated exposure may cause: Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Effects from Inhalation:

Upper Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Effects from Ingestion:

Gastrointestinal Corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain, nausea, vomiting, and diarrhea; blood in the faeces and/or vomitus may also be seen.

12 ECOLOGICAL INFORMATION

Ecotoxicity Data:

Not determined.

Ecofate Data:

Not determined.

Special statements for 2001/58/EC:

A conservative assessment indicates this product presents a low environmental risk because use and disposal are unlikely to result in the significant release of components to the environment.

13 DISPOSAL CONSIDERATIONS

Product as Sold:

Incinerate in an industrial or commercial facility in the presence of a combustible material. As a disposal alternative, dispose of waste product in a facility permitted to accept chemical waste.

Special Instructions:

Since regulations vary, consult applicable regulations or authorities before disposal.

14 TRANSPORT INFORMATION

UN NUMBER:

UN number:

Not restricted for
transportation.

UK ROAD/SEA FREIGHT (IMO) CLASSIFICATION:

Substance Identification Number:

Class:

Packing Group:

Proper Shipping Name:

ADR/RID CLASSIFICATION:

Class:

ADR classification:

ICAO/IATA CLASSIFICATION:

Class:

Sub-Risk:

Packing Group:

Proper Shipping Name:

15 REGULATORY INFORMATION

Disclosable Ingredients:

METHACRYLATED PHOSPHORIC ACID ESTERS

Symbol(s):

(C)Hand and Testube (Corrosive).

Risk Phrases:

(R34) Causes burns. (R43) May cause sensitisation by skin
contact.

Safety Phrases:

Avoid contact with the skin and eyes. Wear suitable gloves and
eye protection. In case of contact with eyes, rinse
immediately with plenty of water and seek medical advice.
After contact with skin, wash immediately with plenty of soap
and water. Please read the package insert for additional
precautionary warnings.-----
16 OTHER INFORMATION

Regulatory Information:

The following UK Regulations
as amended may affect the
product as supplied: The
Chemicals (Hazard Information
and Packaging for supply)
Regulations, as amended. The
Carriage of Dangerous Goods
(Classification, Packaging and
Labelling) and use of
Transportable Pressure
Receptacles Regulations 1996,

as amended. Carriage of
Dangerous Goods by Road
regulations, 1996, as amended.
The Control of Substances
Hazardous to Health
Regulations 1999 as amended.
The Special Waste Regulations
1996, as amended. The
Environmental Protection Act,
1990 The Health and Safety at
Work Act, 1974.

Reissue date/Reason for reissue.
Updated sections 7,8,9,12,15.

Intended Use of Product:
Dental adhesive

The information on this Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.