3M UK PLC

3M CENTRE, CAIN RD, BRACKNELL, BERKSHIRE, RG12 8HT

Tel: 01344 858000

3M IRELAND 3M HOUSE, ADELPHI CENTRE, DUN LAOGHAIRE, CO. DUBLIN Tel: 01 2803555

Kit MSDS

1 INFORMATION REGARDING KIT

Dear Customer,

This is the cover sheet for the KIT MSDS.

You will find the document numbers of the MSDS that belong to the kit here on this page.

Tradename:

KETAC-MOLAR QUICK APLICAP

70-2011-0097-4, 70-2011-0098-2, 70-2011-0099-0, 70-2011-0100-6, 70-2011-0101-4, 70-2011-0102-2

Kit Components

16-2773-6 KETAC-MOLAR QUICK POWDER 16-2774-4 KETAC-MOLAR QUICK LIQUID

The information on this Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

3M UK PLC

3M CENTRE, CAIN RD,

BRACKNELL, BERKSHIRE, RG12 8HT

Tel: 01344 858000

3M IRELAND

3M HOUSE, ADELPHI CENTRE, DUN LAOGHAIRE, CO. DUBLIN

Tel: 01 2803555

MATERIAL SAFETY DATA SHEET

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION

Tradename:

KETAC-MOLAR QUICK POWDER

3M Product ID: 2 COMPOSITION/INFORMATION ON INGREDIENTS Ingredient name and classification CAS number Percentage GLASS POWDER 65997-17-3 93.0 - 98.0 POLYETHYLENE POLYCARBONIC ACID 29132-58-9 1.0 - 5.0 EU Hazard Symbols and Risk Phrases: EU - 3M Classified (Xi; R:36) 3 HAZARDS IDENTIFICATION Critical hazards: None. 4 FIRST-AID MEASURES Eye Contact: Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention. Wash affected area with soap and water. If signs/symptoms develop, get medical attention. Inhalation: Remove person to fresh air. If signs/symptoms develop, get medical attention. Ingestion: No need for first aid is anticipated. 5 FIRE-FIGHTING MEASURES Suitable Extinguishing Media: Use fire extinguishers with class B extinguishing agents (e.g., dry chemical, carbon dioxide). Hazardous Decomposition: Irritant vapours or gases. Carbon Monoxide, Carbon Dioxide. Fire-Fighting Procedures: Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, tunic and trousers (leggings), bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head. Special Instructions: Not applicable. 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Observe precautions from other sections.

Methods for Cleaning up:

Collect as much of the spilled material as possible. Clean up residue. Collect the resulting residue containing solution. Place in a closed container approved for transportation by appropriate authorities. Dispose of collected material as soon as possible.

7 HANDLING AND STORAGE

precautions for Safe Handling:

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection:

Avoid eye contact. The following should be worn alone or in combination, as appropriate to prevent eye contact: Safety glasses with side shields.

skin Protection:

Gloves not normally required. Avoid prolonged or repeated skin contact.

Respiratory Protection:

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory

Ingestion:

Do not ingest.

Recommended Ventilation:

Not applicable.

Exposure Limits:

GLASS POWDER (65997-17-3)

HSE WEL TWA: UK HSE TWA Exposure limit: 10mg/m3 as total inhalable dust.

UK HSE TWA Exposure limit: 4mg/m3 as total respirable dust. 3M TWA Exposure Limit: 10 mg/m3 as dust

9 PHYSICAL AND CHEMICAL PROPERTIES

Different coloured, odourless Appearance and Odour:

fine powder (less than 10um in

diameter).

Not determined pH:

Boiling point/boiling range: Not applicable

Not determined Melting point/melting range:

Not applicable Flash point:

Not determined Autoflammability:

Not applicable Vapour pressure:

Nil Water Solubility:

Specific gravity:

> 1 Water=1

Vapour density:

Not applicable

Volatile organic compounds:

Not applicable

Evaporation rate:

Not applicable

Viscosity:

Not applicable

Percent Volatile:

Not applicable

10 STABILITY AND REACTIVITY

Materials to Avoid: None known.

Stability and Reactivity:

Stable. Hazardous polymerisation will not occur.

11 TOXICOLOGICAL INFORMATION

Effects from Eye Contact:

Mechanical eye irritation: Signs/symptoms may include pain, redness, tearing and corneal abrasion.

Effects from Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation.

Effects from Inhalation:

Prolonged or repeated exposure may cause: Upper Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Effects from Ingestion:

No health effects are expected.

12 ECOLOGICAL INFORMATION

Ecotoxicity Data:

Not determined.

Ecofate Data:

Not determined.

Special statements for 2001/58/EC:

A conservative assessment indicates this product presents a low environmental risk. Components released to the environment through use and disposal are expected to have minimal environmental impact.

13 DISPOSAL CONSIDERATIONS

Product after Use:

Incinerate in an industrial or commercial facility in the presence of a combustible material. As a disposal alternative,

chemical waste. Special Instructions: Since regulations vary, consult applicable regulations or authorities before disposal. 14 TRANSPORT INFORMATION IIN NUMBER: Not restricted for UN number: transportation. UK ROAD/SEA FREIGHT (IMO) CLASSIFICATION: Substance Identification Number: Class: Packing Group: Proper Shipping Name: ADR/RID CLASSIFICATION: Class: ADR classification: ICAO/IATA CLASSIFICATION: Class: Sub-Risk: Packing Group: Proper Shipping Name: 15 REGULATORY INFORMATION Disclosable Ingredients: No ingredient required on Label Symbol(s): None. Risk Phrases: None. Safety Phrases: Avoid contact with the skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of soap and water. 16 OTHER INFORMATION The following UK Regulations Regulatory Information: as amended may affect the

dispose of waste product in a facility permitted to accept

product as supplied: The Chemicals (Hazard Information and Packaging for supply) Regulations, as amended. The Carriage of Dangerous Goods (Classification, Packaging and Labelling) and use of Transportable Pressure Receptacles Regulations 1996, as amended. Carriage of Dangerous Goods by Road regulations, 1996, as amended. The Control of Substances Hazardous to Health Regulations 1999 as amended. The Special Waste Regulations 1996, as amended. The Environmental Protection Act, 1990 The Health and Safety at Work Act, 1974.

Reissue date/Reason for reissue. UPDATED MSDS HISTORY

Intended Use of Product: Restorative.

Limitations on Use of Product: For use only by dental professionals

The information on this Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

D

3M UK PLC 3M CENTRE, CAIN RD, BRACKNELL, BERKSHIRE, RG12 8HT Tel: 01344 858000

3M IRELAND 3M HOUSE, ADELPHI CENTRE, DUN LAOGHAIRE, CO. DUBLIN Tel: 01 2803555

MATERIAL SAFETY DATA SHEET

Document id

: 16-2774-4

Issue date

: 01/03/2006

Version

: 4.00

Supersedes date

: 10/06/2004

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION

Tradename:

KETAC-MOLAR QUICK LIQUID

3M Product ID:

2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient name and classification CAS number Percentage 60.0 - 65.0 7732-18-5 29132-58-9 30.0 - 40.0 POLYETHYLENE POLYCARBONIC ACID EU Hazard Symbols and Risk Phrases: EU - 3M Classified (Xi; 5 - 1.0 TARTARIC ACID 87-69-4 EU Hazard Symbols and Risk Phrases: EU - Vendor Classified (X1; R:36)

3 HAZARDS IDENTIFICATION

Critical hazards:

Irritant. Irritating to eyes.

4 FIRST-AID MEASURES

Eye Contact:

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

Skin Contact:

Remove contaminated clothing and shoes. Immediately flush skin with large amounts of water. Get medical attention. Wash contaminated clothing and shoes before reuse.

Inhalation:

No need for first aid is anticipated.

Ingestion:

Do not induce vomiting. Get immediate medical attention. Give victim two glasses of water. Never give anything by mouth to an unconscious person.

5 FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Use fire extinguishers with class B extinguishing agents (e.g., dry chemical, carbon dioxide).

Exposure Hazards:

Non-flammable: ordinary combustible material.

Hazardous Decomposition:

Irritant vapours or gases. Carbon Monoxide, Carbon Dioxide.

Fire-Fighting Procedures:

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, tunic and trousers (leggings), bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Observe precautions from other sections.

Methods for Cleaning up:

Ventilate the area with fresh air. Contain spill. Cover with absorbent material. Collect as much of the spilled material as possible. Clean up residue. Collect the resulting residue containing solution. Place in a closed container approved for transportation by appropriate authorities. Dispose of collected material as soon as possible.

7 HANDLING AND STORAGE

Precautions for Safe Handling:

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection:

Avoid eye contact. The following should be worn alone or in combination, as appropriate to prevent eye contact: Safety glasses with side shields.

Skin Protection:

Avoid prolonged or repeated skin contact. Gloves not normally required. Avoid prolonged or repeated skin contact.

Respiratory Protection:

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

Ingestion:

Do not ingest.

Recommended Ventilation: Not applicable.

Exposure Limits:

9 PHYSICAL AND CHEMICAL PROPERTIES

Colourless liquid with a Appearance and Odour:

slight characteristic odour.

pH:

Boiling point/boiling range: 100.0 C

Melting point/melting range: 0.0 C

Water Solubility: Complete

Specific gravity: > 1 Water=1

Less Than 10000 centipoise Viscosity:

	10 STABILITY AND REACTIVITY
Mater	ials to Avoid: None known.
Stabi	lity and Reactivity: Stable. Hazardous polymerisation will not occur.
	11 TOXICOLOGICAL INFORMATION
Effec	ts from Eye Contact: Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.
Effec	ts from Skin Contact: Prolonged or repeated exposure may cause: Moderate Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness.
Effec	ts from Inhalation: No adverse health effects are expected.
	ts from Ingestion: Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, nausea, diarrhoea and vomiting.
	12 ECOLOGICAL INFORMATION
Ecoto	xicity Data: Not determined.
Ecofa	te Data: Not determined.
Speci	al statements for 2001/58/EC: A conservative assessment indicates this product presents a low environmental risk because use and disposal are unlikely to result in the significant release of components to the environment.
	13 DISPOSAL CONSIDERATIONS
	ict as Sold: Incinerate in a permitted hazardous waste incinerator. As a disposal alternative, dispose of waste product in a permitted hazardous waste facility.
Speci	al Instructions: Since regulations vary, consult applicable regulations or authorities before disposal.
	14 TRANSPORT INFORMATION

UN number:

Not restricted for transportation.

UK ROAD/SEA FREIGHT (IMO) CLASSIFICATION:

Substance Identification Number:

Class:

Packing Group:

Proper Shipping Name:

ADR/RID CLASSIFICATION:

Class:

ADR classification:

ICAO/IATA CLASSIFICATION:

Class:

Sub-Risk:

Packing Group:

Proper Shipping Name:

15 REGULATORY INFORMATION

Disclosable Ingredients:

POLYETHYLENE POLYCARBONIC ACID; TARTARIC ACID.

Symbol (s):

(Xi) St. Andrew's Cross (Irritant).

Risk Phrases:

(R36) Irritating to eyes.

Safety Phrases:

Avoid contact with the skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of soap and water.

16 OTHER INFORMATION

Regulatory Information:

The following UK Regulations as amended may affect the product as supplied: The Chemicals (Hazard Information and Packaging for supply) Regulations, as amended. The Carriage of Dangerous Goods (Classification, Packaging and Labelling) and use of Transportable Pressure Receptacles Regulations 1996, as amended. Carriage of Dangerous Goods by Road regulations, 1996, as amended.

The Control of Substances Hazardous to Health Regulations 1999 as amended. The Special Waste Regulations 1996, as amended. The Environmental Protection Act, 1990 The Health and Safety at Work Act, 1974.

Reissue date/Reason for reissue. UPDATED MSDS HISTORY

Intended Use of Product: Restorative

Limitations on Use of Product: For use only by dental professionals

The information on this Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.