

Riva Bond LC capsule

SDI Limited

Version No. 4.1.1.1 Safety Data Sheet (Conforms to Regulation (EC) No 2015/830)

Issue Date: 22/04/2016 Print Date: 27/04/2016 Initial Date: Not Available L.REACH.GBR.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / LINDERTAKE

	TOTAL	AND OF THE COMPANY / UNDERTA	KING
1.1.Product Identifier			
Product name	Riva Bond LC capsule		o he was in the process of
Synonyms	Not Available		
Other means of identification	Not Available		
1.2. Relevant identified u	ses of the substance or mixture and use	os advisod anaims	
Relevant identified uses			
Uses advised against	Not Applicable	nt bond for dental restorations by dental professionals	S.
1 0 0 1 1	Trot Applicable		
1.3. Details of the supplie	er of the safety data sheet		
Registered company name	SDI Limited	SDI Brazil Industria E Comercio Ltda	\$ 2 N_T = 0 0 0
Address	3-15 Brunsdon Street VIC Bayswater 3153 Australia	Rua Dr. Virgilio de Carvalho Pinto, 612 São Paulo CEP 05415-020 Brazil	SDI Germany GmbH Hansestrasse 85 Cologne D-51149 Germany
Telephone	+61 3 8727 7111 (Business Hours)	+55 11 3092 7100	
Fax	+61 3 8727 7222	+55 11 3092 7101	+49 0 2203 9255 0
Website	www.sdi.com.au	www.sdi.com.au	+49 0 2203 9255 200
Email	info@sdi.com.au	brasil@sdi.com.au	www.sdi.com.au
	•	brasil@sdi.com.au	germany@sdi.com.au
Registered company name	SDI (North America) Inc.		and the same of th
Address	1279 Hamilton Parkway IL Itasca 60143 United Stat	tes	
Telephone	+1 630 361 9200 (Business hours)		
Fax	Not Available		
Website	Not Available		10 to the demonstration of
Email	USA.Canada@sdi.com.au		The state of the second
.4. Emergency telephone	number		
Association / Organisation	1		
At the contract of the second contract of the second contract of the second	SDI Limited	Not Available	Not Available
Emergency telephone numbers	+61 3 8727 7111	Not Available	Not Available
Other emergency telephone		E 2 24 24 8 8 8 8 8 8 8 8 8 8	and the same of th
numbers	ray.cahill@sdi.com.au	Not Available	Not Available
Association / Organisation	Not Available		And the second s
Emergency telephone	k #000 H		
numbers	+61 3 8727 7111		
Other emergency telephone	Not Available		of the sea throughout the sea of
numbers	TOT AVAILABLE		
			The state of the s
ECTION 2 HAZARDS IDE	NTIFICATION		
1.Classification of the su	bstance or mixture		
Considered a dangerous	s mixture according to Reg. (EC) No.	1272/2009 and their	8 - 2
ransport purposes.	10 Nog. (20) No	12/2/2006 and their amendments. N	ot classified as Dangerous Goods for
DSD classification	In case of mixtures classification to	Roll-superiore on account	
	In case of mixtures, classification has been prepared	d by following DPD (Directive 1999/45/EC) and CLP	Regulation (EC) No 1272/2008 regulations
	R36/37/38 Imitating to eyes, respiratory system	and skin.	Water Committee
DPD classification [1]	R43 May cause SENSITISATION by skil	n contact.	
The second secon			

Riva Bond LC capsule

Issue Date: 22/04/2016

Print Date: 27/04/2016

Legend: Classification according to regulation (EC) No 1272/2008 [CLP] [1] Legend:

R52/53 Hammful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

1. Classification by vendor, 2. Classification drawn from EC Directive 67/548/EEC - Annex I; 3. Classification drawn from EC Directive 1272/2008 - Annex VI

Skin Corrosion/Irritation Category 2, Eye Irritation Category 2, Skin Sensitizer Category 1, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation), Chronic Aquatic Hazard Category 3

1. Classification by vendor; 2. Classification drawn from EC Directive 67/548/EEC - Annex I; 3. Classification drawn from EC Directive 1272/2008 - Annex VI

2.2. Label elements



SIGNAL WORD	WARNING											
Hazard statement(s)		***********	 ****	******	******	*****	•••••	*****	*****	 ******	 	
H315	Causes skin imitation.											
H319	Causes serious eye irritation.											
H317	May cause an allergic skin reaction.											
H335	May cause respiratory imitation.											
H412	Harmful to aquatic life with long lasting effects.											

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing mist/vapours/spray.
P273	Avoid release to the environment.
P272	Contaminated work clothing should not be allowed out of the workplace.
	P280 P261 P273

Precautionary statement(s) Response

P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention,
P362+P364	Take off contaminated clothing and wash it before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Precautionary statement(s) Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

2.3. Other hazards

REACh - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

1.CAS No 2.EC No 3.Index No 4.REACH No	%[weight]	Name	Classification according to directive 67/548/EEC [DSD]	Classification according to regulation (EC) No 1272/2008 [CLP]
		compartment 1:	- 0	and the second s
1.9003-01-4 2.Not Available 3.Not Available	15-25	acrylic acid homopolymer	R36/37/38, R51/53 ^[1]	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation), Chronic Aquatic Hazard Category 2; H315, H319, H335, H411 [1]

Page 3 of 13

Riva Bond LC capsule

Issue Date: 22/04/2016 Print Date: 27/04/2016

1-5	tartaric acid	R36/37/38 ^[1]	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation); H315, H319, H335
			the second of th
25-40	2-hydroxyethyl methacrylate	R36/38, R43 ^[2]	Eye Imitation Category 2, Skin Corrosion/Imitation Category 2, Skin Sensitizer Category 1; H319, H315, H317 [3]
5-15	dimethacrylate cross-linker	Not Applicable	Not Applicable
10-20	acidic monomer	Not Applicable	Not Applicable
	compartment 2:		
			The state of the second of the
95-100	glass powder	Not Applicable	Not Applicable
1 1 Classifie	ation by wants of O		ctive 67/548/EEC - Annex I; 3. Classification drawn from EC Directive 1272/2008 - Annex VI
	25-40 5-15 10-20 95-100	25-40 2-hydroxyethyl methacrylate 5-15 dimethacrylate cross-linker 10-20 acidic monomer compartment 2: 95-100 glass powder	25-40 2-Indroxvetry/methacrylate R36/38, R43 [2] 5-15 dimethacrylate cross-linker Not Applicable 10-20 acidic monomer Not Applicable compartment 2: 95-100 glass powder Not Applicable

SECTION 4 FIRST AID MEASURES

. 1.	Descr	ption	ot	first	aid	measures	

If skin contact occurs:

- Immediately remove all contaminated clothing, including footwear.
 Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of imitation.
 If this product comes in contact with the eyes:

General

- Nash out immediately with fresh running water.

 Ensure complete imigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.

 Seek medical attention without delay; if pain persists or recurs seek medical attention.

 Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

 If furnes or combustion products are inhaled remove from contaminated area.

- Seek medical attention.
- First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Seek medical attention.

Eye Contact

- If this product comes in contact with the eyes:
- Wash out immediately with fresh numing water.
 Ensure complete intigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
 Seek medical attention without delay; if pain persists or recurs seek medical attention.
- Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

If skin contact occurs:

- Skin Contact
 - Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available).
 - Seek medical attention in event of imitation.
 - If fumes or combustion products are inhaled remove from contaminated area. Inhalation Seek medical attention.
 - - Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Ingestion Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

5.1. Extinguishing media

Use dry chemical or foam

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility None known

5.3. Advice for firefighters

Fire Fighting

- Alert Fire Brigade and tell them location and nature of hazard.
 Wear breathing apparatus plus protective gloves in the event of a fire.

Issue Date: 22/04/2016 Riva Bond LC capsule Print Date: 27/04/2016

	 Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. Decomposes on heating and produces; carbon dioxide (CO2) nitrogen oxides (NOx) other pyrolysis products typical of burning organic material May emit course furnes.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills

Major Spills

- Clean up all spills immediately.
- Avoid contact with skin and eyes
- Wear impervious gloves and safety goggles.
- Trowel up/scrape up.
- Place spilled material in clean, dry, sealed container.
- Flush spill area with water.

Minor hazard.

- Clear area of personnel.
- Clear area or personner.

 Alert Fire Brigade and tell them location and nature of hazard.

 Control personal contact with the substance, by using protective equipment as required.
- Prevent spillage from entering drains or water ways. Contain spill with sand, earth or vermiculite.

- Contain spill with sand, earn or vermiculte.
 Collect recoverable product into labelled containers for recycling.
 Absorb remaining product with sand, earth or vermiculitie and place in appropriate containers for disposal.
 Wash area and prevent runoff into drains or waterways.
 If contamination of drains or waterways occurs, advise emergency services.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area
- Prevent concentration in hollows and sumps.

 DO NOT enter confined spaces until atmosphere has been checked.
- DO NOT allow material to contact humans, exposed food or food utensils.
- Avoid contact with incompatible materials.

 When handling, DO NOT eat, drink or smoke Safe handling

 - Keep containers securely sealed when not in use.

 Avoid physical damage to containers.
 - Always wash hands with soap and water after handling.

 Work clothes should be laundered separately. Launder contaminated clothing before re-use.
 - Use good occupational work practice.

 - Observe manufacturer's storage and handling recommendations contained within this SDS.

 Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.

Fire and explosion protection

See section 5

- Store in original containers
- Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area
- Other information
- Store away from incompatible materials and foodstuff containers.
- Protect containers against physical damage and check regularly for leaks.
 Observe manufacturer's storage and handling recommendations contained within this SDS.

Store between 4 and 25 deg C.

Avoid sources of heat.

7.2. Conditions for safe storage, including any incompatibilities

Suitable container Storage incompatibility None known

DO NOT repack. Use containers supplied by manufacturer only.

7.3. Specific end use(s)

See section 1.2

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Issue Date: 22/04/2016 Print Date: 27/04/2016

8.1. Control parameters

DERIVED NO EFFECT LEVEL (DNEL)

Not Available

PREDICTED NO EFFECT LEVEL (PNEC)

Not Available

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
EMERGENCY LIMITS						· · · · · · · · · · · · · · · · · · ·
Ingredient	Material name			TEEL-1	TEEL-2	TEEL-3
acrylic acid homopolymer	Acrylic acid polyme	rs; (Acrylic polymer or resin)		7.5 mg/m3	83 mg/m3	manufacture of the second control of the sec
tartaric acid	Tartaric acid			1.6 mg/m3		500 mg/m3
2-hydroxyethyl methacrylate	Hydroxyethyl methad	crutate 2-			17 mg/m3	100 mg/m3
	- y y y y	a yano, 2-		0.71 mg/m3	7.8 mg/m3	1000 mg/m3
Ingredient	Original IDLH			Revised IDLH		
acrylic acid homopolymer	Not Available			Not Available	and the second second	
tartaric acid	Not Available			Not Available		the second second
2-hydroxyethyl methacrylate	Not Available			Not Available		
dimethacrylate cross-linker	Not Available					The same in the same
acidic monomer	Not Available			Not Available		
glass powder	Not Available			Not Available		
g p	rvoi Avallable			Not Available		

MATERIAL DATA

NOTE D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed on

When they are placed on the market in a non-stabilised form, the label must state the name of the substance followed by the words "non-stabilised"

European Union (EU) List of harmonised classification and labelling hazardous substances, Table 3.1, Annex VI, Regulation (EC) No 1272/2008 (CLP) - up to

8.2. Exposure controls

CARE: Use of a quantity of this material in confined space or poorly ventilated area, where rapid build up of concentrated atmosphere may occur, could require increased ventilation and/or protective gear

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

The basic types of engineering willions are.

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.

Employers may need to use multiple types of controls to prevent employee overexposure.

General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in special circumstances. If risk of overexposure exists, wear approved respirator. Supplied-air type respirator may be required in special circumstances. Correct fit is essential to ensure adequate protection. Provide adequate ventilation in warehouses and enclosed storage areas. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.

8.2.1. Appropriate engineering controls

Type of Contaminant:

Type of Contaminant:	Air Speed:	
solvent, vapours, degreasing etc., evaporating from tank (in still air).	0.25-0.5 m/s (50-100 f/min)	
aerosols, furnes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid furnes, pickling (released at low velocity into zone of active generation)	0.5-1 m/s (100-200 f/min.)	
direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)	1-2.5 m/s (200-500 f/min.)	
	2.5-10 m/s (500-2000 f/min.)	
Within each range the appropriate value depends on:		
Lower end of the range Upper end of the range		

1: Room air currents minimal or favourable to capture 1: Disturbing room air currents 2: Contaminants of low toxicity or of nuisance value only. 2: Contaminants of high toxicity 3: Intermittent, low production. 3: High production, heavy use 4: Large hood or large air mass in motion 4: Small hood-local control only

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

Riva Bond LC capsule

Issue Date: 22/04/2016 Print Date: 27/04/2016

Chemical goggles Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of Corract, lenses may pose a special nazard; sort contact lenses may absorb and concentrate imtants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Building St. Leas 150 April 2018 of continued in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Building St. Leas 150 April 2018 of continued in the state of the class of the control of the class of th Eye and face protection

Skin protection

Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent] See Hand protection below

Hands/feet protection

- Wear chemical protective gloves, e.g. PVC.
- Wear safety footwear or safety gumboots, e.g. Rubber
- Rubber Gloves

Body protection

See Other protection below

No special equipment needed when handling small quantities. OTHERWISE:

Other protection

Overalls.Barrier cream.

Eyewash unit.

Not Available

Thermal hazards

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	A-AUS P3		A-PAPR-AUS / Class 1 P3
up to 50 x ES	.5	A-AUS / Class 1 P3	
up to 100 x ES	-	A-2 P3	A-PAPR-2 P3 ^

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

8.2.3. Environmental exposure controls

See section 12

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties Appearance Smooth, pale-coloured low viscosity paste with slight characteristic odour, mixes with water. Physical state Free-flowing Paste Relative density (Water = 1) 1.2 Partition coefficient Odour Not Available Not Available n-octanol / water Auto-ignition temperature Odour threshold Not Available Not Available (°C) pH (as supplied) 1-2 Decomposition Not Available temperature Melting point / freezing Not Applicable point (°C) Viscosity (cSt) Not Available Initial boiling point and approx 100 Molecular weight (g/mol) boiling range (°C) Not Applicable Flash point (°C) Not Applicable Taste Not Available **Evaporation rate** Not Available **Explosive properties** Not Available Flammability Not Applicable Oxidising properties Not Available Upper Explosive Limit (%) Surface Tension (dyn/cm or Not Applicable Not Available mN/m) Lower Explosive Limit (%) Not Applicable Volatile Component (%vol) Not Available Vapour pressure (kPa) approx 2.3 Gas group Not Available Solubility in water (g/L) Miscible pH as a solution (1%) Not Available Vapour density (Air = 1) Not Available Not Available VOC g/L

9.2. Other information

Not Available

Continued

Page 7 of 13

Riva Bond LC capsule

Issue Date: 22/04/2016 Print Date: 27/04/2016

SECTION 10 STABILITY AND REACTIVITY

10.1.Reactivity 10.2.Chemical stability 10.3. Possibility of hazardous reactions 10.4. Conditions to avoid See section 7.2 10.5. Incompatible materials

- Stable under controlled storage conditions provided material contains adequate stabiliser / polymerisation inhibitor.
- torages may have special storage requirements
- WARNING: Gradual decomposition in strong, sealed containers may lead to a large pressure build-up and subsequent explosion. Rapid and viole polymerisation possible at temperatures above 32 deg c.

See section 7.2

See section 7.2

10.6, Hazardous See section 5.3 decomposition products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Evidence shows, or practical experience predicts, that the material produces irritation of the respiratory system, in a substantial number of individuals, follows: inhalation. In contrast to most organs, the lung is able to respond to a chemical insult by first removing or neutralising the initiant and then repairing the damage. The repair process, which initially evolved to protect mammalian lungs from foreign matter and antigens, may however, produce further lung damage resulting in the impairment of gas exchange, the primary function of the lungs. Respiratory tract imitation often results in an inflammatory response involving the recruitment and activation of many cell types, mainly derived from the vascular system. Inhalation hazard is increased at higher temperatures

Ingestion

Accidental ingestion of the material may be damaging to the health of the individual.

Skin Contact

Evidence exists, or practical experience predicts, that the material either produces inflammation of the skin in a substantial number of individuals following direct contact, and/or produces significant inflammation when applied to the healthy intact skin of animals, for up to four hours, such inflammation being prest twenty-four hours or more after the end of the exposure period. Skin irritation may also be present after prolonged or repeated exposure; this may result in a form of contact dermatitis (nonallergic). The dermatitis is often characterised by skin redness (erytherna) and swelling (oederna) which may progress to blistering (vesiculation), scaling and thickening of the epidermis. At the microscopic level there may be intercellular oederna of the spongy layer of the skin (spongiosis) and intracellular oederna of the epidermis.

(sporigiosis) and initiacential in equalities of the epicermia.

The material may accentuate any pre-existing dermatitis condition

Open cuts, abraded or irritated skin should not be exposed to this material

Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

Eve

Evidence exists, or practical experience predicts, that the material may cause eye imitation in a substantial number of individuals and/or may produce significant ocular lesions which are present twenty-four hours or more after instillation into the eye(s) of experimental animals. Repeated or prolonged eye contact may cause inflammation characterised by temporary redness (similar to windburn) of the conjunctiva (conjunctivitis); temporary impairment of vision and/or other transient eye damage/ulceration may occur.

Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems.

Practical experience shows that skin contact with the material is capable either of inducing a sensitisation reaction in a substantial number of individuals, and/or of producing a positive response in experimental animals.

Riva Bond LC capsule

TOXICITY IRRITATION Not Available Not Available

acrylic acid homopolymer

TOXICITY IRRITATION Oral (rat) LD50: 2500 mg/kgd^[2] Nil reported

tartaric acid

TOXICITY IRRITATION dermal (rat) LD50: >2000 mg/kg^[1] Nil reported

TOXICITY

Oral (rat) LD50: ca.920 mg/kg[1]

2-hydroxyethyl methacrylate

IRRITATION Dermal (rabbit) LD50: >3000 mg/kg^[1] * Rohm & Haas Oral (rat) LD50: >4000 mg/kg^[1]

Eye (rabbit): SEVERE * post-exposure Skin (rabbit): non-irritating*

glass powder

TOXICITY IRRITATION Not Available Not Available

Legend:

Value obtained from Europe ECHA Registered Substances - Acute toxicity 2 * Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

ACRYLIC ACID HOMOPOLYMER

Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as Assistance system is a majority may continue to the majority season and appeared to the majority of the majori Page 8 of 13

Riva Bond LC capsule

Issue Date: 22/04/2016 Print Date: 27/04/2016

on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to high concentrations of irritating substance (often particulate in nature) and is completely reversible after exposure ceases. The disorder is characterised by dyspnea, cough and mucus production. The substance is classified by IARC as Group 3:

NOT classifiable as to its carcinogenicity to humans

Evidence of carcinogenicity may be inadequate or limited in animal testing.

TARTARIC ACID

Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly imitating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, or spirometry, with the presence of moderate to severe bronchial hyperreactivity on methactholiae challenge tasting and the task of minimal hypothesis individuals. to hours or a documented exposure to the immant. A reversible aimow pattern, on spirometry, with the presence of moderate to severe bronchial hyperreactivity on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. RADS (or asthma) following an imitating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to high concentrations of irritating substance (often particulate in nature) and is completely reversible after exposure ceases. The disorder is characterised by dyspnea, cough and mucus production. Convulsions, haemorrhage recorded.

The following information refers to contact allergens as a group and may not be specific to this product.

Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions. The significance of the contact allergen is not simply determined by its sensitisation potential: the distribution of the substance and the opportunities for contact with it are equally important. A weakly sensitising substance which is widely distributed can be a more important allergen than one with stronger sensitision potential with which few individuals come into contact. From a clinical regist of view, substances are noteworthy if they contact provided in allergen than one with stronger sensitising potential with which few individuals come into contact. From a clinical point of view, substances are noteworthy if they produce an allergic test reaction in more than 1% of the persons tested.

2-HYDROXYETHYL


Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, on spirometry, with the presence of moderate to severe bronchial hyperreactivity on methacholine challenge testing and the tack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to high concentrations of irritating substance (often particulate in nature) and is completely reversible after exposure ceases. The disorder is characterised by dyspnea, cough and mucus production. Where no "Official" classification for acrylates and methacrylates exists, there has been cautious attempts to create classifications in the absence of contrary evidence. For example Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as where the different content of the state of

Monoality or monoary esters of methacytic acid should be classified as Ro-86/37/38

Based on the available oncogenicity data and without a better understanding of the carcinogenic mechanism the Health and Environmental Review Division (HERD), Office of Toxic Substances (OTS), of the US EPA previously concluded that all chemicals that contain the acrylate or methacrylate moiety (CH2=CHCOO or CH2=C(CH3)COO) should be considered to be a carcinogenic hazard unless shown otherwise by adequate testing. This position has now been revised and acrylates and methacrylates are no longer de facto carcinogens.

al (rabbit): >5000 mg/kg* Effects persist beyond 21 days

	Acute Toxicit
5	Skin Irritation/Corrosio
	Serious Ey Damage/Irritatio
	Respiratory or Skir sensitisation
	Mutagenicit



Legend:

X - Data available but does not fill the criteria for classification

 Data required to make classification available - Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
acrylic acid homopolymer	EC50	384	Crustacea	389.869mg/L	3
acrylic acid homopolymer	EC50	96	Algae or other aquatic plants	8596.446mg/L	3
acrylic acid homopolymer	LC50	96	Fish	1684.686mg/L	3
tartaric acid	EC50	96	Algae or other aquatic plants	434.65983mg/L	3
tartaric acid	LC50	96	Fish	>100mg/L	2
tartaric acid	EC50	48	Crustacea	93.313mg/L	3
tartaric acid	EC50	72	Algae or other aquatic plants	51.4043mg/L	2
tartaric acid	NOEC	72	Algae or other aquatic plants	3.125mg/L	
2-hydroxyethyl methacrylate	LC50	96	Fish	>100mg/L	
2-hydroxyethyl methacrylate	EC50	48	Crustacea	210mg/L	2
2-hydroxyethyl methacrylate	EC50	504	Crustacea	90.1mg/L	
2-hydroxyethyl methacrylate	NOEC	504	Crustacea	24.1mg/L	2
2-hydroxyethyl methacrylate	EC50	72	Algae or other aquatic plants	345mg/L	
	Extracted from 1 1	HOUD To be Day of The			<u></u>

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) -Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Page 9 of 13

Riva Bond LC capsule

Issue Date: 22/04/2016 Print Date: 27/04/2016

Harmful to aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

DO NOT discharge into sewer or waterways.

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
acrylic acid homopolymer	LOW	LOW
tartaric acid	LOW	LOW
2-hydroxyethyl methacrylate	LOW	LOW

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation				
acrylic acid homopolymer	LOW (LogKOW = 0.4415)	 		 	
tartaric acid	LOW (LogKOW = -1.0017)				
2-hydroxyethyl methacrylate	LOW (BCF = 1.54)				

12.4. Mobility in soil

있는 1일(19) 전 10 (19) (19) (19) (19) (19) (19) (19) (19)									
Ingredient	Mobility								
acrylic acid homopolymer	HIGH (KOC = 1.201)	W-0.1		 	* (0.1)	1.00 (00)		 THE RESERVE	
tartaric acid	HIGH (KOC = 1)								
2-hydroxyethyl methacrylate	HIGH (KOC = 1.043)								

12.5. Results of PBT and vPvB assessment

	P	В	T
Relevant available data	Not Available	Not Available	Not Available
PBT Criteria fulfilled?	Not Available	Not Available	Not Available

12.6. Other adverse effects

No data available

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product / Packaging disposal	 DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill. 	
Waste treatment options	Not Available	
Sewage disposal options	Not Available	

SECTION 14 TRANSPORT INFORMATION

Labels Required		
Marine Pollutant	NO NO	
HAZCHEM	Not Applicable	
Land transport (ADR): NO	T REGULATED FOR TRANSPORT OF DANGEROUS GOODS	THE PARTY OF THE P
14.1.UN number	Not Applicable	er care of the care of
14.2.Packing group	Not Applicable	
14.3.UN proper shipping name	Not Applicable	New York of Automotive Co.
14.4.Environmental hazard	Not Applicable	
14.5. Transport hazard class(es)	Class Not Applicable Subrisk Not Applicable	* * ** ***
14.6. Special precautions for user	Hazard identification (Kernler) Classification code Not Applicable Hazard Label Not Applicable Not Applicable Special provisions Not Applicable Limited quantity Not Applicable	THE TOTAL COLUMN CONTRACT OF COLUMN CO.

Page 10 of 13

Riva Bond LC capsule

Issue Date: 22/04/2016 Print Date: 27/04/2016

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number Not Applicable 14.2. Packing group Not Applicable 14.3. UN proper shipping Not Applicable 14.4. Environmental hazard Not Applicable ICAO/IATA Class Not Applicable 14.5. Transport hazard ICAO / IATA Subrisk Not Applicable class(es) ERG Code Not Applicable Not Applicable Cargo Only Packing Instructions Not Applicable Cargo Only Maximum Qty / Pack Not Applicable 14.6. Special precautions for Passenger and Cargo Packing Instructions Not Applicable Passenger and Cargo Maximum Qty / Pack Not Applicable Passenger and Cargo Limited Quantity Packing Instructions Not Applicable Passenger and Cargo Limited Maximum Qty / Pack

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable	
14.2. Packing group	Not Applicable	
14.3. UN proper shipping name	Not Applicable	
14.4. Environmental hazard	Not Applicable	
14.5. Transport hazard class(es)	IMDG Class IMDG Subrisk	Not Applicable Not Applicable
14.6. Special precautions for user	EMS Number Special provisions Limited Quantities	Not Applicable Not Applicable Not Applicable

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable	
14.2. Packing group	Not Applicable	
14.3. UN proper shipping name	Not Applicable	
14.4. Environmental hazard	Not Applicable	
14.5. Transport hazard class(es)	Not Applicable No	ot Applicable
14.6. Special precautions for user	Classification code Special provisions Limited quantity Equipment required Fire cones number	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

ACRYLIC ACID HOMOPOLYMER(9003-01-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles European Customs Inventory of Chemical Substances ECICS (English)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

TARTARIC ACID(87-69-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English) European List of Notified Chemical Substances (ELINCS)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)

(English

2-HYDROXYETHYL METHACRYLATE(868-77-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Issue Date: 22/04/2016 Print Date: 27/04/2016

Riva Bond LC capsule

EU European Chemicals Agency (ECHA) Community Rolling Action Plan (CoRAP) List of

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chernical Substances (EINECS)

European Union (EU) Annex I to Directive 67/548/EEC on Classification and Labelling of Dangerous Substances - updated by ATP: 31
European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

GLASS POWDER(NOT APPLICABLE) IS FOUND ON THE FOLLOWING REGULATORY LISTS

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : 67/548/EEC, 1999/45/EC, 98/24/EC, 92/85/EC, 94/33/EC, 91/689/EEC, 1999/13/EC, Commission Regulation (EU) 2015/830, Regulation (EC) No 1272/2008 and their amendments as well as the following British legislation: - The Control of Substances Hazardous to Health Regulations (COSHH) 2002 - COSHH Essentials - The Management of Health and Safety at Work Regulations 1999

15.2. Chemical safety assessment

For further information please look at the Chemical Safety Assessment and Exposure Scenarios prepared by your Supply Chain if available.

ECHA SUMMARY

Ingredient	CAS number	Index No	ECHA Dos	sier
acrylic acid homopolymer	9003-01-4	Not Available	Not Availab	CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR
- 11		420	140t Availat	
Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	CAMPAGE CONTRACTOR AND THE CONTRACTOR CONTRA	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Not Classified		Wng, GHS08, Dgr, GHS05, GHS09, GHS02	H319, H335, H340, H350, H314, H332, H317, H290, H226, H302, H312
2	Not Classified, Skin Irrit. 2, Eye Irrit. 2, STO 1B, Aquatic Chronic 3, Skin Corr. 1A, Acute Aquatic Acute 1	T SE 3, Muta. 1B, Carc. 1A, Skin Corr. Tox. 4, Met. Corr. 1, Flam. Liq. 3,	Wng, GHS08, Dgr, GHS05, GHS09, GHS02	H319, H335, H340, H350, H314, H332, H317, H290, H226, H302, H312
2	Skin Corr. 1B, Eye Dam. 1	TOTAL TAX OF MARKET BY	GHS05, Dgr	H314
Harmonisation Code 1 = The m	ost prevalent classification. Harmonisation Code	2 = The most severe classification.	J. 1000, 25	
ngredient	CAS number Index No	ECHA Dossier		
artaric acid	87-69-4 Not Available			**************************************
	Not Available	01-2119537204-47-XXXX, 01-2119	851173-43-XXXX, 01-211985117	4-41-XXXX
Harmonisation (C&L nventory)	Hazard Class and Category Code(s)		Pictograms Signa Code(s)	I Word Hazard Statement Code(s)
	Acute Tox. 4, Skin Irrit. 2, Skin Sens. 1, Eye I	mit. 2, STOT SE 3	GHS07, Wng	H302, H315, H317, H319 H335
2	Eye Dam. 1, Skin Irrit. 2, Acute Tox. 4, Skin S Aquatic Chronic 3, Eye Irrit. 2A		sified, GHS05, Dgr. Wng,	GHS06 H318, H315, H302, H317 H335
Harmonisation Code 1 = The m	ost prevalent classification. Harmonisation Code	2 = The most severe classification.		The second of th
ngredient	CAS number	Index No	ECHA Dossier	
-hydroxyethyl methacrylate	868-77-9	607-124-00-X	01-2119490169-29-XXXX	The second distance was the second distance of the second distance o
larmonisation (C&L nventory)	Hazard Class and Category Code(s)		Pictograms Signal Word Code(s)	Hazard Statement Code(s)
	Skin Irrit. 2, Skin Sens. 1, Eye Irrit. 2		GHS07, Wng	H315, H317, H319
	Skin Sens. 1, Eye Irrit. 2, Skin Irrit. 2, Skin Se Classified	ns. 1B, Aquatic Chronic 4, Not	GHS07, Wng	H317, H319, H315
larmonisation Code 1 = The me	ost prevalent classification. Harmonisation Code	2 = The most severe classification.		
gredient	CAS number	Index No	ECHA Do	relar
lass powder		Not Applicable	Not Applic	A second of the second of the second of
larmonisation (C&L	Hazard Class and Category Code(s)	Pictograms Signal Wor		Hazard Statement Code(s)
lot Available	Not Available	Not Available		
armonisation Code 1 = The mo	ost prevalent classification. Harmonisation Code			Not Available
ational Inventory	Status			
ustralia - AICS	Y	The second of th	The state of the s	
	Y			
anada - DSL	(1)			
		vdroxvethyl methacrylate)		
anada - NDSL	N (acrylic acid homopolymer; tartaric acid; 2-h	ydroxyethyl methacrylate)		
anada - NDSL hina - IECSC urope - EINEC / ELINCS /	N (acrylic acid homopolymer; tartaric acid; 2-h	ydroxyethyl methacrylate)		
anada - NDSL hina - IECSC urope - EINEC / ELINCS / ILP	N (acrylic acid homopolymer; tartaric acid; 2-h Y	ydroxyethyl methacrylate)		
canada - DSL canada - NDSL china - IECSC curope - EINEC / ELINCS / ILP apan - ENCS orea - KECI	N (acrylic acid homopolymer; tartaric acid; 2-h Y N (acrylic acid homopolymer)	ydroxyethyl methacrylate)		
anada - NDSL hina - IECSC urope - EINEC / ELINCS / LP apan - ENCS	N (acrylic acid homopolymer; tartaric acid; 2-h Y N (acrylic acid homopolymer) Y	ydroxyethyl methacrylate)		

Page 12 of 13

Riva Bond LC capsule

Issue Date: 22/04/2016

Print Date: 27/04/2016

USA - TSCA

Legend:

Y = All ingredients are on the inventory

N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

H226	Flammable liquid and vapour,	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H332	Harmful if inhaled.	
H340	May cause genetic defects.	
H350	May cause cancer.	
H411	Toxic to aquatic life with long lasting effects,	
R36/38	Irritating to eyes and skin.	

Other information

DSD / DPD label elements



Relevant risk statements are found in section 2.1

Indication(s) of danger	Xi
SAFETY ADVICE	AND THE PERSON OF THE PERSON O
S02	Keep out of reach of children.
S23	Do not breathe gas/fumes/vapour/spray.
S24	Avoid contact with skin.
S26	In case of contact with eyes, rinse with plenty of water and contact Doctor or Poisons Information Centre.
S35	This material and its container must be disposed of in a safe way.
S37	Wear suitable gloves.
S39	Wear eye/face protection.
S40	To clean the floor and all objects contaminated by this material, use water.
S46	If swailowed, seek medical advice immediately and show this container or label.
S56	Dispose of this material and its container at hazardous or special waste collection point.
S64	If swallowed, rinse mouth with water (only if the person is conscious).

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by SDI Limited using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms EN 13832 Footwear protecting against chemicals EN 133 Respiratory protective devices

Definitions and abbreviations

PC — TWA: Permissible Concentration-Time Weighted Average PC — STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer
ACGIH: American Conference of Governmental Industrial Hygienists
STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.
IDLH: Immediately Dangerous to Life or Health Concentrations
OSF: Odour Safety Factor
NOAEL:No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level
TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

Version No: 4.1.1.1

Page 13 of 13

Riva Bond LC capsule

Issue Date: 22/04/2016 Print Date: 27/04/2016

BCF: BioConcentration Factors BEI: Biological Exposure Index

The information contained in the Safety Data Sheet is based on data considered to be accurate, however, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof.

Other information:
Prepared by: SDI Limited
3-15 Brunsdon Street, Bayswater Victoria, 3153, Australia
Phone Number: +61 3 8727 7111
Department issuing SDS: Research and Development
Contact: Technical Director

end of SDS