

Printing date 27.08.2009

Revision: 24.08.2009

1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: PANAVIA; EX POWDER

· Article number: 031-P

· Application of the substance / the preparation Resin-based dental adhesive cement

· Manufacturer:

Kuraray Europe GmbH

Building F821, Hoechst Industrial Park

65926 Frankfurt am Main

Germany

Tel: +49 (0)69 305 35 840 Fax: +49 (0)69 305 35 640 E-mail: dental@kuraray.de

· Supplier:

J & S Davis

Unit 6, Argyle Way Trading Estate,

Fulton Close, Stevenage, Hertfordshire, SG 1 2AF,

Great Britain

Tel: +44- (0)1438 735800 Fax: +44- (0)1438 735801 E-mail: jsdsales@js-davis.co.uk

· Further information obtainable from: Manufacturer or Supplier

· Information in case of emergency:

National Poisons information Service (London Centre)

Guy S & St. Thomas Hospital Trust

Medical Toxicology Unit

Avonley Road LONDON SE14 5ER

Emergency telephone: (local) 0870 600 6266 or +44 20 7771 5394

Administrative telephone: +44 20 7 771 53 10 Facsimile number: +44 20 7 771 53 09

2 Hazards identification

· Hazard description: Not applicable.

· Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature

· GHS label elements Void

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components: Void
- · Other ingredients:

Silanated silica filler

Barium sulfate

Catalysts

Accelerators



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA; EX POWDER

Pigments Others (Contd. of page 1)

4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: No special measures required.
- · Measures for cleaning/collecting: Pick up mechanically.
- · Additional information: No dangerous substances are released.

7 Handling and storage

- · Handling:
- · Information for safe handling: No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/

the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 3)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA; EX POWDER

· Material of gloves

(Contd. of page 2)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

General Information	
Form:	Powder
Colour:	Coloured
Odour:	Odourless
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Ignition temperature:	Not applicable
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	The state of the s
Lower:	Not applicable
Upper:	Not applicable
Vapour pressure:	Not applicable
Density:	0.7 g/cm ³
Vapour density	Not applicable
Solubility in / Miscibility with	
water:	Insoluble.
pH-value:	Not applicable

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 4)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA; EX POWDER

· Additional toxicological information:

(Contd. of page 3)

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

· General notes: Generally not hazardous for water

13 Disposal considerations

- · Product:
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · UN "Model Regulation": -

15 Regulatory information

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 3
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

(Contd. on page 5)



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA; EX POWDER

ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals

(Contd. of page 4)



Printing date 27.08.2009

Revision: 24.08.2009

1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: PANAVIA; LIQUID

· Article number: 031-L

· Application of the substance / the preparation Resin-based dental adhesive cement

· Manufacturer:

Kuraray Europe GmbH

Building F821, Hoechst Industrial Park

65926 Frankfurt am Main

Germany

Tel: +49 (0)69 305 35 840 Fax: +49 (0)69 305 35 640 E-mail: dental@kuraray.de

· Supplier:

J & S Davis

Unit 6, Argyle Way Trading Estate,

Fulton Close, Stevenage, Hertfordshire, SG 1 2AF,

Great Britain

Tel: +44- (0)1438 735800 Fax: +44- (0)1438 735801 E-mail: jsdsales@js-davis.co.uk

· Further information obtainable from: Manufacturer or Supplier

· Information in case of emergency:

National Poisons information Service (London Centre)

Guy S & St. Thomas Hospital Trust

Medical Toxicology Unit

Avonley Road LONDON SE14 5ER

Emergency telephone: (local) 0870 600 6266 or +44 20 7771 5394

Administrative telephone: +44 20 7 771 53 10 Facsimile number: +44 20 7 771 53 09

2 Hazards identification

· Hazard description:



Xi Irritant

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 43 May cause sensitisation by skin contact.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· GHS label elements



Warning

H317 - May cause an allergic skin reaction.

· Prevention:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

(Contd. on page 2)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA; LIQUID

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection.

· Response:

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

· Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.

_	Dane	*****	0000	nonor	+
•	Dan	gerous	com	Donei	us.

CAS: 94-36-0 benzoyl peroxide Xi, E, O; R 3-7-36-43 <1.5% Danger: ��2.15/B Warning: ��3.3/2, 3.4.S/1

· Other ingredients:

10-Methacryloyloxydecyl dihydrogen phosphate

Hydrophobic aromatic dimethacrylate

Hydrophobic aliphatic dimethacrylate

Others

4 First aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Do not induce vomiting; call for medical help immediately.

If symptoms persist consult doctor.

5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: No special measures required.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA; LIQUID

(Contd. of page 2)

7 Handling and storage

- · Handling:
- · Information for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- Storage
- · Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

· Change in condition

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Undetermined.

· Eye protection: Goggles recommended during refilling

9 Physical and chemical properties

Melting point/Melting range:

· General Information	
Form:	Liquid
Colour:	Transparent
Odour:	Odourless

(Contd. on page 4)



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA; LIQUID

	(Contd. of page 2
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Ignition temperature:	Not applicable
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour pressure:	Not applicable
Density:	1.1 g/cm ³
Vapour density	Not applicable
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
pH-value:	Not applicable
Segregation coefficient (n-octanol/w	ater): Not applicable

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Acute toxicity:

· LD/LC50 va	1	unlawant.	£	lassification.
LD/LC30 VA	ince	reievant	TOT C	aassiiicauon:

94-36-0 benzoyl peroxide

Oral LD50 5700 mg/kg (mouse)
7710 mg/kg (rat)
LD50 250 mg/kg (mouse - intraperitoneal)

- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

· Sensitisation May cause sensitisation by skin contact.

12 Ecological information

· General notes: Generally not hazardous for water

GB -



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA; LIQUID

(Contd. of page 4)

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · UN "Model Regulation": -

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:



Xi Irritant

- Hazard-determining components of labelling: benzoyl peroxide
- · Risk phrases:
- 43 May cause sensitisation by skin contact.
- · Safety phrases:
- 24 Avoid contact with skin.
- 37 Wear suitable gloves.
- 60 This material and its container must be disposed of as hazardous waste.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 3
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

(Contd. on page 6)



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA; LIQUID

ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

(Contd. of page 5)



Printing date 27.08.2009

Revision: 24.08.2009

1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: PANAVIA; ETCHING AGENT L

· Article number: 031-EL

· Application of the substance / the preparation Dental etching composite

· Manufacturer:

Kuraray Europe GmbH

Building F821, Hoechst Industrial Park

65926 Frankfurt am Main

Germany

Tel: +49 (0)69 305 35 840 Fax: +49 (0)69 305 35 640 E-mail: dental@kuraray.de

· Supplier:

J & S Davis

Unit 6, Argyle Way Trading Estate,

Fulton Close, Stevenage, Hertfordshire, SG 1 2AF,

Great Britain

Tel: +44- (0)1438 735800 Fax: +44- (0)1438 735801 E-mail: jsdsales@js-davis.co.uk

· Further information obtainable from: Manufacturer or Supplier

· Information in case of emergency:

National Poisons information Service (London Centre)

Guy S & St. Thomas Hospital Trust

Medical Toxicology Unit

Avonley Road LONDON SE14 5ER

Emergency telephone: (local) 0870 600 6266 or +44 20 7771 5394

Administrative telephone: +44 20 7 771 53 10 Facsimile number: +44 20 7 771 53 09

2 Hazards identification

· Hazard description:



C Corrosive

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 34 Causes burns.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· GHS label elements



H314 - Causes severe skin burns and eye damage.

· Prevention:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

(Contd. on page 2)



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA; ETCHING AGENT L

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection.

· Response:

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P340

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER or doctor/physician.

P321

Specific treatment (see on this label). Wash contaminated clothing before reuse.

P363 · Storage:

P405 Store locked up.

· Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

- · Chemical characterization
- Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 7664-38-2 phosphoric acid C; R 34

30-40%

EINECS: 231-633-2

Danger: (2) 3.2/1B

Other ingredients:

Water Dyes

4 First aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- · Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.
- · Measures for environmental protection:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

(Contd. on page 3)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA; ETCHING AGENT L

(Contd. of page 2)

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

7 Handling and storage

- · Handling:
- · Information for safe handling: Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).
- · Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from reducing agents.

· Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

7664-38-2 phosphoric acid

WEL Short-term value: 2 mg/m³ Long-term value: 1 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed goggles



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA; ETCHING AGENT L

(Contd. of page 3)

General Information		
Form:	Liquid	
Colour:	Red	
Odour:	Odourless	
Change in condition		
Melting point/Melting range:	42.4 °C (phosphoric acid)	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Ignition temperature:	Not applicable	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not applicable	
Upper:	Not applicable	
Vapour pressure:	Not applicable	
Density:	Not determined.	
Vapour density	Not applicable	
Solubility in / Miscibility with		
water:	Fully miscible.	
pH-value:	1.8	

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values relevant for classification:

7664-38-2 phosphoric acid

Oral LD50 1250 mg/kg (mouse) 1250 mg/kg (rat) Dermal LD50 2740 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

(Contd. on page 5)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA; ETCHING AGENT L

(Contd. of page 4)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class: 8 Corrosive substances.
- · Danger code (Kemler): 80
- · UN-Number: 1805
- · Packaging group: Ш
- · Hazard label:
- · Description of goods: 1805 PHOSPHORIC ACID, SOLUTION
- · Maritime transport IMDG:
- · IMDG Class:
- 1805 · UN Number:
- · Label
 - 8
- Ш · Packaging group: · EMS Number: F-A,S-B
- · Marine pollutant: No
- · Proper shipping name: PHOSPHORIC ACID, SOLUTION

1805

- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class:
- · UN/ID Number:
- · Label 8
- Ш · Packaging group:
- · Proper shipping name: PHOSPHORIC ACID, SOLUTION
- · UN "Model Regulation": UN1805; PHOSPHORIC ACID, SOLUTION; 8; III



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA; ETCHING AGENT L

(Contd. of page 5)

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:



C Corrosive

- Hazard-determining components of labelling: phosphoric acid
- · Risk phrases:

34 Causes burns.

- · Safety phrases:
- When using do not eat or drink.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
- In case of accident or if you feel unwell, seek medical advice immediately.
- 60 This material and its container must be disposed of as hazardous waste.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 3
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

3B -



Printing date 27.08.2009

Revision: 24.08.2009

1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: PANAVIA; OXYGUARD

· Article number: 031-O

· Application of the substance / the preparation Dental material for curing promotion and surface protection

· Manufacturer:

Kuraray Europe GmbH

Building F821, Hoechst Industrial Park

65926 Frankfurt am Main

Germany

Tel: +49 (0)69 305 35 840 Fax: +49 (0)69 305 35 640

E-mail: dental@kuraray.de

· Supplier:

J & S Davis

Unit 6, Argyle Way Trading Estate,

Fulton Close, Stevenage, Hertfordshire, SG 1 2AF,

Great Britain

Tel: +44- (0)1438 735800 Fax: +44- (0)1438 735801 E-mail: jsdsales@js-davis.co.uk

· Further information obtainable from: Manufacturer or Supplier

· Information in case of emergency:

National Poisons information Service (London Centre)

Guy S & St. Thomas Hospital Trust

Medical Toxicology Unit

Avonley Road LONDON SE14 5ER

Emergency telephone: (local) 0870 600 6266 or +44 20 7771 5394

Administrative telephone: +44 20 7 771 53 10 Facsimile number: +44 20 7 771 53 09

2 Hazards identification

· Hazard description: Not applicable.

· Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· GHS label elements Void

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components: Void
- · Other ingredients:

Polyethyleneglycol

Dyes

(Contd. on page 2)



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA; OXYGUARD

Others

(Contd. of page 1)

4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: Dilute with plenty of water.
- · Measures for cleaning/collecting:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Additional information: No dangerous substances are released.

7 Handling and storage

- · Handling:
- · Information for safe handling: No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 3)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA; OXYGUARD

· Material of gloves

(Contd. of page 2)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

General Information	
Form:	Gel
Colour:	Blue
Odour:	Odourless
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Ignition temperature:	Not applicable
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour pressure:	Not applicable
Density:	Not determined.
Vapour density	Not applicable
Solubility in / Miscibility with	1
water:	Fully miscible.
pH-value:	Not applicable

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 4)



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA; OXYGUARD

· Additional toxicological information:

(Contd. of page 3)

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

· General notes: Generally not hazardous for water

13 Disposal considerations

- · Product:
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · UN "Model Regulation": -

15 Regulatory information

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 3
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 5)



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA; OXYGUARD

IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals

(Contd. of page 4)



Printing date 27.08.2009

Revision: 24.08.2009

1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: PANAVIA; ETCHING AGENT V

· Article number: 031-EV

· Application of the substance / the preparation Dental etching composite

· Manufacturer:

Kuraray Europe GmbH

Building F821, Hoechst Industrial Park

65926 Frankfurt am Main

Germany

Tel: +49 (0)69 305 35 840 Fax: +49 (0)69 305 35 640 E-mail: dental@kuraray.de

· Supplier:

J & S Davis

Unit 6, Argyle Way Trading Estate,

Fulton Close, Stevenage, Hertfordshire, SG 1 2AF,

Great Britain

Tel: +44- (0)1438 735800 Fax: +44- (0)1438 735801 E-mail: jsdsales@js-davis.co.uk

· Further information obtainable from: Manufacturer or Supplier

· Information in case of emergency:

National Poisons information Service (London Centre)

Guy S & St. Thomas Hospital Trust

Medical Toxicology Unit

Avonley Road LONDON SE14 5ER

Emergency telephone: (local) 0870 600 6266 or +44 20 7771 5394

Administrative telephone: +44 20 7 771 53 10 Facsimile number: +44 20 7 771 53 09

2 Hazards identification

· Hazard description:



C Corrosive

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 34 Causes burns.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· GHS label elements



Danger

H314 - Causes severe skin burns and eye damage.

· Prevention:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

(Contd. on page 2)



Printing date 27.08.2009

Trade name: PANAVIA; ETCHING AGENT V

(Contd. of page 1)

Revision: 24.08.2009

P280 Wear protective gloves/protective clothing/eye protection/face protection.

· Response:

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P340

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER or doctor/physician.

P321

Specific treatment (see on this label).

P363

Wash contaminated clothing before reuse.

· Storage:

P405 Store locked up.

· Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 7664-38-2

phosphoric acid

EINECS: 231-633-2

C; R 34

Danger: (2) 3.2/1B

30-40%

· Other ingredients: Polyvinylpyrolidone

Colloidal silica

Water

Dyes

4 First aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- · Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.
- · Measures for environmental protection:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA; ETCHING AGENT V

· Measures for cleaning/collecting:

(Contd. of page 2)

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

7 Handling and storage

- · Handling:
- · Information for safe handling: Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).
- · Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from reducing agents.

· Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

7664-38-2 phosphoric acid

WEL Short-term value: 2 mg/m³
Long-term value: 1 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA; ETCHING AGENT V

· Eye protection: Tightly sealed goggles

(Contd. of page 3)

General Information	
Form:	Liquid
Colour:	Red
Odour:	Odourless
Change in condition	
Melting point/Melting range:	42.4 °C (phosphoric acid)
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Ignition temperature:	Not applicable
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour pressure:	Not applicable
Density:	Not determined.
Vapour density	Not applicable
Solubility in / Miscibility with	
water:	Partly miscible.
oH-value:	1.8

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Acute toxicity:

LD/LC	50 valu	es relevant for classification:	
7664-38-2 phosphoric acid			
Oral	LD50	1250 mg/kg (mouse)	
		1250 mg/kg (rat)	
Dermal	LD50	2740 mg/kg (rabbit)	

- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 5)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA; ETCHING AGENT V

(Contd. of page 4)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:

8 Corrosive substances.

- · Danger code (Kemler): 80
- · UN-Number:
- · Packaging group:

1805 III

- · Hazard label:

- · Description of goods: 1805 PHOSPHORIC ACID, SOLUTION
- · Maritime transport IMDG:
- · IMDG Class:

- · UN Number:
- 1805
- · Label
- 8 Ш
- · Packaging group: · EMS Number:
- F-A,S-B
- · Marine pollutant:
- No

- · Proper shipping name: PHOSPHORIC ACID, SOLUTION
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class:
- · UN/ID Number:
- 1805
- · Label
- 8
- · Packaging group:
- Ш
- · Proper shipping name: PHOSPHORIC ACID, SOLUTION
- · UN "Model Regulation": UN1805; PHOSPHORIC ACID, SOLUTION; 8; III



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA; ETCHING AGENT V

(Contd. of page 5)

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:



C Corrosive

- Hazard-determining components of labelling: phosphoric acid
- · Risk phrases:

34 Causes burns.

- · Safety phrases:
- 20 When using do not eat or drink.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
- In case of accident or if you feel unwell, seek medical advice immediately.
- This material and its container must be disposed of as hazardous waste.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 3
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

GB ·