

Printing date 27.08.2009

Revision: 24.08.2009

1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: ALLOY PRIMER

· Article number: 054

· Application of the substance / the preparation Adhesive, dental metal

· Manufacturer:

Kuraray Europe GmbH

Building F821, Hoechst Industrial Park

65926 Frankfurt am Main

Germany

Tel: +49 (0)69 305 35 840 Fax: +49 (0)69 305 35 640 E-mail: dental@kuraray.de

· Supplier:

J & S Davis

Unit 6, Argyle Way Trading Estate,

Fulton Close, Stevenage, Hertfordshire, SG 1 2AF,

Great Britain

Tel: +44- (0)1438 735800 Fax: +44- (0)1438 735801 E-mail: jsdsales@js-davis.co.uk

· Further information obtainable from: Manufacturer or Supplier

· Information in case of emergency:

National Poisons information Service (London Centre)

Guy S & St. Thomas Hospital Trust

Medical Toxicology Unit

Avonley Road LONDON SE14 5ER

Emergency telephone: (local) 0870 600 6266 or +44 20 7771 5394

Administrative telephone: +44 20 7 771 53 10 Facsimile number: +44 20 7 771 53 09

2 Hazards identification

· Hazard description:



Xi Irritant

F Highly flammable

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 11 Highly flammable.

R 36 Irritating to eyes.

R 67 Vapours may cause drowsiness and dizziness.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· GHS label elements



H225 - Highly flammable liquid and vapour.

(Contd. on page 2)

(Contd. of page 1)



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 27.08.2009 Revision: 24.08.2009

Trade name: ALLOY PRIMER

Warning

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

· Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

· Response:

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P340

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P312

Call a POISON CENTER or doctor/physician if you feel unwell.

P370+P378

In case of fire: Use for extinction: CO2, powder or water spray.

P403+P233 Store in a well-ventilated place. Keep container tightly closed. P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

· Disposal:

· Storage:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components	:		
CAS: 67-64-1 ace EINECS: 200-662-2	tone	Xi, F; R 11-36-66-67 Danger: ♦ 2.6/2 Warning: ♦ 3.3/2, 3.8/3	>90%

· Other ingredients:

6-(4-Vinylbenzyl-N-propyl)amino-1,3,5-triazine-2,4-dithione

10-Methacryloyloxydecyl dihydrogen phosphate

4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting; call for medical help immediately.

If symptoms persist consult doctor.



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: ALLOY PRIMER

(Contd. of page 2)

5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- · Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.
- · Measures for environmental protection:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

7 Handling and storage

- · Handling:
- · Information for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).
- · Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from reducing agents.

· Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

67-64-1 acetone

WEL Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

• Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 4)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: ALLOY PRIMER

· Protection of hands:

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed goggles

General Information	
Form:	Liquid
Colour:	Transparent
Odour:	Acetone-like
Change in condition	
Melting point/Melting range:	94.7 °C (acetone)
Boiling point/Boiling range:	55 °C (acetone)
Flash point:	-19 °C (acetone)
Ignition temperature:	465.0 °C (acetone)
Danger of explosion:	Product is not explosive. However, formation of explosive air vapour mixtures are possible.
Explosion limits:	
Lower:	2.6 Vol % (acetone)
Upper:	13.0 Vol % (acetone)
Vapour pressure:	233.0 hPa (20°C, acetone)
Density:	0.79 g/cm³ (acetone)
Vapour density	2.0 g/cm³ (acetone, air=1)
Solubility in / Miscibility with	
water:	Partly miscible.
pH-value:	Not applicable

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: Carbon monoxide and carbon dioxide



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: ALLOY PRIMER

(Contd. of page 4)

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values relevant for classification:

67-64-1 acetone

LD50 5800 mg/kg (rat) Dermal LD50 20000 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological information

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class: 3 Flammable liquids.
- · Danger code (Kemler): 33
- · UN-Number:
- 1090 II
- · Packaging group:
- · Hazard label:
- · Description of goods: 1090 ACETONE, solution
- · Maritime transport IMDG:
- · IMDG Class:
- 1090 · UN Number: · Label 3
- П · Packaging group:
- F-E,S-D
- · EMS Number: No
- · Marine pollutant: · Proper shipping name: ACETONE, solution
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class:

(Contd. on page 6)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: ALLOY PRIMER

(Contd. of page 5)

· UN/ID Number:

1090

· Label

· Packaging group:

II

· Proper shipping name: ACETONE, solution

· UN "Model Regulation": UN1090; ACETONE, solution; 3; II

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous

· Code letter and hazard designation of product:



Xi Irritant

F Highly flammable

· Hazard-determining components of labelling: acetone

- · Risk phrases:
- 11 Highly flammable.
- 36 Irritating to eyes.
- 67 Vapours may cause drowsiness and dizziness.
- · Safety phrases:
- 9 Keep container in a well-ventilated place.
- 16 Keep away from sources of ignition No smoking.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 60 This material and its container must be disposed of as hazardous waste.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 4
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID. Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent



Printing date 27.08.2009

Revision: 24.08.2009

1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: PANAVIA F 2.0; PASTE B (TC, White, Light, Opaque)

· Article number: 089-PB

· Application of the substance / the preparation Resin-based dental adhesive cement

· Manufacturer:

Kuraray Europe GmbH

Building F821, Hoechst Industrial Park

65926 Frankfurt am Main

Germany

Tel: +49 (0)69 305 35 840 Fax: +49 (0)69 305 35 640

E-mail: dental@kuraray.de

· Supplier:

J & S Davis

Unit 6, Argyle Way Trading Estate,

Fulton Close, Stevenage, Hertfordshire, SG 1 2AF,

Great Britain

Tel: +44- (0)1438 735800 Fax: +44- (0)1438 735801 E-mail: jsdsales@js-davis.co.uk

· Further information obtainable from: Manufacturer or Supplier

· Information in case of emergency:

National Poisons information Service (London Centre)

Guy & St. Thomas Hospital Trust

Medical Toxicology Unit

Avonley Road LONDON SE14 5ER

Emergency telephone: (local) 0870 600 6266 or +44 20 7771 5394

Administrative telephone: +44 20 7 771 53 10 Facsimile number: +44 20 7 771 53 09

2 Hazards identification

· Hazard description:



Xn Harmful

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 22 Harmful if swallowed.

R 31 Contact with acids liberates toxic gas.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· GHS label elements



Warning

H302+EUH031 - Harmful if swallowed. Contact with acids liberates toxic gas.

· Prevention:

P264 Wash thoroughly after handling.

(Contd. on page 2)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA F 2.0; PASTE B (TC, White, Light, Opaque)

(Contd. of page 1)

P270 Do no eat, drink or smoke when using this product.

· Response:

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P330 Rinse mouth.

· Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 7681-49-4 sodium fluoride

T, Xi; R 25-32-36/38 Danger: \$\Delta 3.1.0/3, 3.2/2, 3.3/2 < 10%

EINECS: 231-667-8

Other ingredients:

Hydrophobic aromatic dimethacrylate

Hydrophobic aliphatic dimethacrylate

Hydrophilic aliphatic dimethacrylate

Silanated barium glass filler

Catalysts

Accelerators

Pigments

Others

4 First aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Call for a doctor immediately.

5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment:

Mouth respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- · Person-related safety precautions: Mount respiratory protective device.
- · Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.
- · Measures for cleaning/collecting: Dispose contaminated material as waste according to item 13.

7 Handling and storage

- · Handling:
- · Information for safe handling: Prevent formation of dust.

(Contd. on page 3)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA F 2.0; PASTE B (TC, White, Light, Opaque)

(Contd. of page 2)

- · Information about fire and explosion protection: No special measures required.
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility:

Do not store together with acids.

Store away from oxidizing agents.

Store away from reducing agents.

· Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

7681-49-4 sodium fluoride

WEL Long-term value: 2.5 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

9 Physical and chemical properties

· General Information		
Form:	Pasty	
Colour:	Coloured	
Odour:	Odourless	
· Change in condition		1,000
Melting point/Melting range:	1012 °C (sodium fluoride)	
Boiling point/Boiling range:	1704 °C (sodium fluoride)	

(Contd. on page 4)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA F 2.0; PASTE B (TC, White, Light, Opaque)

	(Contd. of page 3
Flash point:	Not applicable.
Ignition temperature:	Not applicable
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not applicable
Upper:	Not applicable
· Vapour pressure:	Not applicable
Density:	2.0 g/cm ³
· Vapour density	Not applicable
Solubility in / Miscibility with	
water:	Insoluble.
pH-value:	Not applicable
Segregation coefficient (n-octanol/w	rater): Not applicable

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values relevant for classification:

7681-49-4 sodium fluoride

Oral LD50 44 mg/kg (mouse) 52 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

12 Ecological information

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 5)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA F 2.0; PASTE B (TC, White, Light, Opaque)

(Contd. of page 4)

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · UN "Model Regulation": -

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:



Xn Harmful

- · Hazard-determining components of labelling: sodium fluoride
- · Risk phrases:
- 22 Harmful if swallowed.
- 31 Contact with acids liberates toxic gas.
- · Safety phrases:
- 22 Do not breathe dust.
- 36 Wear suitable protective clothing.
- 45 In case of accident or if you feel unwell, seek medical advice immediately.
- 60 This material and its container must be disposed of as hazardous waste.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 3
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 6)



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA F 2.0; PASTE B (TC, White, Light, Opaque)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

(Contd. of page 5)



Printing date 27.08.2009 Revision: 24.08.2009

1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: PANAVIA F 2.0; PASTE A

· Article number: 089-PA

· Application of the substance / the preparation Resin-based dental adhesive cement

· Manufacturer:

Kuraray Europe GmbH

Building F821, Hoechst Industrial Park

65926 Frankfurt am Main

Germany

Tel: +49 (0)69 305 35 840 Fax: +49 (0)69 305 35 640 E-mail: dental@kuraray.de

Supplier:

J & S Davis

Unit 6, Argyle Way Trading Estate,

Fulton Close, Stevenage, Hertfordshire, SG 1 2AF,

Great Britain

Tel: +44- (0)1438 735800 Fax: +44- (0)1438 735801 E-mail: jsdsales@js-davis.co.uk

· Further information obtainable from: Manufacturer or Supplier

· Information in case of emergency:

National Poisons information Service (London Centre)

Guy S & St. Thomas Hospital Trust

Medical Toxicology Unit

Avonley Road LONDON SE14 5ER

Emergency telephone: (local) 0870 600 6266 or +44 20 7771 5394

Administrative telephone: +44 20 7 771 53 10 Facsimile number: +44 20 7 771 53 09

2 Hazards identification

· Hazard description: Not applicable.

· Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· GHS label elements Void

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components: Void
- · Other ingredients:

10-Methacryloyloxydecyl dihydrogen phosphate

Hydrophobic aromatic dimethacrylate

Hydrophobic aliphatic dimethacrylate

Hydrophilic aliphatic dimethacrylate



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA F 2.0; PASTE A

Silanated silica filler Silanated colloidal silica dl-Camphorquinone Catalysts Initiators (Contd. of page 1)

4 First aid measures

Others

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: No special measures required.
- · Measures for cleaning/collecting: Pick up mechanically.
- · Additional information: No dangerous substances are released.

7 Handling and storage

- · Handling:
- · Information for safe handling: No special measures required.
- · Information about fire and explosion protection: No special measures required.
- ·Storage
- · Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 3)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA F 2.0; PASTE A

(Contd. of page 2)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

General Information		
Form:	Pasty	
Colour:	Coloured	
Odour:	Odourless	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	2.00
Ignition temperature:	Not applicable	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not applicable	
Upper:	Not applicable	
Vapour pressure:	Not applicable	
Density:	2.2 g/cm ³	
Vapour density	Not applicable	
Solubility in / Miscibility with		
water:	Insoluble.	
pH-value:	Not applicable	

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.

(Contd. on page 4)

(Contd. of page 3)



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA F 2.0; PASTE A

· on the eye: No irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

· General notes: Generally not hazardous for water

13 Disposal considerations

- · Product:
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · UN "Model Regulation": -

15 Regulatory information

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 3
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 5)



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA F 2.0; PASTE A

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals

(Contd. of page 4)



Printing date 27.08.2009

Revision: 24.08.2009

1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: PANAVIA F 2.0; ED PRIMER | Liquid A

· Article number: 070-A

· Application of the substance / the preparation Dental material for tooth surface conditioning

· Manufacturer:

Kuraray Europe GmbH

Building F821, Hoechst Industrial Park

65926 Frankfurt am Main

Germany

Tel: +49 (0)69 305 35 840 Fax: +49 (0)69 305 35 640 E-mail: dental@kuraray.de

· Supplier:

J & S Davis

Unit 6, Argyle Way Trading Estate,

Fulton Close, Stevenage, Hertfordshire, SG 1 2AF,

Great Britain

Tel: +44- (0)1438 735800 Fax: +44- (0)1438 735801 E-mail: jsdsales@js-davis.co.uk

· Further information obtainable from: Manufacturer or Supplier

· Information in case of emergency:

National Poisons information Service (London Centre)

Guy S & St. Thomas Hospital Trust

Medical Toxicology Unit

Avonley Road LONDON SE14 5ER

Emergency telephone: (local) 0870 600 6266 or +44 20 7771 5394

Administrative telephone: +44 20 7 771 53 10 Facsimile number: +44 20 7 771 53 09

2 Hazards identification

· Hazard description:



Xi Irritant

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 36/38 Irritating to eyes and skin.

R 43 May cause sensitisation by skin contact.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· GHS label elements



H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H317 - May cause an allergic skin reaction.

(Contd. on page 2)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA F 2.0; ED PRIMER | Liquid A

(Contd. of page 1)

· Prevention:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

· Response:

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362

Take off contaminated clothing and wash before reuse.

P363

Wash contaminated clothing before reuse.

· Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 868-77-9 2-hydroxyethyl methacrylate

Xi; R 36/38-43 Warning: � 3.2/2, 3.3/2, 3.4.S/1 30-50%

EINECS: 212-782-2

Other ingredients:

10-Methacryloyloxydecyl dihydrogen phosphate N-Methacryloyl-5-aminosalicylic acid

Water

Accelerators

4 First aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting; call for medical help immediately.

If symptoms persist consult doctor.

5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection:

Dilute with plenty of water.

(Contd. on page 3)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA F 2.0; ED PRIMER | Liquid A

(Contd. of page 2)

Do not allow to enter sewers/ surface or ground water.

· Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

7 Handling and storage

· Handling:

· Information for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from reducing agents.

· Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA F 2.0; ED PRIMER || Liquid A

· Eye protection: Tightly sealed goggles

(Contd. of page 3)

General Information		
Form:	Liquid	_
Colour:	Transparent	
Odour:	Odourless	
Change in condition		
Melting point/Melting range:	-12 °C (2-hydroxyethyl methacrylate)	
Boiling point/Boiling range:	205 °C (2-hydroxyethyl methacrylate)	
Flash point:	97 °C (2-hydroxyethyl methacrylate)	
Ignition temperature:	Not applicable	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not applicable	
Upper:	Not applicable	
Vapour pressure:	Not applicable	
Density:	1.1 g/cm ³	
Vapour density	Not applicable	
Solubility in / Miscibility with		
water:	Partly miscible.	
pH-value:	Not applicable	

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values relevant for classification:

868-77-9 2-hydroxyethyl methacrylate

Oral LD50 4680 mg/kg (guinea pig) 3275 mg/kg (mouse) 5050 mg/kg (rat)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 5)



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA F 2.0; ED PRIMER || Liquid A

Irritant

(Contd. of page 4)

· Sensitisation May cause sensitisation by skin contact.

12 Ecological information

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · UN "Model Regulation": -

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:



Xi Irritant

- · Hazard-determining components of labelling:
- 2-hydroxyethyl methacrylate
- · Risk phrases:

36/38 Irritating to eyes and skin.

- 43 May cause sensitisation by skin contact.
- · Safety phrases:
- 24 Avoid contact with skin.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 28 After contact with skin, wash immediately with plenty of soap and water.
- 37 Wear suitable gloves.

(Contd. on page 6)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA F 2.0; ED PRIMER || Liquid A

(Contd. of page 5)

60 This material and its container must be disposed of as hazardous waste.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Version: 4

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

GE



Printing date 27.08.2009

Revision: 24.08.2009

1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: PANAVIA F 2.0; ED PRIMER || Liquid B

· Article number: 070-B

· Application of the substance / the preparation Dental material for tooth surface conditioning

· Manufacturer:

Kuraray Europe GmbH

Building F821, Hoechst Industrial Park

65926 Frankfurt am Main

Germany

Tel: +49 (0)69 305 35 840 Fax: +49 (0)69 305 35 640 E-mail: dental@kuraray.de

· Supplier:

J & S Davis

Unit 6, Argyle Way Trading Estate,

Fulton Close, Stevenage, Hertfordshire, SG 1 2AF,

Great Britain

Tel: +44- (0)1438 735800 Fax: +44- (0)1438 735801 E-mail: jsdsales@js-davis.co.uk

· Further information obtainable from: Manufacturer or Supplier

· Information in case of emergency:

National Poisons information Service (London Centre)

Guy S & St. Thomas Hospital Trust

Medical Toxicology Unit

Avonley Road LONDON SE14 5ER

Emergency telephone: (local) 0870 600 6266 or +44 20 7771 5394

Administrative telephone: +44 20 7 771 53 10 Facsimile number: +44 20 7 771 53 09

2 Hazards identification

· Hazard description: Not applicable.

· Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· GHS label elements Void

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components: Void
- · Other ingredients:

N-Methacryloyl-5-aminosalicylic acid

Water

Catalysts

(Contd. on page 2)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA F 2.0; ED PRIMER || Liquid B

Accelerators

(Contd. of page 1)

4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: Dilute with plenty of water.
- · Measures for cleaning/collecting:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Additional information: No dangerous substances are released.

7 Handling and storage

- · Handling:
- · Information for safe handling: No special measures required.
- Information about fire and explosion protection: No special measures required.
- Storage
- · Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 3)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA F 2.0; ED PRIMER || Liquid B

· Material of gloves

(Contd. of page 2)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

9 Physical and chemical properties

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

General Information		
Form:	Liquid	
Colour:	Transparent	
Odour:	Odourless	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	2017/2011
Ignition temperature:	Not applicable	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not applicable	
Upper:	Not applicable	
Vapour pressure:	Not applicable	
Density:	1.0 g/cm ³	
Vapour density	Not applicable	

10 Stability and reactivity

· Solubility in / Miscibility with

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Fully miscible.

Not applicable

· Dangerous reactions No dangerous reactions known.

· Segregation coefficient (n-octanol/water): Not applicable

· Dangerous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Acute toxicity:

water:

· pH-value:

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 4)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA F 2.0; ED PRIMER | Liquid B

· Additional toxicological information:

(Contd. of page 3)

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

· General notes: Generally not hazardous for water

13 Disposal considerations

- · Product:
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · UN "Model Regulation": -

15 Regulatory information

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 4
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals



Printing date 27.08.2009

Revision: 24.08.2009

1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: PANAVIA F 2.0; OXYGUARD ||

· Article number: 071

· Application of the substance / the preparation Dental material for curing promotion and surface protection

· Manufacturer:

Kuraray Europe GmbH

Building F821, Hoechst Industrial Park

65926 Frankfurt am Main

Germany

Tel: +49 (0)69 305 35 840 Fax: +49 (0)69 305 35 640 E-mail: dental@kuraray.de

· Supplier:

J & S Davis

Unit 6, Argyle Way Trading Estate,

Fulton Close, Stevenage, Hertfordshire, SG 1 2AF,

Great Britain

Tel: +44- (0)1438 735800 Fax: +44- (0)1438 735801 E-mail: jsdsales@js-davis.co.uk

· Further information obtainable from: Manufacturer or Supplier

· Information in case of emergency:

National Poisons information Service (London Centre)

Guy S & St. Thomas Hospital Trust

Medical Toxicology Unit

Avonley Road LONDON SE14 5ER

Emergency telephone: (local) 0870 600 6266 or +44 20 7771 5394

Administrative telephone: +44 20 7 771 53 10 Facsimile number: +44 20 7 771 53 09

2 Hazards identification

· Hazard description: Not applicable.

· Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· GHS label elements

Safety data sheet available on request.

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous compone	ents:	
CAS: 56-81-5 EINECS: 200-289-5	glycerol	50-70%
CAS: 25322-68-3 NLP: 500-038-2	Polyethylene glycol	20-40%

(Contd. on page 2)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA F 2.0; OXYGUARD ||

· Other ingredients:

Catalysts

Accelerators

Dyes

Others

(Contd. of page 1)

4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- · Measures for cleaning/collecting:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Additional information: No dangerous substances are released.

7 Handling and storage

- · Handling:
- · Information for safe handling: No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

56-81-5 glycerol

WEL Long-term value: 10 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

· Respiratory protection: Not required.

(Contd. on page 3)



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA F 2.0; OXYGUARD ||

· Protection of hands:

(Contd. of page 2)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

General Information	
Form:	Gel
Colour:	Green
Odour:	Odourless
Change in condition	
Melting point/Melting range:	18.2 °C (glycerol)
Boiling point/Boiling range:	290 °C (glycerol)
Flash point:	160 °C (glycerol)
Ignition temperature:	400.0 °C (glycerol)
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	0.9 Vol % (glycerol)
Upper:	Not applicable
Vapour pressure:	0.1 hPa (20°C, glycerol)
Density:	Not determined.
Vapour density	Not applicable
Solubility in / Miscibility with	
water:	Fully miscible.
pH-value:	Not applicable

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: Carbon monoxide and carbon dioxide



Printing date 27.08.2009 Revision: 24.08.2009

Trade name: PANAVIA F 2.0; OXYGUARD ||

(Contd. of page 3)

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · UN "Model Regulation": -

15 Regulatory information

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

· Special labelling of certain preparations:

Safety data sheet available for professional user on request.



Printing date 27.08.2009

Revision: 24.08.2009

Trade name: PANAVIA F 2.0; OXYGUARD ||

(Contd. of page 4)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Version: 3

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GF