

Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: GC Pattern Resin LS Liquid
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxillary for dental technology
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GC EUROPE N.V.

Interleuvenlaan 33

B-3001 Leuven

Tel. +32/(0)16/74.10.00

Fax + 32/(0)16/40.26.84

msds@gceurope.com

- · Further information obtainable from: Regulatory affairs
- · 1.4 Emergency telephone number:

National poison center for United Kingdom of Great Britain and Northern Ireland:

Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383

Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180

Penarth: +44 292 071 55 54

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

Methyl methacrylate ethyl methacrylate

2-(2H-benzotriazol-2-yl)-p-cresol

· Hazard statements

H225 Highly flammable liquid and vapour.

(Contd. on page 2)

Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

Trade name: GC Pattern Resin LS Liquid

(Contd. of page 1)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from open flames. - No smoking.

*P280* Wear protective gloves / eye protection / face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

| · Dangerous components:   |   |        |
|---|---|--------|
| CAS: 80-62-6<br>EINECS: 201-297-1<br>Index number: 607-035-00-6 | Methyl methacrylate<br>Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT<br>SE 3, H335                              | 50-70% |
| CAS: 6976-93-8<br>EINECS: 230-241-9                             | Methoxyethylmethacrylate<br>Skin Irrit. 2, H315; Eye Irrit. 2, H319   | 10-25% |
| CAS: 97-63-2<br>EINECS: 202-597-5<br>Index number: 607-071-00-2 | ethyl methacrylate<br>Flam. Liq. 2, H225; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin<br>Sens. 1, H317; STOT SE 3, H335           | 5-10%  |
| CAS: 99-97-8<br>EINECS: 202-805-4<br>Index number: 612-056-00-9 | N,N-dimethyl-p-toluidine<br>Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT<br>RE 2, H373; Aquatic Chronic 3, H412 | 1-5%   |
| CAS: 2440-22-4<br>EINECS: 219-470-5                             | 2-(2H-benzotriazol-2-yl)-p-cresol<br>Acute Tox. 2, H330; Aquatic Chronic 1, H410; Skin Sens. 1, H317                                | 0.5-1% |
| CAS: 97-90-5<br>EINECS: 202-617-2<br>Index number: 607-114-00-5 | Ethyleneglycol dimethacrylate Skin Sens. 1, H317; STOT SE 3, H335   | 0.5-1% |

<sup>·</sup> Additional information: For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

If symptoms persist consult doctor.

(Contd. on page 3)

Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

Trade name: GC Pattern Resin LS Liquid

(Contd. of page 2)

#### · After inhalation:

Supply fresh air and to be sure call for a doctor.

Do not use mouth to mouth or mouth to nose resuscitation.

Take affected persons into fresh air and keep quiet.

### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

#### · After eve contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

#### · After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

### · 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

Avoid contact with the eyes and skin.

Wear protective clothing.

#### · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

Prevent seepage into sewage system, workpits and cellars.

### · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

Trade name: GC Pattern Resin LS Liquid

See Section 13 for disposal information.

(Contd. of page 3)

## SECTION 7: Handling and storage

### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

#### · Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Do not spray onto a naked flame or any incandescent material.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in unopened original receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store in a cool place.

· 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

| · Ingre | dients with limit values that require monitoring at the workplace: |
|---------|--|
| 80-62   | 2-6 Methyl methacrylate  |
| WEL     | Short-term value: 416 mg/m³, 100 ppm                               |
|         | Long-term value: 208 mg/m³, 50 ppm                                 |

#### $\cdot$ DNELs

#### 80-62-6 Methyl methacrylate

|            | •               |  |
|------------|-----------------|--|
| Dermal     | DNEL dermal     | 13.67 mg/kg bw/day (man) (worker, l. te., syst.) |
| Inhalative | DNEL inhalation | 208 mg/m3 (air) (worker, l. te., syst.)          |

#### · PNECs

#### 99-97-8 N,N-dimethyl-p-toluidine

PNEC Aqua 152.59 µg/L (freshwater)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

(Contd. on page 5)

Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

Trade name: GC Pattern Resin LS Liquid

(Contd. of page 4)

### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Suitable respiratory protective device recommended.

· Protection of hands:



Protective gloves

### · Material of gloves

e.g. KCL Butoject 897

Butyl rubber, BR

Recommended thickness of the material:  $\geq 0.29$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 60 minutes (Permeation according to EN 374 Part 3: Level 2).

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

| 9.1 Information on basic physical a | and chemical properties                       |  |
|-------------------------------------|---|--|
| General Information                 |   |  |
| Appearance:                         |   |  |
| Form:                               | Liquid  |  |
| Colour:                             | Clear   |  |
| Odour:                              | Characteristic                                |  |
| Odour threshold:                    | Not determined.                               |  |
| pH-value:                           | Not determined.                               |  |
| Change in condition                 |   |  |
| Melting point/Melting range:        | Undetermined.                                 |  |
| Boiling point/Boiling range:        | 100 °C  |  |
| Flash point:                        | 10 °C   |  |
| Flammability (solid, gaseous):      | Not applicable.                               |  |
| Ignition temperature:               | Undetermined.                                 |  |
| Decomposition temperature:          | Not determined.                               |  |
| Self-igniting:                      | Product is not selfigniting.                  |  |
| Danger of explosion:                | Product does not present an explosion hazard. |  |
| Explosion limits:                   |   |  |
| Lower:                              | 2.1 Vol %                                     |  |

(Contd. on page 6)

Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

Trade name: GC Pattern Resin LS Liquid

|                                    |  | (Contd. of page |
|------------------------------------|--|-----------------|
| Upper:                             | 12.5 Vol %                                 |                 |
| · Vapour pressure:                 | Not determined.                            |                 |
| · Density at 20 °C:                | 0.95 g/cm³                                 |                 |
| · Relative density                 | Not determined.                            |                 |
| · Vapour density                   | Not determined.                            |                 |
| · Evaporation rate                 | Not determined.                            |                 |
| · Solubility in / Miscibility with |  |                 |
| water:                             | Fully miscible.                            |                 |
| · Partition coefficient (n-octano  | l/water): Not determined.                  |                 |
| · Viscosity:                       |  |                 |
| Dynamic:                           | Not determined.                            |                 |
| Kinematic:                         | Not determined.                            |                 |
| · Solvent content:                 |  |                 |
| Organic solvents:                  | 0.0 %                                      |                 |
| 9.2 Other information              | No further relevant information available. |                 |

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification:

ATEmix (Oral) = 5284 mg/kg

ATEmix (dermal) > 4740 mg/kg

ATEmix (inhal.) = 15 mg/l

|                    | LD50  | 6000 mg/kg (rabbit)<br>>5000 mg/kg (rab) |
|--------------------|---|--|
| Dermal .           |   | >5000 mg/kg (rah)                        |
|                    |   |  |
| Inhalative         | LC50/4 h                                    | 29.8 mg/l (rat (f+m))                    |
| 97-63-2 eth        | yl methac                                   | rylate                                   |
| Oral .             | LD50  | 13424 mg/kg (rat (f+m))                  |
| Inhalative         | LC50/4 h                                    | 55 mg/l (rat (f+m))                      |
| <b>99-97-8</b> N,I | N-dimethy                                   | ol-p-toluidine                           |
| Oral .             | LD50  | 1650 mg/kg (rat (f+m))                   |
| Dermal .           | LD50  | >2000 mg/kg (rabbit)                     |
| Inhalative         | LC50/4 h                                    | 1.4 mg/l (rat (f+m))                     |
| 2440-22-4          | 2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol |  |
| Oral .             | LD50  | 10000 mg/kg (rat (f+m))                  |

(Contd. on page 7)

Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

Trade name: GC Pattern Resin LS Liquid

|            |             | (Contd. of page 6)       |
|------------|-------------|--------------------------|
| Inhalative | LC50/4 h    | 0.59  mg/l  (rat  (f+m)) |
| 97-90-5 E  | thyleneglyo | col dimethacrylate       |
| Oral       | LD50        | 8700 mg/kg (rat (f+m))   |
| Dermal     | LD50        | >2000 mg/kg (rat (f+m))  |

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Repeated dose toxicity No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

### 99-97-8 N,N-dimethyl-p-toluidine

LC50/96h | 46 mg/L (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

| ·European | waste catalogue   |
|-----------|---|
|           | WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care) |
| 18 01 00  | wastes from natal care, diagnosis, treatment or prevention of disease in humans   |
| 18 01 06* | chemicals consisting of or containing dangerous substances  |

(Contd. on page 8)

Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

Trade name: GC Pattern Resin LS Liquid

(Contd. of page 7)

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

| SECTION 14: Transport informa  |  |
|--|--|
| 14.1 UN-Number   | 1011045  |
| ADR, IMDG, IATA  | UN1247   |
| 14.2 UN proper shipping name   |  |
| ADR  | 1247 METHYL METHACRYLATE MONOME                  |
| NAME OF THE OWNER | STABILIZED                                       |
| IMDG, IATA   | METHYL METHACRYLATE MONOMER, STABILIZED          |
| 14.3 Transport hazard class(es)  |  |
| ADR  |  |
|  |  |
| 3  |  |
| Class  | 3 (F1) Flammable liquids.                        |
| Label  | 3  |
| IMDG, IATA   |  |
| Class  | 3 Flammable liquids.                             |
| Label  | 3 Tummaote tiquias.                              |
| 14.4 Packing group   |  |
| ADR, IMDG, IATA  | II   |
| 14.5 Environmental hazards:  |  |
| Marine pollutant:  | No   |
| 14.6 Special precautions for user  | Warning: Flammable liquids.                      |
| Danger code (Kemler):  | 339  |
| EMS Number:  | F-E,S-D  |
| 14.7 Transport in bulk according to Ann  | er II of   |
| Marpol and the IBC Code  | Not applicable.                                  |
| Transport/Additional information:  |  |
| ADR  |  |
| Limited quantities (LQ)  | IL   |
| Excepted quantities (EQ)   | Code: E2   |
| · · · ·  | Maximum net quantity per inner packaging: 30 ml  |
| _  | Maximum net quantity per outer packaging: 500 ml |
| Transport category   | 2  |
| Tunnel restriction code  | D/E  |
| IMDG   |  |
| Limited quantities (LQ)  | IL   |

Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

Trade name: GC Pattern Resin LS Liquid

|                            | (Contd. of page 8)  |
|----------------------------|---|
| · Excepted quantities (EQ) | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · UN ''Model Regulation'': | UN 1247 METHYL METHACRYLATE MONOMER,<br>STABILIZED, , II  |

## SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

· Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008 Calculation method

- · Department issuing MSDS: Regulatory affairs
- · Contact: msds@gceurope.com
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 2: Acute toxicity, Hazard Category 2

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

- ·Sources
- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)

(Contd. on page 10)

Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

Trade name: GC Pattern Resin LS Liquid

(Contd. of page 9)

### \* \* Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

GB



Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: GC Pattern Resin LS Powder
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Auxillary for dental technology
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GC EUROPE N.V.

Interleuvenlaan 33

B-3001 Leuven

Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84

msds@gceurope.com

- · Further information obtainable from: Regulatory affairs
- · 1.4 Emergency telephone number:

National poison center for United Kingdom of Great Britain and Northern Ireland:

Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383

Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180

Penarth: +44 292 071 55 54

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

Dibenzoyl peroxide

· Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

*P272* Contaminated work clothing should not be allowed out of the workplace.

*P261* Avoid breathing dust.*P280* Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 2)

Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

Trade name: GC Pattern Resin LS Powder

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

| Dangerous components:      |   |      |
|----------------------------|---|------|
|                            | Dibenzoyl peroxide  | 1-5% |
| EINECS: 202-327-6          | Org. Perox. B, H241; Eye Irrit. 2, H319; Skin Sens. 1, H317 |      |
| Index number: 617-008-00-0 |   |      |

· Additional information: For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

Take affected persons into fresh air and keep quiet.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

*Use fire extinguishing methods suitable to surrounding conditions.* 

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device.

(Contd. on page 3)

Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

Trade name: GC Pattern Resin LS Powder

(Contd. of page 2)

#### · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

### · 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Avoid formation of dust.

Avoid contact with the eyes and skin.

Wear protective clothing.

### · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

### · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Prevent formation of dust.

Dispose of the material collected according to regulations.

### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

Avoid contact with the eyes and skin.

- · Information about fire and explosion protection: Dust can combine with air to form an explosive mixture.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

### 94-36-0 Dibenzoyl peroxide

WEL Long-term value: 5 mg/m<sup>3</sup>

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

(Contd. on page 4)

Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

Trade name: GC Pattern Resin LS Powder

(Contd. of page 3)

Wash hands before breaks and at the end of work. Immediately remove all soiled and contaminated clothing

- Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

| 9.1 Information on basic physical o | and chemical properties                       |
|-------------------------------------|---|
| General Information                 | 1 1   |
| · Appearance:                       |   |
| Form:                               | Powder  |
| Colour:                             | Red   |
| · Odour:                            | Odourless                                     |
| Odour threshold:                    | Not determined.                               |
| · pH-value:                         | Not applicable.                               |
| Change in condition                 |   |
| Melting point/Melting range:        | Undetermined.                                 |
| Boiling point/Boiling range:        | Undetermined.                                 |
| Flash point:                        | Not applicable.                               |
| Flammability (solid, gaseous):      | Not determined.                               |
| Ignition temperature:               | Undetermined.                                 |
| Decomposition temperature:          | Not determined.                               |
| Self-igniting:                      | Product is not selfigniting.                  |
| Danger of explosion:                | Product does not present an explosion hazard. |
| Explosion limits:                   |   |
| Lower:                              | Not determined.                               |
| Upper:                              | Not determined.                               |
| Vapour pressure:                    | Not applicable.                               |
| Density at 20 °C:                   | $1.18  g/cm^3$                                |
| · Relative density                  | Not determined.                               |
| Vapour density                      | Not applicable.                               |

(Contd. on page 5)

Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

Trade name: GC Pattern Resin LS Powder

|                                    |  | (Contd. of page |
|------------------------------------|--|-----------------|
| · Evaporation rate                 | Not applicable.                            |                 |
| · Solubility in / Miscibility with |  |                 |
| water:                             | Insoluble.                                 |                 |
| · Partition coefficient (n-octano  | l/water): Not determined.                  |                 |
| · Viscosity:                       |  |                 |
| Dynamic:                           | Not applicable.                            |                 |
| Kinematic:                         | Not applicable.                            |                 |
| · Solvent content:                 |  |                 |
| Organic solvents:                  | 0.0 %                                      |                 |
| · 9.2 Other information            | No further relevant information available. |                 |

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification: No further relevant information available.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Repeated dose toxicity No further relevant information available.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
  No further relevant information available.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

(Contd. on page 6)

Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

Trade name: GC Pattern Resin LS Powder

(Contd. of page 5)

Danger to drinking water if even extremely small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

| · European waste catalogue  |  |   |  |
|---|--|---|--|
|   |  | WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care) |  |
| 18 01 00 wastes from natal care, diagnosis, treatment or prevention of disease in humans 18 01 06* chemicals consisting of or containing dangerous substances |  | wastes from natal care, diagnosis, treatment or prevention of disease in humans   |  |
|   |  | chemicals consisting of or containing dangerous substances  |  |

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| SECTION 14: Transport informa                                      | tion                         |  |
|--|------------------------------|--|
| 14.1 UN-Number<br>ADR, ADN, IMDG, IATA                             | not regulated                |  |
| 14.2 UN proper shipping name<br>ADR, ADN, IMDG, IATA               | not regulated                |  |
| 14.3 Transport hazard class(es)                                    |                              |  |
| ADR, ADN, IMDG, IATA<br>Class                                      | not regulated                |  |
| 14.4 Packing group<br>ADR, IMDG, IATA                              | not regulated                |  |
| 14.5 Environmental hazards:<br>Marine pollutant:                   | No                           |  |
| 14.6 Special precautions for user                                  | Not applicable.              |  |
| 14.7 Transport in bulk according to Ann<br>Marpol and the IBC Code | vex II of<br>Not applicable. |  |
| UN ''Model Regulation'':   | not regulated                |  |

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

• Relevant phrases H241 Heating may cause a fire or explosion.

(Contd. on page 7)

Printing date 15.08.2015 Version number 6 Revision: 14.08.2015

Trade name: GC Pattern Resin LS Powder

(Contd. of page 6)

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

- · Classification according to Regulation (EC) No 1272/2008 Calculation method
- · Department issuing MSDS: Regulatory affairs
- · Contact: msds@gceurope.com
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Org. Perox. B: Organic Peroxides, Type B

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

#### ·Sources

- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)
- \* \* Data compared to the previous version altered.

This version replaces all previous versions.

#### Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.