



GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : GOJO® Antibacterial Foam Soap

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture	: Antibacterial Soap
Recommended restrictions on use	: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

1.3 Details of the supplier of the safety data sheet

Company	: GOJO Industries-Europe Ltd. Units 5 & 6, Stratus Park MK10 0DE Brinklow, Milton Keynes
Telephone	: +44(0) 1908588444
Telefax	: +44(0) 1908588445
E-mail address of person responsible for the SDS	: info@gojo.co.uk

1.4 Emergency telephone number

+44(0) 08445605135

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Acute aquatic toxicity, Category 1	H400: Very toxic to aquatic life.

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

Chronic aquatic toxicity, Category 1

H410: Very toxic to aquatic life with long lasting effects.

Classification (67/548/EEC, 1999/45/EC)

Irritant

R41: Risk of serious damage to eyes.

Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

:



Signal word

: Danger

Hazard statements

: H226
H318
H410

Flammable liquid and vapour.
Causes serious eye damage.
Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**
P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233
P273
P280

Keep container tightly closed.
Avoid release to the environment.
Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
P391 Collect spillage.

Hazardous components which must be listed on the label:

Dodecanoic acid

2.3 Other hazards

Vapours may form explosive mixture with air.

GOJO® Antibacterial Foam Soap

Version 2.0 Revision Date: 17.04.2015 MSDS Number: 31760-00005 Date of last issue: 19.03.2015
Date of first issue: 24.11.2014

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Ethanol	64-17-5 200-578-6	F; R11 Xi; R36	Flam. Liq. 2; H225 Eye Irrit. 2; H319	$\geq 3 - < 10$
Dodecanoic acid	143-07-7 205-582-1	N; R51/53 Xi; R41	Eye Dam. 1; H318 Aquatic Chronic 3; H412	$\geq 5 - < 10$
Ethanolamine	141-43-5 205-483-3	C; R34 Xn; R20/21/22	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Corr. 1B; H314 STOT SE 3; H335 Aquatic Chronic 3; H412	$\geq 2.5 - < 5$
Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts	68650-39-5 272-043-5	Xi; R41	Eye Dam. 1; H318	$\geq 1 - < 3$
l-(+)-Lactic acid	79-33-4 201-196-2	Xi; R41-R37/38	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	$\geq 1 - < 3$
Triclosan	3380-34-5 222-182-2	Xi; R36/38 N; R50/53	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\geq 0.25 - < 1$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,



GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

and use the recommended personal protective equipment when the potential for exposure exists.

- | | |
|-------------------------|--|
| If inhaled | : If inhaled, remove to fresh air.
Get medical attention if symptoms occur. |
| In case of skin contact | : Wash with water and soap as a precaution.
Get medical attention if symptoms occur. |
| In case of eye contact | : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately. |
| If swallowed | : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|-------|------------------------------|
| Risks | : Causes serious eye damage. |
|-------|------------------------------|

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|---|
| Treatment | : Treat symptomatically and supportively. |
|-----------|---|
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | |
|------------------------------|--|
| Suitable extinguishing media | : Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
|------------------------------|--|

- | | |
|--------------------------------|-------------------------|
| Unsuitable extinguishing media | : High volume water jet |
|--------------------------------|-------------------------|

5.2 Special hazards arising from the substance or mixture

- | | |
|---------------------------------------|--|
| Specific hazards during fire-fighting | : Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health. |
|---------------------------------------|--|

- | | |
|-------------------------------|---|
| Hazardous combustion products | : Carbon oxides
Nitrogen oxides (NO _x)
Metal oxides |
|-------------------------------|---|

5.3 Advice for firefighters

- | | |
|---|--|
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. |
|---|--|



GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice and personal protective equipment recommendations.

6.2 Environmental precautions

Environmental precautions : Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapours/mists with a water spray jet.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling



GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

- | | |
|-------------------------|--|
| Technical measures | : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : Use with local exhaust ventilation.
Use only in an area equipped with explosion proof exhaust ventilation. |
| Advice on safe handling | : Avoid inhalation of vapour or mist.
Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice.
Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. |

7.2 Conditions for safe storage, including any incompatibilities

- | | |
|---|--|
| Requirements for storage areas and containers | : Keep in properly labelled containers. Keep tightly closed.
Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition. |
| Advice on common storage | : Do not store with the following product types:
Strong oxidizing agents
Organic peroxides
Flammable solids
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Substances and mixtures, which in contact with water, emit flammable gases
Explosives
Gases |

7.3 Specific end use(s)

- | | |
|-----------------|---------------------|
| Specific use(s) | : No data available |
|-----------------|---------------------|

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

GOJO® Antibacterial Foam Soap

Version 2.0 Revision Date: 17.04.2015 MSDS Number: 31760-00005 Date of last issue: 19.03.2015
Date of first issue: 24.11.2014

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propylene glycol	57-55-6	TWA (particles)	10 mg/m ³	GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
		TWA (Total vapour and particles)	150 ppm 474 mg/m ³	GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
Ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m ³	GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
Ethanolamine	141-43-5	TWA	1 ppm 2.5 mg/m ³	2006/15/EC
Further information	Identifies the possibility of significant uptake through the skin, Indicative			
		STEL	3 ppm 7.6 mg/m ³	2006/15/EC
Further information	Identifies the possibility of significant uptake through the skin, Indicative			
		TWA	1 ppm 2.5 mg/m ³	GB EH40
Further information	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	3 ppm 7.6 mg/m ³	GB EH40
Further information	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Propylene glycol	: End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 10 mg/m ³ End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 168 mg/m ³ End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 10 mg/m ³ End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 50 mg/m ³
Ethanol	: End Use: Workers Exposure routes: Inhalation Potential health effects: Acute local effects Value: 1900 mg/m ³ End Use: Workers Exposure routes: Skin contact Potential health effects: Long-term systemic effects

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

	Value: 343 mg/kg bw/day
	End Use: Workers
	Exposure routes: Inhalation
	Potential health effects: Long-term systemic effects
	Value: 950 mg/m3
	End Use: Consumers
	Exposure routes: Inhalation
	Potential health effects: Acute local effects
	Value: 950 mg/m3
	End Use: Consumers
	Exposure routes: Skin contact
	Potential health effects: Long-term systemic effects
	Value: 206 mg/kg bw/day
	End Use: Consumers
	Exposure routes: Inhalation
	Potential health effects: Long-term systemic effects
	Value: 114 mg/m3
	End Use: Consumers
	Exposure routes: Ingestion
	Potential health effects: Long-term systemic effects
	Value: 87 mg/kg bw/day
Dodecanoic acid	: End Use: Workers
	Exposure routes: Inhalation
	Potential health effects: Long-term systemic effects
	Value: 17.632 mg/m3
	End Use: Workers
	Exposure routes: Skin contact
	Potential health effects: Long-term systemic effects
	Value: 10 mg/kg bw/day
	End Use: Consumers
	Exposure routes: Inhalation
	Potential health effects: Long-term systemic effects
	Value: 4.348 mg/m3
	End Use: Consumers
	Exposure routes: Skin contact
	Potential health effects: Long-term systemic effects
	Value: 5 mg/kg bw/day
	End Use: Consumers
	Value: 2.5 mg/kg bw/day
Ethanolamine	: End Use: Workers
	Exposure routes: Inhalation
	Potential health effects: Long-term local effects
	Value: 3.3 mg/m3
	End Use: Workers
	Exposure routes: Skin contact
	Potential health effects: Long-term systemic effects
	Value: 1 mg/kg bw/day
	End Use: Consumers
	Exposure routes: Inhalation
	Potential health effects: Long-term local effects
	Value: 2 mg/m3
	End Use: Consumers
	Exposure routes: Skin contact
	Potential health effects: Long-term systemic effects

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

l-(+)-Lactic acid	Value: 0.24 mg/kg bw/day
	End Use: Consumers
	Exposure routes: Ingestion
	Potential health effects: Long-term systemic effects
	Value: 3.75 mg/kg bw/day
	: End Use: Workers
	Exposure routes: Inhalation
	Potential health effects: Acute local effects
	Value: 592 mg/m ³
	End Use: Consumers
Triclosan	Exposure routes: Inhalation
	Potential health effects: Acute local effects
	Value: 296 mg/m ³
	End Use: Consumers
	Exposure routes: Ingestion
	Potential health effects: Acute systemic effects
	Value: 35.4 mg/kg bw/day
	: End Use: Workers
	Exposure routes: Inhalation
	Potential health effects: Long-term systemic effects
	Value: 3 mg/m ³
	End Use: Workers
	Exposure routes: Skin contact
	Potential health effects: Long-term systemic effects
	Value: 2.8 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Propylene glycol	: Fresh water
	Value: 260 mg/l
	Marine water
	Value: 26 mg/l
	Intermittent use/release
	Value: 183 mg/l
	Sewage treatment plant
	Value: 20000 mg/l
	Fresh water sediment
	Value: 572 mg/kg
	Marine sediment
	Value: 57.2 mg/kg
	Soil
Ethanol	Value: 50 mg/kg
	: Fresh water
	Value: 0.96 mg/l
	Marine water
	Value: 0.79 mg/l
	Intermittent use/release
	Value: 2.75 mg/l
	Sewage treatment plant
	Value: 580 mg/l
	Fresh water sediment
	Value: 3.6 mg/kg
	Marine sediment
	Value: 2.9 mg/kg
Soil	

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

	Value: 0.63 mg/kg
	Oral
	Value: 720 mg/kg
Dodecanoic acid	: Fresh water
	Value: 0.047 mg/l
	Marine water
	Value: 0.0047 mg/l
	Intermittent use/release
	Value: 0.036 mg/l
	Sewage treatment plant
	Value: 912 mg/l
	Fresh water sediment
	Value: 4.09 mg/kg
	Marine sediment
	Value: 0.409 mg/kg
	Soil
	Value: 0.7906 mg/kg
Ethanolamine	: Fresh water
	Value: 0.085 mg/l
	Marine water
	Value: 0.0085 mg/l
	Intermittent use/release
	Value: 0.028 mg/l
	Sewage treatment plant
	Value: 100 mg/l
	Fresh water sediment
	Value: 0.434 mg/kg
	Marine sediment
	Value: 0.0434 mg/kg
	Soil
	Value: 0.0367 mg/kg
l-(+)-Lactic acid	: Fresh water
	Value: 1.3 mg/l
	Sewage treatment plant
	Value: 10 mg/l
Triclosan	: Fresh water
	Value: 0.00007 mg/l
	Marine water
	Value: 0.0069 µg/l
	Intermittent use/release
	Value: 0.000016 mg/l
	Sewage treatment plant
	Value: 0.11 mg/l
	Fresh water sediment
	Value: 1 mg/kg
	Marine sediment
	Value: 0.1 mg/kg
	Soil
	Value: 0.196 mg/kg

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Use only in an area equipped with explosion proof exhaust ventilation.



GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

Use with local exhaust ventilation.

Personal protective equipment

- | | |
|--------------------------|---|
| Eye protection | : Wear the following personal protective equipment:
Chemical resistant goggles must be worn.
If splashes are likely to occur, wear:
Face-shield |
| Hand protection | |
| Material | : Impervious gloves
Flame retardant gloves |
| Remarks | : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. |
| Skin and body protection | : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Wear the following personal protective equipment:
Flame retardant antistatic protective clothing.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc). |
| Respiratory protection | : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. |
| Filter type | : Combined particulates and organic vapour type (A-P) |
-

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|---|-----------------------------------|
| Appearance | : liquid |
| Colour | : clear, Colorless to pale yellow |
| Odour | : slight alcoholic |
| Odour Threshold | : No data available |
| pH | : 7.8 - 9.7 |
| Melting point/freezing point | : No data available |
| Initial boiling point and boiling range | : No data available |



GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

Flash point	: 56.00 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1.00 g/cm ³
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: The substance or mixture is not classified self-reactive.
Viscosity	
Viscosity, kinematic	: 10 - 20 mm ² /s (20.00 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Flammable liquid and vapour.
Vapours may form explosive mixture with air.
Can react with strong oxidizing agents.

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Ethanol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Dodecanoic acid:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 0.162 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

Assessment: The substance or mixture has no acute dermal toxicity

Remarks: Based on data from similar materials

Ethanolamine:

Acute oral toxicity : LD50 (Rat): 1,515 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l
Test atmosphere: vapour
Method: Expert judgement
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute dermal toxicity : LD50 (Rabbit): 1,025 mg/kg

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Acute oral toxicity : LD50 (Rat, male): > 5,000 mg/kg
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

L-(+)-Lactic acid:

Acute oral toxicity : LD50 (Rat, female): 3,543 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 7.94 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Triclosan:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 6,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Components:

Ethanol:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

Dodecanoic acid:

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

Ethanolamine:

Species: Rabbit
Result: Corrosive after 3 minutes to 1 hour of exposure

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation
Remarks: Based on data from similar materials

L-(+)-Lactic acid:

Species: Rabbit
Result: Skin irritation

Triclosan:

Species: Rabbit
Method: Draize Test
Result: Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Ethanol:

Species: Rabbit
Method: OECD Test Guideline 405
Result: Irritation to eyes, reversing within 21 days

Dodecanoic acid:

Species: Rabbit
Method: OECD Test Guideline 405
Result: Irreversible effects on the eye

Ethanolamine:

Species: Rabbit
Result: Irreversible effects on the eye

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Species: Rabbit
Method: OECD Test Guideline 405
Result: Irreversible effects on the eye
Remarks: Based on data from similar materials

L-(+)-Lactic acid:

Species: Chicken eye
Result: Irreversible effects on the eye

Triclosan:

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

Species: Rabbit
Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.
Respiratory sensitisation: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitisation.

Components:

Ethanol:

Test Type: Local lymph node assay (LLNA)
Exposure routes: Skin contact
Species: Mouse
Result: negative

Dodecanoic acid:

Test Type: Maximisation Test (GPMT)
Exposure routes: Skin contact
Species: Guinea pig
Result: negative

Ethanolamine:

Test Type: Maximisation Test (GPMT)
Exposure routes: Skin contact
Species: Guinea pig
Result: negative

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Test Type: Maximisation Test (GPMT)
Exposure routes: Skin contact
Species: Guinea pig
Method: OECD Test Guideline 406
Result: negative
Remarks: Based on data from similar materials

L-(+)-Lactic acid:

Test Type: Buehler Test
Exposure routes: Skin contact
Species: Guinea pig
Result: negative

Triclosan:

Test Type: Buehler Test
Exposure routes: Skin contact
Species: Guinea pig
Method: OECD Test Guideline 406
Result: negative

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethanol:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative

Dodecanoic acid:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
-----------------------	---

Ethanolamine:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoalkyl, hydroxides, sodium salts:

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials
	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials

L-(+)-Lactic acid:

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Metabolic activation: with and without metabolic activation Result: negative Remarks: Based on data from similar materials
	: Test Type: Bacterial reverse mutation assay (AMES)

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

Metabolic activation: with and without metabolic activation
Result: negative

Triclosan:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

: Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: Equivocal

: Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow
cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 475
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

I-(+)-Lactic acid:

Species: Rat
Application Route: Ingestion
Exposure time: 2 Years
Result: negative
Remarks: Based on data from similar materials

Triclosan:

Species: Rat
Application Route: Ingestion
Exposure time: 2 Years
Method: OECD Test Guideline 453
Result: negative

Reproductive toxicity

Not classified based on available information.

Components:

Ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative

Dodecanoic acid:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

		reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials
Ethanolamine:		
Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative
Triclosan:		
Effects on fertility	:	Test Type: Two-generation study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Result: negative
		Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Ethanolamine:

Assessment: May cause respiratory irritation.

l-(+)-Lactic acid:

Assessment: May cause respiratory irritation.

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

STOT - repeated exposure

Not classified based on available information.

Components:

Ethanolamine:

Exposure routes: inhalation (dust/mist/fume)

Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

Repeated dose toxicity

Components:

Ethanol:

Species: Rat

NOAEL: 2,400 mg/kg

Application Route: Ingestion

Exposure time: 2 y

Dodecanoic acid:

Species: Rat

NOAEL: 10,000 mg/kg

Application Route: Ingestion

Exposure time: 18 w

Ethanolamine:

Species: Rat

NOAEL: 150 mg/m³

Application Route: inhalation (dust/mist/fume)

Exposure time: 28 d

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Species: Rat, female

NOAEL: 250 mg/kg

LOAEL: 500 mg/kg

Application Route: Ingestion

Exposure time: 28 d

Remarks: Based on data from similar materials

L-(+)-Lactic acid:

Species: Rat

NOAEL: ≥ 886 mg/kg

Application Route: Skin contact

Exposure time: 13 w

Triclosan:

Species: Rat

NOAEL: 33 mg/kg

LOAEL: 107 mg/kg

Application Route: Ingestion

Exposure time: 2 y

Species: Rat

NOAEL: ≥ 80 mg/kg

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

Application Route: Skin contact
Exposure time: 90 d

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Ethanol:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 9.6 mg/l Exposure time: 9 d Species: Daphnia magna (Water flea)

Dodecanoic acid:

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): 5 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 3.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	: EC50 (Selenastrum capricornutum (green algae)): > 7.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility NOEC (Selenastrum capricornutum (green algae)): > 7.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to bacteria	: EC10 (Pseudomonas putida): > 1,000 mg/l Exposure time: 30 min Method: OECD Test Guideline 209

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

Toxicity to fish (Chronic toxicity) : NOEC: 2 mg/l
Exposure time: 28 d
Species: Danio rerio (zebra fish)
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.47 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Ethanolamine:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 349 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 65 mg/l
Exposure time: 48 h

Toxicity to algae : ErC50 (Selenastrum capricornutum (green algae)): 2.8 mg/l
Exposure time: 72 h

NOEC (Scenedesmus capricornutum (fresh water algae)): 1 mg/l
Exposure time: 72 h

Toxicity to bacteria : EC50 (Pseudomonas putida): 110 mg/l
Exposure time: 17 h

Toxicity to fish (Chronic toxicity) : NOEC: 1.24 mg/l
Exposure time: 41 d
Species: Oryzias latipes (Orange-red killifish)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.85 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.2 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 17.9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): 3.2 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.
Remarks: Based on data from similar materials

ErC50 (Pseudokirchneriella subcapitata (green algae)): 10

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

	mg/l Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials
I-(+)-Lactic acid:	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 130 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 250 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	: NOEC (Selenastrum capricornutum (fresh water algae)): 1.9 g/l Exposure time: 72 h Method: OECD Test Guideline 201 EC50 (Selenastrum capricornutum (fresh water algae)): 3.5 g/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to bacteria	: EC50 : > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Triclosan:	
Toxicity to fish	: LC50 (Brachydanio rerio (zebrafish)): 0.54 mg/l Exposure time: 96 h Method: Directive 67/548/EEC, Annex V, C.1.
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.191 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	: NOEC (Desmodesmus subspicatus (green algae)): 0.69 µg/l Exposure time: 96 h EC50 (Desmodesmus subspicatus (green algae)): 1.61 µg/l Exposure time: 96 h
M-Factor (Acute aquatic toxicity)	: 100
Toxicity to bacteria	: EC50 : 11 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	: NOEC: 0.034 mg/l Exposure time: 96 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic)	: NOEC: 0.026 mg/l Exposure time: 21 d

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

Acute toxicity)	Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 100

12.2 Persistence and degradability

Components:

Ethanol:

Biodegradability	: Result: Readily biodegradable Biodegradation: 84 % Exposure time: 20 d
------------------	--

Dodecanoic acid:

Biodegradability	: Result: Readily biodegradable Biodegradation: 86 % Exposure time: 30 d Method: OECD Test Guideline 301D
------------------	--

Ethanolamine:

Biodegradability	: Result: Readily biodegradable Biodegradation: > 90 % Exposure time: 21 d
------------------	--

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Biodegradability	: Result: Readily biodegradable Biodegradation: 79 % Exposure time: 28 d Method: OECD Test Guideline 301F Remarks: Based on data from similar materials
------------------	---

L-(+)-Lactic acid:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 67 % Exposure time: 20 d
------------------	---

Triclosan:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 18 - 37 % Exposure time: 28 d Method: OECD Test Guideline 301B
	Result: Inherently biodegradable. Biodegradation: 99.4 % Exposure time: 14 d Method: OECD Test Guideline 302B
	Result: Not readily biodegradable. Biodegradation: 18.6 % Exposure time: 28 d Method: OECD Test Guideline 301B

GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

II

12.3 Bioaccumulative potential

Components:

II Ethanol:

Partition coefficient: n-octanol/water : log Pow: -0.35

II Dodecanoic acid:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 234 - 288
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : Pow: 4.6

II Ethanolamine:

Partition coefficient: n-octanol/water : log Pow: -1.91

II I-(+)-Lactic acid:

Partition coefficient: n-octanol/water : log Pow: -0.6

II Triclosan:

Bioaccumulation : Species: Zebrafish
Bioconcentration factor (BCF): 2,532 - 4,157
Method: OECD Test Guideline 305C

Partition coefficient: n-octanol/water : log Pow: 4.8

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Dispose of as unused product.
Empty containers should be taken to an approved waste han-



GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

ding site for recycling or disposal.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number

ADN	: UN 1170
ADR	: UN 1170
RID	: UN 1170
IMDG	: UN 1170
IATA	: UN 1170

14.2 UN proper shipping name

ADN	: ETHYL ALCOHOL SOLUTION
ADR	: ETHYL ALCOHOL SOLUTION
RID	: ETHYL ALCOHOL SOLUTION
IMDG	: ETHYL ALCOHOL SOLUTION (Triclosan)
IATA	: Ethanol solution

14.3 Transport hazard class(es)

ADN	: 3
ADR	: 3
RID	: 3
IMDG	: 3
IATA	: 3

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: F1
Hazard Identification Number	: 30
Labels	: 3
ADR	
Packing group	: III
Classification Code	: F1
Hazard Identification Number	: 30
Labels	: 3
Tunnel restriction code	: (D/E)
RID	
Packing group	: III
Classification Code	: F1
Hazard Identification Number	: 30



GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

Labels	: 3
IMDG	
Packing group	: III
Labels	: 3
EmS Code	: F-E, S-D

IATA	
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355
Packing instruction (LQ)	: Y344
Packing group	: III
Labels	: Flammable Liquids

14.5 Environmental hazards

ADN
Environmentally hazardous : yes

ADR
Environmentally hazardous : yes

RID
Environmentally hazardous : yes

IMDG
Marine pollutant : yes

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Seveso II - Directive 2003/105/EC amending Council Directive 96/82/EC on the control of major-accident hazards involving dangerous substances



GOJO® Antibacterial Foam Soap

Version 2.0	Revision Date: 17.04.2015	MSDS Number: 31760-00005	Date of last issue: 19.03.2015 Date of first issue: 24.11.2014
----------------	------------------------------	-----------------------------	---

9a	Dangerous for the environment	Quantity 1 100 t	Quantity 2 200 t
----	-------------------------------	---------------------	---------------------

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1	ENVIRONMENTAL HAZARDS	100 t	200 t
----	--------------------------	-------	-------

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P5c	FLAMMABLE LIQUIDS	5,000 t	50,000 t
-----	-------------------	---------	----------

34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams), (d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)	2,500 t	25,000 t
----	--	---------	----------

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 15 %

The components of this product are reported in the following inventories:

AICS : All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Full text of R-Phrases

R11	: Highly flammable.
R20/21/22	: Harmful by inhalation, in contact with skin and if swallowed.
R34	: Causes burns.



GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

R36	: Irritating to eyes.
R36/38	: Irritating to eyes and skin.
R37/38	: Irritating to respiratory system and skin.
R41	: Risk of serious damage to eyes.
R50/53	: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Full text of H-Statements

H225	: Highly flammable liquid and vapour.
H302	: Harmful if swallowed.
H312	: Harmful in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Acute aquatic toxicity
Aquatic Chronic	: Chronic aquatic toxicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
STOT SE	: Specific target organ toxicity - single exposure
2006/15/EC	: Europe. Indicative occupational exposure limit values
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
2006/15/EC / TWA	: Limit Value - eight hours
2006/15/EC / STEL	: Short term exposure limit
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)

Further information

Sources of key data used to compile the Safety Data Sheet	: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
---	---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, un-



GOJO® Antibacterial Foam Soap

Version	Revision Date:	MSDS Number:	Date of last issue: 19.03.2015
2.0	17.04.2015	31760-00005	Date of first issue: 24.11.2014

less specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN