

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : IMPactiv P Impression Disinfectant Powder  
UFI : GF10-XON2-4OOJ-UYDM

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Professional use  
Industrial/Professional use spec : For professional use only  
Use of the substance/mixture : Biocide

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Topdental (Products) Ltd  
Unit 1  
Holmfield Industrial Estate  
HX2 9TN Halifax, W. Yorks  
United Kingdom  
T +44 (0) 1535 652750  
[sales@topdental.co.uk](mailto:sales@topdental.co.uk), [www.topdental.co.uk](http://www.topdental.co.uk)

#### 1.4. Emergency telephone number

Emergency number : +44 (0) 1535 652750

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, Category 3 H272  
Serious eye damage/eye irritation, Category 1 H318  
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16


##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

# IMPactiv P Impression Disinfectant Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	: SODIUM PERCARBONATE; Tetra acetyl ethylene diamine; Linear alky Benzene Sulphonate
Hazard statements (CLP)	: H272 - May intensify fire; oxidiser. H318 - Causes serious eye damage. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 - Keep away from clothing and other combustible materials. P280 - Wear eye protection, protective gloves. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
SODIUM PERCARBONATE	CAS-No.: 15630-89-4 EC-No.: 239-707-6	$\geq 25 - < 50$	Ox. Liq. 2, H272 Acute Tox. 4 (Oral), H302 (ATE=1034 mg/kg bodyweight) Eye Dam. 1, H318
Tetra acetyl ethylene diamine	CAS-No.: 10543-57-4 EC-No.: 234-123-8	$\geq 5 - < 15$	STOT RE 2, H373
CITRIC ACID ANHYDROUS POWDER	CAS-No.: 77-92-9 EC-No.: 201-069-1 EC Index-No.: 607-750-00-3	$\geq 5 - < 15$	Eye Irrit. 2, H319 STOT SE 3, H335
Linear alky Benzene Sulphonate	CAS-No.: 68411-30-3 EC-No.: 270-115-0	$\geq 1 - < 5$	Acute Tox. 4 (Oral), H302 (ATE=1080 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium Nitrite	CAS-No.: 7632-00-0 EC-No.: 231-555-9 EC Index-No.: 007-010-00-4	$\geq 0.1 - < 1$	Ox. Sol. 3, H272 Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Eye Irrit. 2, H319 Aquatic Acute 1, H400

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Avoid contact with skin and eyes.
First-aid measures after inhalation	: If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Wash skin with plenty of water.

# IMPactiv P Impression Disinfectant Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
First-aid measures after ingestion	: If swallowed, seek medical advice immediately and show this container or label.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Inhalation may cause irritation (cough, short breathing, difficulty in breathing).
Symptoms/effects after skin contact	: May cause irritation to skin.
Symptoms/effects after eye contact	: Direct contact with the eyes is likely to be irritating. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	: May be harmful if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

When in doubt or if symptoms are observed, get medical advice.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Heating may cause a fire. May cause or intensify fire; oxidiser.
Hazardous decomposition products in case of fire	: Carbon monoxide. Carbon dioxide.

### 5.3. Advice for firefighters

Precautionary measures fire	: Avoid contact with skin and eyes. Wear protective clothing. Wear self-contained breathing apparatus.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Use self-contained breathing apparatus and chemically protective clothing.
Other information	: High temperature decomposition products are harmful by inhalation.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid contact with skin and eyes. Stop leak if safe to do so.
------------------	---

#### For non-emergency personnel

Protective equipment	: Wear protective gloves/protective clothing/eye protection/face protection.
Emergency procedures	: Avoid contact with skin and eyes. Do not breathe dust. Act in accordance with local emergency plan.
Measures in case of dust release	: Ventilate the area thoroughly.

#### For emergency responders

Protective equipment	: Protective gloves. Safety glasses. Self-contained breathing apparatus.
Emergency procedures	: Stop leak if safe to do so. Ventilate area. Evacuate unnecessary personnel. Cover spill with non combustible material, e.g.: sand/earth.

### 6.2. Environmental precautions

Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

For containment	: Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container.
Methods for cleaning up	: Clear up rapidly by scoop or vacuum.
Other information	: Dispose of materials or solid residues at an authorized site.

# IMPactiv P Impression Disinfectant Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: Not expected to present a significant hazard under anticipated conditions of normal use.  
: Avoid contact with skin, eyes and clothing. Avoid dust formation. Do not breathe dust. Ensure adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed to avoid moisture absorption and contamination.

Hygiene measures

: Take off immediately all contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

Storage conditions

Incompatible materials

Storage area

Special rules on packaging

Packaging materials

: Keep in a cool, well-ventilated place away from heat. Store in a well-ventilated place. Keep container tightly closed.  
: Keep container closed when not in use. Protect from moisture.  
: Heat sources.  
: Store away from heat.  
: Keep only in original container. Store in a closed container.  
: Keep only in the original container in a cool, well-ventilated place away from combustible materials.

### 7.3. Specific end use(s)

Disinfectant.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

#### Appropriate engineering controls

##### Appropriate engineering controls:

Do not breathe dust. Ensure adequate ventilation, especially in confined areas.

#### Personal protection equipment

##### Personal protective equipment symbol(s):



#### Eye and face protection

##### Eye protection:

Wear eye protection

#### Skin protection

##### Skin and body protection:

Long sleeved protective clothing

##### Hand protection:

Protective gloves

# IMPactiv P Impression Disinfectant Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Respiratory protection

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

### Thermal hazards

#### Thermal hazard protection:

Keep cool.

### Environmental exposure controls

#### Environmental exposure controls:

Avoid creating or spreading dust. Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: white.
Appearance	: Powder.
Odour	: acidic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: 7 – 9
pH solution concentration	: 2 %
Viscosity, kinematic	: Not applicable
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.1 – 1.2 g/cm <sup>3</sup> Tapped
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Do not allow contact with water.

### 10.2. Chemical stability

May cause or intensify fire; oxidiser.

### 10.3. Possibility of hazardous reactions

Stable under normal conditions of use. Keep container tightly closed to avoid moisture absorption and contamination.

### 10.4. Conditions to avoid

Avoid creating or spreading dust. Direct sunlight. Do not allow water (or moist air) contact with this material.

# IMPactiv P Impression Disinfectant Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### SODIUM PERCARBONATE (15630-89-4)

LD50 oral rat	1034 mg/l
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:
LD50 dermal	> 2000 mg/kg

#### Tetra acetyl ethylene diamine (10543-57-4)

LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 2.08 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)

#### Linear alky Benzene Sulphonate (68411-30-3)

LD50 oral rat	1080 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Skin corrosion/irritation : Not classified  
pH: 7 – 9

#### Tetra acetyl ethylene diamine (10543-57-4)

pH	4 – 6
----	-------

Serious eye damage/irritation : Causes serious eye damage.  
pH: 7 – 9

#### Tetra acetyl ethylene diamine (10543-57-4)

pH	4 – 6
----	-------

Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified

#### CITRIC ACID ANHYDROUS POWDER (77-92-9)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Not classified

#### Tetra acetyl ethylene diamine (10543-57-4)

NOAEL (oral, rat, 90 days)	90 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	≥ 0.283 mg/l air Animal: rat
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

# IMPactiv P Impression Disinfectant Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Linear alky Benzene Sulphonate (68411-30-3)

LOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat
NOAEL (dermal, rat/rabbit, 90 days)	2500 mg/kg bodyweight Animal: rat
NOAEL (subchronic, oral, animal/female, 90 days)	50 mg/kg bodyweight Animal: , Animal sex: female

Aspiration hazard : Not classified

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

### SODIUM PERCARBONATE (15630-89-4)

EC50 - Crustacea [1]	4.9 mg/l Test organisms (species): Daphnia pulex
EC50 - Other aquatic organisms [1]	4.9 mg/l

### Tetra acetyl ethylene diamine (10543-57-4)

EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

### Linear alky Benzene Sulphonate (68411-30-3)

LC50 - Fish [1]	1.67 mg/l Test organisms (species): Lepomis macrochirus
LC50 - Fish [2]	2.88 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	2.9 mg/l Test organisms (species): Daphnia magna
NOEC (chronic)	1.18 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.23 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '72 d'

### 12.2. Persistence and degradability

#### IMPactiv P Impression Disinfectant Powder

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### SODIUM PERCARBONATE (15630-89-4)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### Tetra acetyl ethylene diamine (10543-57-4)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### CITRIC ACID ANHYDROUS POWDER (77-92-9)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### Linear alky Benzene Sulphonate (68411-30-3)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

# IMPactiv P Impression Disinfectant Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Sodium Nitrite (7632-00-0)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

HP Code	: HP2 - "Oxidising:" waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials. HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration. HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure. HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
---------	--

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID






ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 3378	UN 3378	UN 3378	UN 3378	UN 3378
<b>14.2. UN proper shipping name</b>				
SODIUM CARBONATE PEROXYHYDRATE	SODIUM CARBONATE PEROXYHYDRATE	Sodium carbonate peroxyhydrate	SODIUM CARBONATE PEROXYHYDRATE	SODIUM CARBONATE PEROXYHYDRATE
<b>Transport document description</b>				
UN 3378 SODIUM CARBONATE PEROXYHYDRATE, 5.1, III, (E)	UN 3378 SODIUM CARBONATE PEROXYHYDRATE, 5.1, III	UN 3378 Sodium carbonate peroxyhydrate, 5.1, III	UN 3378 SODIUM CARBONATE PEROXYHYDRATE, 5.1, III	UN 3378 SODIUM CARBONATE PEROXYHYDRATE, 5.1, III
<b>14.3. Transport hazard class(es)</b>				
5.1	5.1	5.1	5.1	5.1



# IMPactiv P Impression Disinfectant Powder


## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
				
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-A EmS-No. (Spillage): S-Q	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: O2
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1, BK1, BK2, BK3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV
Tank special provisions (ADR)	: TU3
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Bulk (ADR)	: VC1, VC2, AP6, AP7
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Hazard identification number (Kemler No.)	: 50
Orange plates	: 

Tunnel restriction code (ADR)	: E
EAC code	: 1Y

#### Transport by sea

Special provisions (IMDG)	: 967
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002, LP02
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1, BK2, BK3
Tank special provisions (IMDG)	: TP33
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW1, SW23, H1
Segregation (IMDG)	: SGG16, SG59

# IMPactiv P Impression Disinfectant Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Properties and observations (IMDG) : White crystals or powder. Soluble in water. Mixtures with combustible material are readily ignited. Decomposes in contact with water and acids, forming hydrogen peroxide. Risk of decomposition when exposed to continuous heat (exothermic decomposition  $\geq 60^{\circ}\text{C}$ ). When involved in a fire or exposed to high temperatures, it may decompose yielding oxygen and steam. Irritating to eyes, skin and mucous membranes. Harmful if swallowed.

### Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y546  
PCA limited quantity max net quantity (IATA) : 10kg  
PCA packing instructions (IATA) : 559  
PCA max net quantity (IATA) : 25kg  
CAO packing instructions (IATA) : 563  
CAO max net quantity (IATA) : 100kg  
Special provisions (IATA) : A803  
ERG code (IATA) : 5L

### Inland waterway transport

Classification code (ADN) : O2  
Limited quantities (ADN) : 5 kg  
Excepted quantities (ADN) : E1  
Equipment required (ADN) : PP  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : O2  
Limited quantities (RID) : 5kg  
Excepted quantities (RID) : E1  
Packing instructions (RID) : P002, IBC08, LP02, R001  
Special packing provisions (RID) : B3  
Mixed packing provisions (RID) : MP10  
Portable tank and bulk container instructions (RID) : T1, BK1, BK2, BK3  
Portable tank and bulk container special provisions (RID) : TP33  
Tank codes for RID tanks (RID) : SGAV  
Special provisions for RID tanks (RID) : TU3  
Transport category (RID) : 3  
Special provisions for carriage – Bulk (RID) : VC1, VC2, AP6, AP7  
Special provisions for carriage - Loading, unloading and handling (RID) : CW24  
Colis express (express parcels) (RID) : CE11  
Hazard identification number (RID) : 50

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

# IMPactiv P Impression Disinfectant Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### National regulations

#### Germany

Air Quality Control (TA Luft)					
Category	Class	Applicable on	Local name	Max. mass flow	Max. mass concentration

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
Ox. Liq. 2	Oxidising Liquids, Category 2

# IMPactiv P Impression Disinfectant Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Ox. Sol. 3	Oxidising Solids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.