

Printing date 09.06.2017 Version number 1 Revision: 09.06.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: QUITANET ULTRA
- · Article number / formula: 9308F
- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation: dental product
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEPTODONT.

58 rue du Pont de Creteil 94100 Saint Maur des Fosses

France

Téléphone: +33(0)149767000 Fax: +33(0)148855401 msds@septodont.com http://www.septodont.com

· 1.4 Emergency telephone number:

France (INRS 24h/24) - Tel: +33 (0)1 45 42 59 59

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel: 112

Belgique - Tel: 32 070/245 245

UK : +44 (0)-870-190-6777 (CARECHEM24)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:



GHS05

Eye Dam. 1 H318 Causes serious eye damage.



GHS09

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Skin Irrit. 2

H315 Causes skin irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

(Contd. of page 1)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.06.2017 Version number 1 Revision: 09.06.2017

Trade name: QUITANET ULTRA

· Hazard pictograms





GHS05 GHS09

· Signal word Danger

· Hazard-determining components of labelling:

 $dide cyldimethy lammonium\ chloride$

Alkyl polyglycoléther C8-10 (OE)

AMINES,N-C12-14-ALKYLTRIMETHYLENEDI-

D-gluconic acid, compound with N,N''-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1)

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P102 Keep out of reach of children. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture: consisting of the following components.

· Dangerous components:		
CAS: 71060-57-6	Alkyl polyglycoléther C8-10 (OE)	2.5-10%
	📀 Eye Dam. 1, H318; 🕚 Acute Tox. 4, H302	
CAS: 7173-51-5	didecyldimethylammonium chloride	2.5-10%
EINECS: 230-525-2	🔗 Acute Tox. 3, H301; 📀 Skin Corr. 1B, H314; Eye Dam. 1,	
Index number: 612-131-00-6	H318; A Aquatic Acute 1, $H400$ ($M=10$)	
Reg.nr.: 01-2119945987-15		
CAS: 67-63-0	propan-2-ol	2.5-10%
EINECS: 200-661-7	📀 Flam. Liq. 2, H225; 🕠 Eye Irrit. 2, H319; STOT SE 3, H336	
Index number: 603-117-00-0		
RTECS: NT 8050000		
Reg.nr.: 01-2119457558-25-xxxx		

(Contd. on page 3)



Printing date 09.06.2017 Version number 1 Revision: 09.06.2017

Trade name: QUITANET ULTRA

_		(Cont	td. of page 2)
	CAS: 90640-43-0	AMINES,N-C12-14-ALKYLTRIMETHYLENEDI-	≤2.5%
	Reg.nr.: 01-2119957843-25	♠ Acute Tox. 3, H301; ♦ STOT RE 1, H372; ♦ Skin Corr. 1B H314; ♦ Aquatic Acute 1, H400	,
	CAS: 18472-51-0	D-gluconic acid, compound with N,N''-bis(4-chlorophenyl)-	≤1%
	EINECS: 242-354-0	3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1)	
	Reg.nr.: 01-2119946568-22-0001	$ ightharpoonup^{\diamond}$ Eye Dam. 1, H318; $ ightharpoonup^{\diamond}$ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1)	

· **SVHC** No

· Regulation 648/2004 on Detergents:

cationic surfactants ≥5 - <15%

· Additional information: For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After excessive inhalation:

In case of unconsciousness place patient in a stable laying down side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow the product to enter sewers/ surface water or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

(Contd. on page 4)





Printing date 09.06.2017 Version number 1 Revision: 09.06.2017

Trade name: QUITANET ULTRA

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- \cdot 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters

CAS: 67-63-0 propan-2-ol (5-10%)		
WEL (Great Britain)	Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm	
MAK (Switzerland)	Short-term value: 1000 mg/m³, 400 ppm Long-term value: 500 mg/m³, 200 ppm B SSc;	
DNELs		

CAS: 67-63-0 propan-2-ol

Oral	DNEL Public long-term systemic	26 mg/kg bw/d
	DNEL Public long-term systemic	
	DNEL Worker long-term systemic	888 mg/kg bw/d
Inhalative	DNEL Public long-term systemic	89 mg/m³
	DNEL Worker long-term systemic	$500 \ mg/m^3$

· PNECs

CAS: 67-63-0 propan-2-ol

Oral	PNEC sediment (fresh water)	552 mg/kg
	PNEC oral food	160 mg/kg
	PNEC STP	2251 mg/L
	PNEC aqua (fresh water)	140.9 mg/L
	PNEC aqua (intermittent releases)	140.9 mg/L
	PNEC aqua (marine water)	140.9 mg/L
	PNEC sediment (marine water)	552 mg/kg
	PNEC soil	28 mg/kg

(Contd. on page 5)





Printing date 09.06.2017 Version number 1 Revision: 09.06.2017

Trade name: QUITANET ULTRA

(Contd. of page 4)

· Ingredients with biological limit values:

CAS: 67-63-0 propan-2-ol (5-10%)

BAT (Switzerland) 25 mg/l

Medium: U Sampling time: b Parameter: Aceton

25 mg/l Medium: B Sampling time: b Parameter: Aceton

· Additional information:

The most current valid lists have been used as a basis for the production of this document.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from food, beverages and petfood.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid all contact with the skin.

Avoid contact with the eyes and skin.

• Respiratory protection: Not required.

· Protection of hands:



Protective gloves

· Gloves material:

The selection of suitable gloves does not depend only on the material, but also on further marks of quality which may vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked before use.

· Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid Colour: Blue

Odour: CharacteristicOdour threshold: Not determined.

• **pH-value:** 7

(Contd. on page 6)





Printing date 09.06.2017 Version number 1 Revision: 09.06.2017

Trade name: QUITANET ULTRA

	(Contd.	of page
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	Undetermined.	
· Flash point:	60-93 °C	
· Flammability (solid, gas):	Not applicable.	
· Ignition temperature:	425 °C	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not self igniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
Density at 20 °C:	1 g/cm³	
Relative density:	Not determined.	
· Vapour density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
Segregation coefficient (n-octanol/water).	: Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
COV:	6.0 %	
9.2 Other information :	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 09.06.2017 Version number 1 Revision: 09.06.2017

Trade name: QUITANET ULTRA

		(Contd. of page 6)
· LD/LC50	values rele	vant for classification:
CAS: 7106	60-57-6 Ali	kyl polyglycoléther C8-10 (OE)
Oral	LD50	500 mg/kg (ATE)
CAS: 7173	3-51-5 dide	cyldimethylammonium chloride
Oral	LD50	410 mg/kg (rat)
Dermal	<i>LD50</i>	1625 mg/kg (rat)
CAS: 67-6	3-0 propai	n-2-ol
Oral	LD50	5045 mg/kg (rat)
Dermal	<i>LD50</i>	12800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)
CAS: 9064	10-43-0 AN	MINES,N-C12-14-ALKYLTRIMETHYLENEDI-
Oral	LD50	100 mg/kg (ATE)
CAS: 1847		gluconic acid, compound with N,N'' -bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-raazatetradecanediamidine (2:1)
Oral	LD50	>2000 mg/kg (rat)
Dermal	<i>LD50</i>	>2000 mg/kg (rabbit)
Duina ann in	•, , cc	· ,

- · Primary irritant effect:
- · On the skin:

Causes skin irritation.

- · On the eyes:
- Causes serious eye damage.
- · Respiratory or skin sensitization Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- $\cdot \textbf{STOT-single exposure} \ \textit{Based on available data, the classification criteria are not met.}$
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

	· Aquatic toxicity:		
CAS: 67-6	CAS: 67-63-0 propan-2-ol		
	LC50 48h 8970 mg/l (fish)		
EC50 72h	EC50 72h >1000 mg/l (Algae)		
CAS: 1847	CAS: $18472-51-0$ D-gluconic acid, compound with N,N'' -bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1)		
LC50 96h	LC50 96h 2.08 mg/l (fish)		
EC50 72h	EC50 72h 0.081 mg/l (Algae)		
EC50 48h	0.087 mg/l (Crustaceans)		

- · 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.

(Contd. on page 8)



Printing date 09.06.2017 Version number 1 Revision: 09.06.2017

Trade name: QUITANET ULTRA

(Contd. of page 7)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue		
	WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE)	
18 01 00	wastes from natal care, diagnosis, treatment or prevention of disease in humans	
18 01 06*	chemicals consisting of or containing hazardous substances	

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number	UN3082
· ADR, IMDG, IATA	UN3062
· 14.2 UN proper shipping name	
$\cdot ADR$	UN3082 ENVIRONMENTALLY HAZARDOU
	SUBSTANCE, LIQUID, N.O.S. (AMINES,N-C12-1
	ALKYLTRIMETHYLENEDI-, didecyldimethylammoniu
	chloride, Alkyl polyglycoléther C8-10 (OE))
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (AMINES, N-C12-14
	ALKYLTRIMETHYLENEDI-, didecyldimethylammoniu
	chloride, Alkyl polyglycoléther C8-10 (OE), D-glucon
	acid, compound with N,N"-bis(4-chlorophenyl)-3,1
	diimino-2,4,11,13-tetraazatetradecanediamidine (2:1
	MARINE POLLUTANT





Printing date 09.06.2017 Version number 1 Revision: 09.06.2017

Trade name: QUITANET ULTRA

	(Contd. of page 8
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (AMINES, N-C12-14- ALKYLTRIMETHYLENEDI-, didecyldimethylammonium chloride, Alkyl polyglycoléther C8-10 (OE))
· 14.3 Transport hazard class(es)	
$\cdot ADR$	
· Class · Label	9 (M6) Miscellaneous dangerous substances and articles.
· IMDG	
· Class · Label	9 Miscellaneous dangerous substances and articles.
· IATA	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	Yes
· Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Danger code (Kemler):	86
EMS Number:	F-A,S-F
Stowage Category	A
· 14.7 Transport in bulk according to Anne. Marpol and the IBC Code	x II of Not applicable.
$\cdot \textit{Transport/Additional information:}$	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml
· Transport category	Maximum net quantity per outer packaging: 1000 ml 3



Printing date 09.06.2017 Version number 1 Revision: 09.06.2017

Trade name: QUITANET ULTRA

	(Contd. of page 9)
· Tunnel restriction code	E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AMINES,N-C12-14- A L K Y L T R I M E T H Y L E N E D I - , DIDECYLDIMETHYLAMMONIUM CHLORIDE, ALKYL POLYGLYCOLÉTHER C8-10 (OE)), 9, III

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 11)





Printing date 09.06.2017 Version number 1 Revision: 09.06.2017

Trade name: QUITANET ULTRA

(Contd. of page 10)

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

- GE