

Page 1/7

Revision: 23.11.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.11.2022

Version number 5 (replaces version 4)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
 - Trade name: Flexitime Easy Putty Base (1:1), Flexitime Dynamix Putty Base (5:1)
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- · Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008

STOT RE 1

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labelling: cristobalite
- · Hazard statements

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust.

P264 Wash thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.

P280 Wear protective clothing.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

- · 2.3 Other hazards -
 - · Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - · vPvB: Not applicable.

G



Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.11.2022 Version number 5 (replaces version 4) Revision: 23.11.2022

Trade name: Flexitime Easy Putty Base (1:1), Flexitime Dynamix Putty Base (5:1)

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - Description: -

Dangerous components:		
CAS: 14464-46-1	cristobalite	50-75%
EINECS: 238-455-4	STOT RE 1, H372	
CAS: 556-67-2	octamethylcyclotetrasiloxane	≥0.025-<0.25%
EINECS: 209-136-7 Reg.nr.: 01-2119529238-36-xxxx	Flam. Liq. 3, H226	
Reg.nr.: 01-2119529238-36-xxxx	Repr. 2, H361f	
	Aquatic Chronic 1, H410 (M=10)	
	PBT; vPvB	

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact If skin irritation continues, consult a doctor.
 - After eye contact
 - Rinse opened eye for several minutes under running water. Then consult doctor.
 - After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
 - Protective equipment: No special measures required.
 - Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Avoid contact with eyes and skin.

- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.

6.3 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

6.4 Reference to other sections

No dangerous materials are released.

(Contd. on page 3)



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.11.2022

Version number 5 (replaces version 4)

Trade name: Flexitime Easy Putty Base (1:1), Flexitime Dynamix Putty

(Contd. of page 2)

Revision: 23.11.2022

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Base (5:1)

Please observe the additional instructions in the product's instructions for use.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
 - Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
 - Appropriate engineering controls No further data; see item 7.
 - Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not required.
- · Hand protection

Check protective gloves prior to each use for their proper condition.

recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

· Eye/face protection Safety glasses

(Contd. on page 4)



Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.11.2022 Version number 5 (replaces version 4) Revision: 23.11.2022

Trade name: Flexitime Easy Putty Base (1:1), Flexitime Dynamix Putty Base (5:1)

· Body protection: Light weight protective clothing

(Contd. of page 3)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid · Colour: Violet

· Smell: Characteristic Odour threshold: Not determined. Melting point/freezing point: Not determined

Boiling point or initial boiling point and

boiling range 300 °C

· Flammability Not applicable.

· Lower and upper explosion limit · Lower:

Not determined. · Upper: Not determined. >130 °C Flash point:

Decomposition temperature: Not determined.

SADT

· pH Not determined. · Viscosity:

Kinematic viscosity Not determined. · dynamic: Not determined.

Solubility · Water: Not miscible or difficult to mix

· Partition coefficient n-octanol/water (log

Not determined. Not determined. Steam pressure:

· Density and/or relative density

Not determined Density Relative density Not determined. · Vapour density Not determined.

No further relevant information available. · 9.2 Other information

Appearance:

Form: Pasty

· Important information on protection of health and environment, and on safety.

· Self-inflammability: Product is not selfigniting. Explosive properties: Product is not explosive. Not determined.

· Solvent content:

58.2 % · Solids content:

· Change in condition

Not determined. Evaporation rate

· Information with regard to physical hazard classes

· Explosives Void Flammable gases Void Void · Aerosols · Oxidising gases Void

(Contd. on page 5)



Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.11.2022 Version number 5 (replaces version 4) Revision: 23.11.2022

Trade name: Flexitime Easy Putty Base (1:1), Flexitime Dynamix Putty Base (5:1)

		(Contd. of page 4)
· Gases under pressure	Void	
· Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None
 - · Additional information: -

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
• Acute toxicity Based on available data, the classification criteria are not met.

· LD/	· LD/LC50 values that are relevant for classification:			
68083-19-	68083-19-2 Silopren U 1 dental			
Oral	LD50	>5000 mg/kg (rat)		
8042-47-5	8042-47-5 White mineral oil, petroleum			
		>5000 mg/kg (rat) (OECD 401)		
Dermal	LD50	>2000 mg/kg (rabbit) (OECD 402)		
Inhalative	LC0/4h	≥5 mg/L (rat) (OECD 403)		

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure

Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)



Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.11.2022

Version number 5 (replaces version 4)

Trade name: Flexitime Easy Putty Base (1:1), Flexitime Dynamix Putty

Base (5:1)

(Contd. of page 5)

Revision: 23.11.2022

· 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
 - · Aquatic toxicity:

8042-47-5 White mineral oil, petroleum

LL50/96h >100 mg/L (fish) (OECD 203)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- - PBT: Not applicable. vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
 - Additional ecological information:
 - General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- Uncleaned packagings:
 - Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

SECTION 14: Transport information · 14.1 UN number or ID number ADR, IMDG, IATA Void · 14.2 UN proper shipping name ADR, IMDG, IATA Void · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA Class Void

(Contd. on page 7)



Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.11.2022 Version number 5 (replaces version 4) Revision: 23.11.2022

Trade name: Flexitime Easy Putty Base (1:1), Flexitime Dynamix Putty Base (5:1)

		(Contd. of page 6)
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accordi IMO instruments	ng to Not applicable.	
· Transport/Additional information:	-	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.



Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2022

Version number 5 (replaces version 4)

Revision: 17.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
 - Trade name: Flexitime Easy Putty Cat. (1:1), Flexitime Dynamix Putty Cat. (5:1)
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- · Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008

STOT RE 1

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labelling: cristobalite
- · Hazard statements

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P314 Get medical advice/attention if you feel unwell.

- · 2.3 Other hazards -
 - · Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.

GB



Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2022

Version number 5 (replaces version 4)

Revision: 17.11.2022

Trade name: Flexitime Easy Putty Cat. (1:1), Flexitime Dynamix Putty Cat. (5:1)

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - Description: -

Dangerous components:

CAS: 14464-46-1 cristobalite

EINECS: 238-455-4

50-75% STOT RE 1, H372

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
 - After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact If skin irritation continues, consult a doctor.
 - After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
 - Protective equipment: No special measures required.
 - · Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with eyes and skin.

- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

· 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

(Contd. on page 3)



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2022

Version number 5 (replaces version 4)

Revision: 17.11.2022

Trade name: Flexitime Easy Putty Cat. (1:1), Flexitime Dynamix Putty Cat. (5:1)

(Contd. of page 2)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Please observe the additional instructions in the product's instructions for use.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - · Storage
 - · Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
 - Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
 - · Appropriate engineering controls No further data; see item 7.
 - · Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not required.
- · Hand protection

Check protective gloves prior to each use for their proper condition.

recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

- · Eye/face protection Safety glasses
- · Body protection: Light weight protective clothing

00



Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2022 Version number 5 (replaces version 4) Revision: 17.11.2022

Trade name: Flexitime Easy Putty Cat. (1:1), Flexitime Dynamix Putty Cat. (5:1)

(Contd. of page 3)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid · Colour: White

Smell: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range Not determined Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.

Flash point: >130 °C

Decomposition temperature: Not determined.

SADT • pH

pH Not determined.

· Viscosity:

* Kinematic viscosity Not determined. Not determined.

Solubility Water:

· Water: Not miscible or difficult to mix

Partition coefficient n-octanol/water (log

value) Not determined.
Steam pressure: Not determined.

Density and/or relative density

Density at 20 °C
 Relative density
 Vapour density
 Not determined.
 Not determined.

• 9.2 Other information No further relevant information available.

· Appearance:

· Form: Pasty

Important information on protection of health and environment, and on safety.

• Self-inflammability:
• Explosive properties:

Product is not selfigniting.

Product is not explosive.

Not determined.

Solvent content:

Solids content: 62.7 %

· Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard classes

 ⋅ Explosives
 Void

 ⋅ Flammable gases
 Void

 ⋅ Aerosols
 Void

 ⋅ Oxidising gases
 Void

 ⋅ Gases under pressure
 Void

 ⋅ Flammable liquids
 Void

 ⋅ Flammable solids
 Void

(Contd. on page 5)



Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2022 Version number 5 (replaces version 4) Revision: 17.11.2022

Trade name: Flexitime Easy Putty Cat. (1:1), Flexitime Dynamix Putty Cat. (5:1)

		(Contd. of page 4
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - · Additional information: -

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

	· LD/LC50 values that are relevant for classification:		
680	68083-19-2 Silopren U 1 dental		
Ora	n/	LD50	>5000 mg/kg (rat)
804	8042-47-5 White mineral oil, petroleum		
Ora	1/	LD50	>5000 mg/kg (rat) (OECD 401)
Der	mal	LD50	>2000 mg/kg (rabbit) (OECD 402)
Inh	alative	LC0/4h	≥5 mg/L (rat) (OECD 403)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)



Page 6/7

Revision: 17.11.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2022

Version number 5 (replaces version 4)

Trade name: Flexitime Easy Putty Cat. (1:1), Flexitime Dynamix Putty

(Contd. of page 5)

· 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

Cat. (5:1)

SECTION 12: Ecological information

- · 12.1 Toxicity
 - · Aquatic toxicity:

8042-47-5 White mineral oil, petroleum

LL50/96h >100 mg/L (fish) (OECD 203)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- - PBT: Not applicable. vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
 - Additional ecological information:
 - General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Void

Void

Disposal must be made according to official regulations.

- Uncleaned packagings:
 - Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

SECTION 14: Transport information · 14.1 UN number or ID number ADR, IMDG, IATA

· 14.2 UN proper shipping name ADR, IMDG, IATA

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

Class Void

(Contd. on page 7)



Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2022 Version number 5 (replaces version 4) Revision: 17.11.2022

Trade name: Flexitime Easy Putty Cat. (1:1), Flexitime Dynamix Putty Cat. (5:1)

		(Contd. of page 6)
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accordir IMO instruments	ng to Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H372 Causes damage to organs through prolonged or repeated exposure.

Abbreviations and acronyms:

Abbreviations and actionymis.

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.