

Revision nr. 5 Dated 11/06/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Product Name: ELITE HD+ SUPER LIGHT FAST SET - BASE

Code: C203050

1.2. Relevant identified uses of the substance or mixture and uses advised against

For professional use only. Addition silicone for dental impression.

1.3. Details of the supplier of the safety data sheet

Name

Zhermack S.p.a

Via Bovazecchino 100

45021 Badia Polesine (RO)

Italy

tel. +39 0425-597611

fax +39 0425-597689

Competent person responsible for the safety data sheet:

msds@zhermack.com

1.4. Emergency telephone number

+39 0425 597611 (office hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The Regulation EC 1272/2008, on classification, labelling and packaging of substances and mixtures (CLP), shall not apply to a medical device in the finished state used in direct physical contact with the human body according to art. 1.5, letter d). Therefore the product is exempted from the CLP labeling requirements.

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

here is no exposure to breathable free crystalline silica and silanamine during normal use of this product. For more information see section 11.

Revision nr. 8 Page n. 1 of 14



No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
>= 40% - < 50%	Cristobalite	CAS: EC:	14464-46-1 238-455-4	STOT RE 1 H372 Causes damage to organs (lungs) through prolonged or repeated exposure if inhaled.
>= 5% - < 8%	silanamine, 1,1,1-trimethyl-N-(trime thylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide	Index number: CAS: EC:	014-052-00-7 68909-20-6 272-697-1	STOT RE 2 H373 May cause damage to organs (lungs) through prolonged or repeated exposure if inhaled. EUH066 Repeated exposure may cause skin dryness or cracking.
>= 3% - < 5%	Quartz	CAS: EC:	14808-60-7 238-878-4	STOT RE 1 H372 Causes damage to organs (lungs) through prolonged or repeated exposure if inhaled.
>= 0,3% - < 0,5%	Alcohols C12-14, ethoxylated	CAS:	68439-50-9	Aquatic Acute 1 H400 Very toxic to aquatic life. M=1. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. Eye Irrit. 2 H319 Causes serious eye irritation.
<0,04%	octamethylcyclotetrasil oxane; [D4]	Index number: CAS: EC:	014-018-00-1 556-67-2 209-136-7	Flam. Liq. 3 H226 Flammable liquid and vapour. Repr. 2 H361f Suspected of damaging fertility. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. M=10.
<0,04%	octamethylcyclotetrasil oxane; [D4]	Index number: CAS: EC: REACH No.:	014-018-00-1 556-67-2 209-136-7 01-21195292 38-36-XXXX	Flam. Liq. 3 H226 Flammable liquid and vapour. Repr. 2 H361f Suspected of damaging fertility. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. M=10.

SVHC, PBT, vPvB, endocrine disruptor substances:

<0,04%octamethylcyclotetrasiloxane; [D4]

Index number: 014-018-00-1, CAS: 556-67-2, EC: 209-136-7

PBT, vPvB, SVHC

<<0,04%octamethylcyclotetrasiloxane; [D4]



REACH No.: 01-2119529238-36-XXXX, Index number: 014-018-00-1, CAS: 556-67-2, EC: 209-136-7

PBT, vPvB, SVHC

Substances in nanoform:

>= 5% - < 8% silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide Index number: 014-052-00-7, CAS: 68909-20-6, EC: 272-697-1

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Revision nr. 8 Page n. 3 of 14



Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

See section 10.5.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

See section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ELITE HD+ SUPER LIGHT FAST SET - BASE

Quartz - CAS: 14808-60-7

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
MAK	0.15	8h			Respirable	AUSTRIA
	mg/m3				(aerosol)	
TLV	0.1	8h	0.2	15min	Respirable	DENMARK
	mg/m3		mg/m3		(aerosol)	
HTP	0.05	8h			Respirable	FINLAND
	mg/m3					
AK	0.15	8h			Respirable	HUNGARY
	mg/m3				(aerosol)	
OELV	0.1	8h			Respirable	IRELAND
	mg/m3					
TGG	0.075	8h			Respirable	NETHERLAN
	mg/m3					DS
NGV/KGV	0.1	8h			Respirable	SWEDEN
	mg/m3					
VLA	0.1	8h			Respirable	SPAIN
	mg/m3					
MAK	0.15	8h			Respirable	SWITZERLA
	mg/m3				(aerosol)	ND
VLEP	0.1	8h				BELGIUM
	mg/m3					
VLEP	0.1	8h			Respirable	FRANCE
	mg/m3				(aerosol)	
TLV-ACGIH	0.025	8h				
	mg/m3					
TLV	0.3	8h	0.6	15min	Inhalable	DENMARK
	mg/m3		mg/m3		(aerosol)	



NIOSH	0.05 mg/m3	8h		UNITED STATES
ACGIH	0.025 mg/m3	8h	(R), A2 - Pulm fibrosis, lung cancer	

Cristobalite - CAS: 14464-46-1

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
EU	0.1 mg/m3	8h			Respirable	
TLV	0.1 mg/m3	8h			Respirable	ITALY
ACGIH	0.025 mg/m3	8h			(R), A2 - Pulm fibrosis, lung cancer	

silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide - CAS: 68909-20-6 Alcohols C12-14, ethoxylated - CAS: 68439-50-9

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
No data available						

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
No data available						

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
No data available						

DNEL Exposure Limit Values

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

Consumer: 13 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local

Worker Professional: 73 mg/m3 - Exposure: Human Inhalation - Frequency: Long

Term, local effects

Consumer: 3.7 mg/kg bw/d - Exposure: Human Oral - Frequency: Long Term, systemic

effects

Consumer: 13 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic

Worker Professional: 73 mg/m3 - Exposure: Human Inhalation - Frequency: Long

Term, systemic effects

PNEC Exposure Limit Values



octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

Target: Fresh Water - Value: 0.0015 mg/l Target: Marine water - Value: 1.5E-5 mg/l

Target: Freshwater sediments - Value: 0.64 mg/kg Target: Marine water sediments - Value: 0.064 mg/kg

Target: Microorganisms in sewage treatments - Value: 10 mg/l

Target: Food chain - Value: 41 mg/kg

Target: Soil (agricultural) - Value: 0.48 mg/kg

8.2. Exposure controls

Precautionary measures:

Give adequate ventilation to the premises where the product is stored and/or handled.

Eye protection:

Wear airtight protective goggles (EN 166).

Protection for skin:

Wear professional overalls and safety footwear (EN 14605).

Protection for hands:

Protect hands with work gloves (EN 374).

The following should be considered when choosing work glove material (EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered (e.g. TLV-TWA).

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid		
Colour:	Red		
Odour:	Odourless		
Melting point/freezing point:	Not available		
Boiling point or initial boiling point and boiling	Not available		
range:			
Flammability:	Not available		
Lower and upper explosion	Not available		
limit:			
Flash point:	Not available		
Auto-ignition temperature:	Not available		
Decomposition	Not available		
temperature:			
pH:	Not Relevant		
Kinematic viscosity:	Not available		

Revision nr. 8 Page n. 6 of 14



Solubility in water:	Insoluble						
Solubility in oil:	Not available						
Partition coefficient	Not available						
n-octanol/water (log value):							
Vapour pressure:	Not available						
Density and/or relative	Not available						
density:							
Relative vapour density:	Not available						
	Particle characteristics:						
Particle size:	Not available						

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

"For the purposes of classification of health hazards (Part 3), the route of exposure, information on mechanisms and metabolism studies are useful in determining the relevance of an effect on humans. If this information raises doubts as to the their relevance for humans, although the validity and quality of the data are indisputable, a lower classification may be justified. When it is scientifically proven that the mechanism or mode of action is not relevant for humans, the substance or the mixture must not be classified" (Annex I, point 1.1.1.5, EC Regulation 1272/2008). Monitoring relating to possible inhalation exposure conducted in the company according to industrial hygiene standards for paste and fluid products have detected levels of exposure to dust lower than the quantification limit of the method, therefore exposure is not expected during the indicated use in section 1.2 for this specific product.

However, the actual levels of dust present in the workplace must be obtained through monitoring as required by the regulations on worker health and safety.

Toxicological information of the product:

ELITE HD+ SUPER LIGHT FAST SET - BASE

a) acute toxicity

Not classified

b) skin corrosion/irritation

Not classified

Not classified for EUH066. Based on the 2100-RAZ-23128 assessment report, the product does not cause dryness or cracking of the skin.

c) serious eye damage/irritation



Not classified

- d) respiratory or skin sensitisation Not classified
- e) germ cell mutagenicity Not classified
- f) carcinogenicity Not classified
- g) reproductive toxicity Not classified
- h) STOT-single exposure Not classified
- i) STOT-repeated exposure Not classified
- j) aspiration hazard Not classified

Toxicological information of the main substances found in the product:

Quartz - CAS: 14808-60-7

i) STOT-repeated exposure:

Route: Inhalation - Notes: Target organ: lungs - Positive - Source: (MSDS supplier).

Cristobalite - CAS: 14464-46-1

i) STOT-repeated exposure:

Route: Inhalation - Notes: Silicosis, pulmonary fibrosis; Target organ: lungs - Source: (MSDS supplier).

Alcohols C12-14, ethoxylated - CAS: 68439-50-9

a) acute toxicity:

Based on available data, the classification criteria are not met - Source: MSDS supplier b) skin corrosion/irritation:

Based on available data, the classification criteria are not met - Source: MSDS supplier c) serious eye damage/irritation:

Eye Irritant - Source: MSDS supplier

d) respiratory or skin sensitisation:

Based on available data, the classification criteria are not met - Source: MSDS supplier e) germ cell mutagenicity:

Based on available data, the classification criteria are not met - Source: MSDS supplier f) carcinogenicity:

Based on available data, the classification criteria are not met - Source: MSDS supplier g) reproductive toxicity:

Based on available data, the classification criteria are not met - Source: MSDS supplier h) STOT-single exposure:

Based on available data, the classification criteria are not met - Source: MSDS supplier i) STOT-repeated exposure:

Based on available data, the classification criteria are not met - Source: MSDS supplier j) aspiration hazard:

Based on available data, the classification criteria are not met - Source: MSDS supplier octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

a) acute toxicity:

Test: LC50 - Species: Rat 36 mg/l - Source: (OECD 403, GLP, rat, 4 h, ECHA dossier).



Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: (similar to OECD 402, rat, ECHA dossier).

Test: LD50 - Route: Oral - Species: Rat 4800 mg/kg - Source: (similar to OECD 401, rat, ECHA dossier).

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat 36 mg/l - Duration: 4h - Source: (OECD 403, GLP, ECHA dossier).

Test: LD50 - Route: Skin - Species: Rat > 2375 mg/kg - Source: (similar to OECD 402, ECHA dossier).

Test: LD50 - Route: Oral - Species: Rat 4800 mg/kg - Source: (similar to OECD 401, ECHA dossier)

b) skin corrosion/irritation:

Species: Rabbit - Based on available data, the classification criteria are not met - Source: (OECD 404, ECHA dossier).

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Based on available data, the classification criteria are not met - Source: (OECD 406, ECHA dossier).

e) germ cell mutagenicity:

Species: Rabbit - Based on available data, the classification criteria are not met - Source: (OECD 405, ECHA dossier).

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

The product is not classified for chronic aquatic hazard: a test based on the bioavailability / release of D4 by the polymer silicone was performed with the OECD 29 method. It was found that the quantity of D4 released by 100mg of polymer is at least below the quantification limit of the method (i.e. 4.4 ppb), a value significantly lower than the limit that would result in the classification for chronic aquatic toxicity, i.e. NOEC of 0.0044 mg / L for fish and 0.0079 mg / L for aquatic invertebrates. Therefore, the product is not classified for this hazard class..

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. ELITE HD+ SUPER LIGHT FAST SET - BASE

The product is classified: -

Alcohols C12-14, ethoxylated - CAS: 68439-50-9

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 0.1 mg/l - Duration h: 96h MSDS supplier octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

a) Aquatic acute toxicity:

Endpoint: IC50 - Species: Algae > 0.0022 mg/l - Duration h: 72h (EPA OTS 797.1050, Selenastrum capricornutum, freshwater, ECHA dossier).

Endpoint: LC50 - Species: Fish > 0.0022 mg/l (Oncorhynchus mykiss, GLP, ECHA dossier).

Endpoint: NOEC - Species: Fish > 0.0044 mg/l (publication, Oncorhynchus mykiss, GLP, ECHA dossier).

Long-term toxicity to aquatic invertebrates:

Endpoint: NOEC - Species: Daphnia = $7.9 \mu g/L$ - Duration h: 21d EPA OTS 797.1330, Daphnia magna, ECHA dossier

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia > 0.015 mg/l - Duration h: 48h MSDS supplier



Endpoint: EC10 - Species: Algae > 0.022 mg/l - Duration h: 96h Pseudokirchneriella subcapitata, MSDS suppier

Endpoint: LC50 - Species: Fish > 0.022 mg/l Oncorhynchus mykiss, MSDS supplier Endpoint: NOEC - Species: Fish > 0.044 mg/l (publication, Oncorhynchus mykiss, GLP, ECHA dossier).

Endpoint: EC50 - Species: Algae > 0.022 mg/l - Duration h: 96h Pseudokirchneriella subcapitata, MSDS suppier

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: FISH.MYKISS > 0.0044 mg/l - Duration h: 93d MSDS supplier

Endpoint: NOEC - Species: Daphnia > 0.0015 mg/l - Duration h: 21d MSDS supplier

c) Bacteria toxicity:

Endpoint: EC50 - Species: Microorganisms > 10000 mg/l - Duration h: 3h ISO 8192, MSDS supplier

12.2. Persistence and degradability

Quartz - CAS: 14808-60-7

Biodegradability: Non-readily biodegradable

Cristobalite - CAS: 14464-46-1

Biodegradability: Non-readily biodegradable octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2 Biodegradability: Non-readily biodegradable

12.3. Bioaccumulative potential

Quartz - CAS: 14808-60-7 Not bioaccumulative Cristobalite - CAS: 14464-46-1 Not bioaccumulative

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

Test: Kow - Partition coefficient 6.49 - Notes: (Log Pow, ECHA dossier).

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

Test: Kow - Partition coefficient 6.49 - Notes:)

(Log Pow, ECHA dossier).

12.4. Mobility in soil

Not available

12.5. Results of PBT and vPvB assessment

PBT Substances:

<0,1% octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2 <0,1% octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

vPvB Substances:

<0,1% octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2 <0,1% octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

Revision nr. 8 Page n. 10 of 14



Not available

14.3. Transport hazard class(es)

Not available

14.4. Packing group

Not available

14.5. Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

14.6. Special precautions for user

Not available

14.7. Maritime transport in bulk according to IMO instruments

Not Applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

No restriction.

Restrictions related to the substances contained:

No restriction.

SVHC Substances:

Substances in candidate list (Art. 59 Reg. 1907/2006, REACH):

octamethylcyclotetrasiloxane; [D4]

PBT, vPvB

octamethylcyclotetrasiloxane; [D4]

PBT, vPvB

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

WGK Classification (Water hazard class - Verwaltungsvorschrift wassergefährdende Stoffe) WGK1 - Slightly hazardous for water

Revision nr. 8 Page n. 11 of 14



Lagerklasse according to TRGS 510:

LGK 10: Combustible liquids

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: None.

California Proposition 65

Substance(s) listed under California Proposition 65:

Quartz - Listed as carcinogen Cristobalite - Listed as carcinogen.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out: None

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.

H361f Suspected of damaging fertility.

H410 Very toxic to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Repr. 2	3.7/2	Reproductive toxicity, Category 2
STOT RE 1	3.9/1	Specific target organ toxicity - repeated exposure, Category 1
STOT RE 2	3.9/2	Specific target organ toxicity - repeated exposure, Category 2
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification

SECTION 3: Composition/information on ingredients SECTION 8: Exposure controls/personal protection

SECTION 11: Toxicological information SECTION 12: Ecological information SECTION 15: Regulatory information SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Aquatic Chronic	According to Article 12 of the CLP Regulation, "Where, as a result of the evaluation carried out pursuant to Article 9, the following properties or
	effects are identified, manufacturers, importers

Revision nr. 8 Page n. 12 of 14



and downstream users shall take them into account for the purposes of classification: [...] (b) conclusive scientific experimental data show that the substance or mixture is not biologically available and those data have been ascertained to be adequate and reliable."

Following a release study of D4 through the OECD 29 test on polymeric products representative for quantity of D4, the limit that would result in the classification for chronic aquatic toxicity (NOEC of 0.0044 mg / L for fish and 0.0079 mg / L for invertebrates aquatic) is not reached.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECHA - European Chemical Agency

GESTIS - Information system on hazardous substances of the German Social Accident Insurance

IARC – International Agency for Research on Cancer

IPCS INCHEM – International Programme on Chemical Safety

ISS - Istituto Superiore di Sanità

PubChem - open chemistry database at the National Institutes of Health (NIH)

A safety data sheet is not required for this product under article 31 of Regulation 1907/2006/EC. This safety data sheet has been created on a voluntary basis.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

the specific use intended.

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

Revision nr. 8 Page n. 13 of 14



Predicted No Effect Concentration. PNEC:

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

Short Term Exposure limit. STEL: Specific Target Organ Toxicity. STOT: Threshold Limiting Value.
Time-weighted average
German Water Hazard Class. TLV: TWA:

WGK:

Revision nr. 8 Page n. 14 of 14



Revision nr. 5 Dated 11/06/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Product Name: ELITE HD+ SUPER LIGHT FAST SET - CATALYST

Code: C203050

1.2. Relevant identified uses of the substance or mixture and uses advised against

For professional use only. Addition silicone for dental impression.

1.3. Details of the supplier of the safety data sheet

Name

Zhermack S.p.a

Via Bovazecchino 100

45021 Badia Polesine (RO)

Italy

tel. +39 0425-597611

fax +39 0425-597689

Competent person responsible for the safety data sheet:

msds@zhermack.com

1.4. Emergency telephone number

+39 0425 597611 (office hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The Regulation EC 1272/2008, on classification, labelling and packaging of substances and mixtures (CLP), shall not apply to a medical device in the finished state used in direct physical contact with the human body according to art. 1.5, letter d). Therefore the product is exempted from the CLP labeling requirements.

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

here is no exposure to breathable free crystalline silica and silanamine during normal use of this product. For more information see section 11.

Revision nr. 8 Page n. 1 of 14



No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
>= 13% - < 20%	Cristobalite	CAS: EC:	14464-46-1 238-455-4	STOT RE 1 H372 Causes damage to organs (lungs) through prolonged or repeated exposure if inhaled.
>= 5% - < 8%	silanamine, 1,1,1-trimethyl-N-(trime thylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide	Index number: CAS: EC:	014-052-00-7 68909-20-6 272-697-1	STOT RE 2 H373 May cause damage to organs (lungs) through prolonged or repeated exposure if inhaled. EUH066 Repeated exposure may cause skin dryness or cracking.
>= 3% - < 5%	Quartz	CAS: EC:	14808-60-7 238-878-4	STOT RE 1 H372 Causes damage to organs (lungs) through prolonged or repeated exposure if inhaled.
>= 0,3% - < 0,5%	Alcohols C12-14, ethoxylated	CAS:	68439-50-9	Aquatic Acute 1 H400 Very toxic to aquatic life. M=1. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. Eye Irrit. 2 H319 Causes serious eye irritation.
<0,04%	octamethylcyclotetrasil oxane; [D4]	Index number: CAS: EC:	014-018-00-1 556-67-2 209-136-7	Flam. Liq. 3 H226 Flammable liquid and vapour. Repr. 2 H361f Suspected of damaging fertility. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. M=10.
<0,04%	octamethylcyclotetrasil oxane; [D4]	Index number: CAS: EC: REACH No.:	014-018-00-1 556-67-2 209-136-7 01-21195292 38-36-XXXX	Flam. Liq. 3 H226 Flammable liquid and vapour. Repr. 2 H361f Suspected of damaging fertility. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. M=10.

SVHC, PBT, vPvB, endocrine disruptor substances:

<0,04%octamethylcyclotetrasiloxane; [D4]

Index number: 014-018-00-1, CAS: 556-67-2, EC: 209-136-7

PBT, vPvB, SVHC

<<0,04%octamethylcyclotetrasiloxane; [D4]



REACH No.: 01-2119529238-36-XXXX, Index number: 014-018-00-1, CAS: 556-67-2, EC: 209-136-7

PBT, vPvB, SVHC

Substances in nanoform:

>= 5% - < 8% silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide Index number: 014-052-00-7, CAS: 68909-20-6, EC: 272-697-1

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Revision nr. 8 Page n. 3 of 14



Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

See section 10.5.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

See section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ELITE HD+ SUPER LIGHT FAST SET - CATALYST

Quartz - CAS: 14808-60-7

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
MAK	0.15	8h			Respirable	AUSTRIA
	mg/m3				(aerosol)	
TLV	0.1	8h	0.2	15min	Respirable	DENMARK
	mg/m3		mg/m3		(aerosol)	
HTP	0.05	8h			Respirable	FINLAND
	mg/m3					
AK	0.15	8h			Respirable	HUNGARY
	mg/m3				(aerosol)	
OELV	0.1	8h			Respirable	IRELAND
	mg/m3					
TGG	0.075	8h			Respirable	NETHERLAN
	mg/m3					DS
NGV/KGV	0.1	8h			Respirable	SWEDEN
	mg/m3					
VLA	0.1	8h			Respirable	SPAIN
	mg/m3					
MAK	0.15	8h			Respirable	SWITZERLA
	mg/m3				(aerosol)	ND
VLEP	0.1	8h				BELGIUM
	mg/m3					
VLEP	0.1	8h			Respirable	FRANCE
	mg/m3				(aerosol)	
TLV-ACGIH	0.025	8h				
	mg/m3					
TLV	0.3	8h	0.6	15min	Inhalable	DENMARK
	mg/m3		mg/m3		(aerosol)	



NIOSH	0.05 mg/m3	8h		UNITED STATES
ACGIH	0.025 mg/m3	8h	(R), A2 - Pulm fibrosis, lung cancer	

Cristobalite - CAS: 14464-46-1

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
EU	0.1 mg/m3	8h			Respirable	
TLV	0.1 mg/m3	8h			Respirable	ITALY
ACGIH	0.025 mg/m3	8h			(R), A2 - Pulm fibrosis, lung cancer	

silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide - CAS: 68909-20-6 Alcohols C12-14, ethoxylated - CAS: 68439-50-9

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
No data available						

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
No data available						

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
No data available						

DNEL Exposure Limit Values

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

Consumer: 13 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local

effects

Worker Professional: 73 mg/m3 - Exposure: Human Inhalation - Frequency: Long

Term, local effects

Consumer: 3.7 mg/kg bw/d - Exposure: Human Oral - Frequency: Long Term, systemic

effects

Consumer: 13 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic

effects

Worker Professional: 73 mg/m3 - Exposure: Human Inhalation - Frequency: Long

Term, systemic effects

PNEC Exposure Limit Values



octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

Target: Fresh Water - Value: 0.0015 mg/l Target: Marine water - Value: 1.5E-5 mg/l

Target: Freshwater sediments - Value: 0.64 mg/kg Target: Marine water sediments - Value: 0.064 mg/kg

Target: Microorganisms in sewage treatments - Value: 10 mg/l

Target: Food chain - Value: 41 mg/kg

Target: Soil (agricultural) - Value: 0.48 mg/kg

8.2. Exposure controls

Precautionary measures:

Give adequate ventilation to the premises where the product is stored and/or handled.

Eye protection:

Wear airtight protective goggles (EN 166).

Protection for skin:

Wear professional overalls and safety footwear (EN 14605).

Protection for hands:

Protect hands with work gloves (EN 374).

The following should be considered when choosing work glove material (EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered (e.g. TLV-TWA).

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid		
Colour:	White		
Odour:	Odourless		
Melting point/freezing point:	Not available		
Boiling point or initial boiling point and boiling	Not available		
range:			
Flammability:	Not available		
Lower and upper explosion limit:	Not available		
	Not eveilable		
Flash point:	Not available		
Auto-ignition temperature:	Not available		
Decomposition	Not available		
temperature:			
pH:	Not Relevant		
Kinematic viscosity:	Not available		

Revision nr. 8 Page n. 6 of 14



Solubility in water:	Insoluble				
Solubility in oil:	Not available				
Partition coefficient	Not available				
n-octanol/water (log value):					
Vapour pressure:	Not available				
Density and/or relative	Not available				
density:					
Relative vapour density:	Not available				
	Particle characteristics:				
Particle size:	Not available				

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

"For the purposes of classification of health hazards (Part 3), the route of exposure, information on mechanisms and metabolism studies are useful in determining the relevance of an effect on humans. If this information raises doubts as to the their relevance for humans, although the validity and quality of the data are indisputable, a lower classification may be justified. When it is scientifically proven that the mechanism or mode of action is not relevant for humans, the substance or the mixture must not be classified" (Annex I, point 1.1.1.5, EC Regulation 1272/2008). Monitoring relating to possible inhalation exposure conducted in the company according to industrial hygiene standards for paste and fluid products have detected levels of exposure to dust lower than the quantification limit of the method, therefore exposure is not expected during the indicated use in section 1.2 for this specific product.

However, the actual levels of dust present in the workplace must be obtained through monitoring as required by the regulations on worker health and safety.

Toxicological information of the product:

ELITE HD+ SUPER LIGHT FAST SET - CATALYST

a) acute toxicity

Not classified

b) skin corrosion/irritation

Not classified

Not classified for EUH066. Based on the 2100-RAZ-23128 assessment report, the product does not cause dryness or cracking of the skin.

c) serious eye damage/irritation



Not classified

- d) respiratory or skin sensitisation Not classified
- e) germ cell mutagenicity Not classified
- f) carcinogenicity Not classified
- g) reproductive toxicity Not classified
- h) STOT-single exposure Not classified
- i) STOT-repeated exposure
 Not classified
- j) aspiration hazard Not classified

Toxicological information of the main substances found in the product:

Quartz - CAS: 14808-60-7

i) STOT-repeated exposure:

Route: Inhalation - Notes: Target organ: lungs - Positive - Source: (MSDS supplier).

Cristobalite - CAS: 14464-46-1

i) STOT-repeated exposure:

Route: Inhalation - Notes: Silicosis, pulmonary fibrosis; Target organ: lungs - Source: (MSDS supplier).

Alcohols C12-14, ethoxylated - CAS: 68439-50-9

a) acute toxicity:

Based on available data, the classification criteria are not met - Source: MSDS supplier b) skin corrosion/irritation:

Based on available data, the classification criteria are not met - Source: MSDS supplier c) serious eye damage/irritation:

Eye Irritant - Source: MSDS supplier

d) respiratory or skin sensitisation:

Based on available data, the classification criteria are not met - Source: MSDS supplier e) germ cell mutagenicity:

Based on available data, the classification criteria are not met - Source: MSDS supplier f) carcinogenicity:

Based on available data, the classification criteria are not met - Source: MSDS supplier g) reproductive toxicity:

Based on available data, the classification criteria are not met - Source: MSDS supplier h) STOT-single exposure:

Based on available data, the classification criteria are not met - Source: MSDS supplier i) STOT-repeated exposure:

Based on available data, the classification criteria are not met - Source: MSDS supplier j) aspiration hazard:

Based on available data, the classification criteria are not met - Source: MSDS supplier octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

a) acute toxicity:

Test: LC50 - Species: Rat 36 mg/l - Source: (OECD 403, GLP, rat, 4 h, ECHA dossier).



Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: (similar to OECD 402, rat, ECHA dossier).

Test: LD50 - Route: Oral - Species: Rat 4800 mg/kg - Source: (similar to OECD 401, rat, ECHA dossier).

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat 36 mg/l - Duration: 4h - Source: (OECD 403, GLP, ECHA dossier).

Test: LD50 - Route: Skin - Species: Rat > 2375 mg/kg - Source: (similar to OECD 402, ECHA dossier).

Test: LD50 - Route: Oral - Species: Rat 4800 mg/kg - Source: (similar to OECD 401, ECHA dossier)

b) skin corrosion/irritation:

Species: Rabbit - Based on available data, the classification criteria are not met - Source: (OECD 404, ECHA dossier).

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Based on available data, the classification criteria are not met - Source: (OECD 406, ECHA dossier).

e) germ cell mutagenicity:

Species: Rabbit - Based on available data, the classification criteria are not met - Source: (OECD 405, ECHA dossier).

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

The product is not classified for chronic aquatic hazard: a test based on the bioavailability / release of D4 by the polymer silicone was performed with the OECD 29 method. It was found that the quantity of D4 released by 100mg of polymer is at least below the quantification limit of the method (i.e. 4.4 ppb), a value significantly lower than the limit that would result in the classification for chronic aquatic toxicity, i.e. NOEC of 0.0044 mg / L for fish and 0.0079 mg / L for aquatic invertebrates. Therefore, the product is not classified for this hazard class..

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. ELITE HD+ SUPER LIGHT FAST SET - CATALYST

The product is classified: -

Alcohols C12-14, ethoxylated - CAS: 68439-50-9

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 0.1 mg/l - Duration h: 96h MSDS supplier octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

a) Aquatic acute toxicity:

Endpoint: IC50 - Species: Algae > 0.0022 mg/l - Duration h: 72h (EPA OTS 797.1050, Selenastrum capricornutum, freshwater, ECHA dossier).

Endpoint: LC50 - Species: Fish > 0.0022 mg/l (Oncorhynchus mykiss, GLP, ECHA dossier).

Endpoint: NOEC - Species: Fish > 0.0044 mg/l (publication, Oncorhynchus mykiss, GLP, ECHA dossier).

Long-term toxicity to aquatic invertebrates:

Endpoint: NOEC - Species: Daphnia = $7.9 \mu g/L$ - Duration h: 21d EPA OTS 797.1330, Daphnia magna, ECHA dossier

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia > 0.015 mg/l - Duration h: 48h MSDS supplier



Endpoint: EC10 - Species: Algae > 0.022 mg/l - Duration h: 96h Pseudokirchneriella subcapitata, MSDS suppier

Endpoint: LC50 - Species: Fish > 0.022 mg/l Oncorhynchus mykiss, MSDS supplier Endpoint: NOEC - Species: Fish > 0.044 mg/l (publication, Oncorhynchus mykiss, GLP, ECHA dossier).

Endpoint: EC50 - Species: Algae > 0.022 mg/l - Duration h: 96h Pseudokirchneriella subcapitata, MSDS suppier

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: FISH.MYKISS > 0.0044 mg/l - Duration h: 93d MSDS supplier

Endpoint: NOEC - Species: Daphnia > 0.0015 mg/l - Duration h: 21d MSDS supplier

c) Bacteria toxicity:

Endpoint: EC50 - Species: Microorganisms > 10000 mg/l - Duration h: 3h ISO 8192, MSDS supplier

12.2. Persistence and degradability

Quartz - CAS: 14808-60-7

Biodegradability: Non-readily biodegradable

Cristobalite - CAS: 14464-46-1

Biodegradability: Non-readily biodegradable octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2 Biodegradability: Non-readily biodegradable

12.3. Bioaccumulative potential

Quartz - CAS: 14808-60-7 Not bioaccumulative Cristobalite - CAS: 14464-46-1 Not bioaccumulative

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

Test: Kow - Partition coefficient 6.49 - Notes: (Log Pow, ECHA dossier).

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

Test: Kow - Partition coefficient 6.49 - Notes:)

(Log Pow, ECHA dossier).

12.4. Mobility in soil

Not available

12.5. Results of PBT and vPvB assessment

PBT Substances:

<0,1% octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2 <0,1% octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

vPvB Substances:

<0,1% octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2 <0,1% octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

Revision nr. 8 Page n. 10 of 14



Not available

14.3. Transport hazard class(es)

Not available

14.4. Packing group

Not available

14.5. Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

14.6. Special precautions for user

Not available

14.7. Maritime transport in bulk according to IMO instruments

Not Applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

No restriction.

Restrictions related to the substances contained:

No restriction.

SVHC Substances:

Substances in candidate list (Art. 59 Reg. 1907/2006, REACH):

octamethylcyclotetrasiloxane; [D4]

PBT, vPvB

octamethylcyclotetrasiloxane; [D4]

PBT, vPvB

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

WGK Classification (Water hazard class - Verwaltungsvorschrift wassergefährdende Stoffe) WGK1 - Slightly hazardous for water

Revision nr. 8 Page n. 11 of 14



Lagerklasse according to TRGS 510:

LGK 10: Combustible liquids

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: None.

California Proposition 65

Substance(s) listed under California Proposition 65:

Quartz - Listed as carcinogen Cristobalite - Listed as carcinogen.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out: None

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.

H361f Suspected of damaging fertility.

H410 Very toxic to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Repr. 2	3.7/2	Reproductive toxicity, Category 2
STOT RE 1	3.9/1	Specific target organ toxicity - repeated exposure, Category 1
STOT RE 2	3.9/2	Specific target organ toxicity - repeated exposure, Category 2
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification

SECTION 3: Composition/information on ingredients SECTION 8: Exposure controls/personal protection

SECTION 11: Toxicological information SECTION 12: Ecological information SECTION 15: Regulatory information SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Aquatic Chronic	According to Article 12 of the CLP Regulation, "Where, as a result of the evaluation carried out pursuant to Article 9, the following properties or effects are identified, manufacturers, importers

Revision nr. 8 Page n. 12 of 14



and downstream users shall take them into account for the purposes of classification: [...] (b) conclusive scientific experimental data show that the substance or mixture is not biologically available and those data have been ascertained to be adequate and reliable."

Following a release study of D4 through the OECD 29 test on polymeric products representative for quantity of D4, the limit that would result in the classification for chronic aquatic toxicity (NOEC of 0.0044 mg / L for fish and 0.0079 mg / L for invertebrates aquatic) is not reached.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECHA - European Chemical Agency

GESTIS - Information system on hazardous substances of the German Social Accident Insurance

IARC – International Agency for Research on Cancer

IPCS INCHEM – International Programme on Chemical Safety

ISS - Istituto Superiore di Sanità

PubChem - open chemistry database at the National Institutes of Health (NIH)

A safety data sheet is not required for this product under article 31 of Regulation 1907/2006/EC. This safety data sheet has been created on a voluntary basis.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

Revision nr. 8 Page n. 13 of 14



PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average

WGK: German Water Hazard Class.

Revision nr. 8 Page n. 14 of 14