

**Safety Data Sheet
ELITE GLASS - BASE****Revision nr. 5
Dated 06/06/2024****SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Mixture identification:

Product Name: ELITE GLASS - BASE

Code: C401610

1.2. Relevant identified uses of the substance or mixture and uses advised against

For professional use only. Addition silicone for dental impression.

1.3. Details of the supplier of the safety data sheet

Name

Zhermack S.p.a

Via Bovazecchino 100

45021 Badia Polesine (RO)

Italy

tel. +39 0425-597611

fax +39 0425-597689

Competent person responsible for the safety data sheet:

msds@zhermack.com

1.4. Emergency telephone number

+39 0425 597611 (office hours)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture**

EC regulation criteria 1272/2008 (CLP)

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The Regulation EC 1272/2008, on classification, labelling and packaging of substances and mixtures (CLP), shall not apply to a medical device in the finished state used in direct physical contact with the human body according to art. 1.5, letter d). Therefore the product is exempted from the CLP labeling requirements.

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

here is no exposure silanamine during normal use of this product. For more information see section 11.

**Safety Data Sheet
ELITE GLASS - BASE**

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$
Other Hazards:
No other hazards

SECTION 3: Composition/information on ingredients**3.1. Substances**

Not Applicable

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

| Qty | Name | Ident. Number | Classification |
|-------------------------------|---|---|--|
| $\geq 10\%$ - $< 12,5\%$ | silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide | Index 014-052-00-7 number: CAS: 68909-20-6 EC: 272-697-1 | STOT RE 2 H373 May cause damage to organs (lungs) through prolonged or repeated exposure if inhaled. EUH066 Repeated exposure may cause skin dryness or cracking. |
| $\geq 0,05\%$ - $< 0,09\%$ | octamethylcyclotetrasil oxane; [D4] | Index 014-018-00-1 number: CAS: 556-67-2 EC: 209-136-7 | Flam. Liq. 3 H226 Flammable liquid and vapour. Repr. 2 H361f Suspected of damaging fertility. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. M=10. |

SVHC, PBT, vPvB, endocrine disruptor substances:

$\geq 0,05\%$ - $< 0,09\%$ octamethylcyclotetrasiloxane; [D4]

Index number: 014-018-00-1, CAS: 556-67-2, EC: 209-136-7

PBT, vPvB, SVHC

Substances in nanoform:

$\geq 10\%$ - $< 12,5\%$ silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products
with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide

Index number: 014-052-00-7, CAS: 68909-20-6, EC: 272-697-1

SECTION 4: First aid measures**4.1. Description of first aid measures**

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION
IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

SECTION 5: Firefighting measures

Safety Data Sheet

ELITE GLASS - BASE

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

See section 10.5.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

See section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ELITE GLASS - BASE

silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide - CAS: 68909-20-6

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

Safety Data Sheet

ELITE GLASS - BASE

| OEL Type | TWA | | Duration | STEL | | Duration | Notes | Country |
|-------------------|-----|--|----------|------|--|----------|-------|---------|
| No data available | | | | | | | | |

DNEL Exposure Limit Values

Not available

PNEC Exposure Limit Values

Not available

8.2. Exposure controls

Precautionary measures:

Give adequate ventilation to the premises where the product is stored and/or handled.

Eye protection:

Wear airtight protective goggles (EN 166).

Protection for skin:

Wear professional overalls and safety footwear (EN 14605).

Protection for hands:

Protect hands with work gloves (EN 374).

The following should be considered when choosing work glove material (EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered (e.g. TLV-TWA).

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Properties | Value | Method: | Notes |
|---|---------------|-------------|-------|
| Physical state: | Liquid | -- | -- |
| Colour: | Transparent | -- | -- |
| Odour: | Odourless | -- | -- |
| Melting point/freezing point: | Not Relevant | -- | -- |
| Boiling point or initial boiling point and boiling range: | Not Relevant | -- | -- |
| Flammability: | Not available | -- | -- |
| Lower and upper explosion limit: | Not available | -- | -- |
| Flash point: | >100 ° C | EN ISO 3679 | -- |
| Auto-ignition temperature: | Not available | -- | -- |
| Decomposition temperature: | Not available | -- | -- |

**Safety Data Sheet
ELITE GLASS - BASE**

| | | | |
|---|------------------------|----|----|
| pH: | Not Relevant | -- | -- |
| Kinematic viscosity: | Not available | -- | -- |
| Solubility in water: | Insoluble | -- | -- |
| Solubility in oil: | Not available | -- | -- |
| Partition coefficient n-octanol/water (log value): | Not available | -- | -- |
| Vapour pressure: | Not available | -- | -- |
| Density and/or relative density: | 1.08 g/cm ³ | -- | -- |
| Relative vapour density: | Not available | -- | -- |
| Particle characteristics: | | | |
| Particle size: | Not available | -- | -- |

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity**10.1. Reactivity**

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

"For the purposes of classification of health hazards (Part 3), the route of exposure, information on mechanisms and metabolism studies are useful in determining the relevance of an effect on humans. If this information raises doubts as to their relevance for humans, although the validity and quality of the data are indisputable, a lower classification may be justified. When it is scientifically proven that the mechanism or mode of action is not relevant for humans, the substance or the mixture must not be classified" (Annex I, point 1.1.1.5, EC Regulation 1272/2008).

Monitoring relating to possible inhalation exposure conducted in the company according to industrial hygiene standards for paste and fluid products have detected levels of exposure to dust lower than the quantification limit of the method, therefore exposure is not expected during the indicated use in section 1.2 for this specific product.

However, the actual levels of dust present in the workplace must be obtained through monitoring as required by the regulations on worker health and safety.

Toxicological information of the product:

ELITE GLASS - BASE

a) acute toxicity

Not classified

b) skin corrosion/irritation

Not classified

Safety Data Sheet

ELITE GLASS - BASE

Not classified for EUH066. Based on the 2100-RAZ-23128 assessment report, the product does not cause dryness or cracking of the skin.

c) serious eye damage/irritation
Not classified

d) respiratory or skin sensitisation
Not classified

e) germ cell mutagenicity
Not classified

f) carcinogenicity
Not classified

g) reproductive toxicity
Not classified

h) STOT-single exposure
Not classified

i) STOT-repeated exposure
Not classified

j) aspiration hazard
Not classified

Toxicological information of the main substances found in the product:

silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide - CAS: 68909-20-6

a) acute toxicity:

Test: LD50 - Route: Oral > 2000 mg/kg - Source: OECD 401, MSDS supplier

b) skin corrosion/irritation:

Based on available data, the classification criteria are not met - Source: OECD 404, MSDS supplier

c) serious eye damage/irritation:

Based on available data, the classification criteria are not met - Source: OECD 405, MSDS supplier

d) respiratory or skin sensitisation:

Based on available data, the classification criteria are not met - Source: OECD 406, MSDS supplier

e) germ cell mutagenicity:

Based on available data, the classification criteria are not met - Source: MSDS supplier

f) carcinogenicity:

Based on available data, the classification criteria are not met - Source: MSDS supplier
octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

a) acute toxicity:

Test: LC50 - Species: Rat 36 mg/l - Source: (OECD 403, GLP, rat, 4 h, ECHA dossier).

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: (similar to OECD 402, rat, ECHA dossier).

Test: LD50 - Route: Oral - Species: Rat 4800 mg/kg - Source: (similar to OECD 401, rat, ECHA dossier).

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

Safety Data Sheet

ELITE GLASS - BASE

SECTION 12: Ecological information

The product is not classified for chronic aquatic hazard: a test based on the bioavailability / release of D4 by the polymer silicone was performed with the OECD 29 method. It was found that the quantity of D4 released by 100mg of polymer is at least below the quantification limit of the method (i.e. 4.4 ppb), a value significantly lower than the limit that would result in the classification for chronic aquatic toxicity, i.e. NOEC of 0.0044 mg / L for fish and 0.0079 mg / L for aquatic invertebrates. Therefore, the product is not classified for this hazard class..

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

ELITE GLASS - BASE

The product is classified: -

silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide - CAS: 68909-20-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: rerio > 1000 mg/l - Duration h: 96h MSDS supplier

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48h MSDS supplier

Endpoint: EC50 - Species: Microorganisms > 1000 mg/l MSDS supplier

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

a) Aquatic acute toxicity:

Endpoint: IC50 - Species: Algae > 0.0022 mg/l - Duration h: 72h (EPA OTS 797.1050, Selenastrum capricornutum, freshwater, ECHA dossier).

Endpoint: LC50 - Species: Fish > 0.0022 mg/l (Oncorhynchus mykiss, GLP, ECHA dossier).

Endpoint: NOEC - Species: Fish > 0.0044 mg/l (publication, Oncorhynchus mykiss, GLP, ECHA dossier).

Long-term toxicity to aquatic invertebrates:

Endpoint: NOEC - Species: Daphnia = 7.9 µg/L - Duration h: 21d EPA OTS 797.1330, Daphnia magna, ECHA dossier

12.2. Persistence and degradability

Not available

12.3. Bioaccumulative potential

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

Test: Kow - Partition coefficient 6.49 - Notes: (Log Pow, ECHA dossier).

12.4. Mobility in soil

Not available

12.5. Results of PBT and vPvB assessment

PBT Substances:

>=0,05% - <0,1% octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

vPvB Substances:

>=0,05% - <0,1% octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

**Safety Data Sheet
ELITE GLASS - BASE****14.2. UN proper shipping name**

Not available

14.3. Transport hazard class(es)

Not available

14.4. Packing group

Not available

14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

14.6. Special precautions for user

Not available

14.7. Maritime transport in bulk according to IMO instruments

Not Applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

No restriction.

Restrictions related to the substances contained:

No restriction.

SVHC Substances:

Substances in candidate list (Art. 59 Reg. 1907/2006, REACH):

octamethylcyclotetrasiloxane; [D4]

PBT, vPvB

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

WGK Classification (Water hazard class - Verwaltungsvorschrift wassergefährdende Stoffe)

WGK1 - Slightly hazardous for water

**Safety Data Sheet
ELITE GLASS - BASE**

Lagerklasse according to TRGS 510:
LGK 10: Combustible liquids

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:
None.

California Proposition 65
Substance(s) listed under California Proposition 65:
None.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.
Substances for which a Chemical Safety Assessment has been carried out:
None

SECTION 16: Other information

Full text of phrases referred to in Section 3:
H226 Flammable liquid and vapour.
H361f Suspected of damaging fertility.
H410 Very toxic to aquatic life with long lasting effects.

| Hazard class and hazard category | Code | Description |
|----------------------------------|--------|--|
| Flam. Liq. 3 | 2.6/3 | Flammable liquid, Category 3 |
| Repr. 2 | 3.7/2 | Reproductive toxicity, Category 2 |
| STOT RE 2 | 3.9/2 | Specific target organ toxicity - repeated exposure, Category 2 |
| Aquatic Chronic 1 | 4.1/C1 | Chronic (long term) aquatic hazard, category 1 |
| Aquatic Chronic 3 | 4.1/C3 | Chronic (long term) aquatic hazard, category 3 |

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification
SECTION 3: Composition/information on ingredients
SECTION 8: Exposure controls/personal protection
SECTION 11: Toxicological information
SECTION 12: Ecological information
SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| Classification according to Regulation (EC) Nr. 1272/2008 | Classification procedure |
|---|---|
| Aquatic Chronic | According to Article 12 of the CLP Regulation, "Where, as a result of the evaluation carried out pursuant to Article 9, the following properties or effects are identified, manufacturers, importers and downstream users shall take them into account for the purposes of classification: [...] (b) conclusive scientific experimental data show that the substance or mixture is not biologically available and those data have been ascertained to be adequate and reliable." Following a release study of D4 through the |

**Safety Data Sheet
ELITE GLASS - BASE**

| | |
|--|---|
| | OECD 29 test on polymeric products representative for quantity of D4, the limit that would result in the classification for chronic aquatic toxicity (NOEC of 0.0044 mg / L for fish and 0.0079 mg / L for invertebrates aquatic) is not reached. |
|--|---|

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECHA – European Chemical Agency

GESTIS - Information system on hazardous substances of the German Social Accident Insurance

IARC – International Agency for Research on Cancer

IPCS INCHEM – International Programme on Chemical Safety

ISS – Istituto Superiore di Sanità

PubChem - open chemistry database at the National Institutes of Health (NIH)

A safety data sheet is not required for this product under article 31 of Regulation 1907/2006/EC. This safety data sheet has been created on a voluntary basis.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

| | |
|-------------|--|
| ADR: | European Agreement concerning the International Carriage of Dangerous Goods by Road. |
| ATE: | Acute Toxicity Estimate |
| ATEmix: | Acute toxicity Estimate (Mixtures) |
| CAS: | Chemical Abstracts Service (division of the American Chemical Society). |
| CLP: | Classification, Labeling, Packaging. |
| DNEL: | Derived No Effect Level. |
| EINECS: | European Inventory of Existing Commercial Chemical Substances. |
| GefStoffVO: | Ordinance on Hazardous Substances, Germany. |
| GHS: | Globally Harmonized System of Classification and Labeling of Chemicals. |
| IATA: | International Air Transport Association. |
| IATA-DGR: | Dangerous Goods Regulation by the "International Air Transport Association" (IATA). |
| ICAO: | International Civil Aviation Organization. |
| ICAO-TI: | Technical Instructions by the "International Civil Aviation Organization" (ICAO). |
| IMDG: | International Maritime Code for Dangerous Goods. |
| INCI: | International Nomenclature of Cosmetic Ingredients. |
| KSt: | Explosion coefficient. |
| LC50: | Lethal concentration, for 50 percent of test population. |
| LD50: | Lethal dose, for 50 percent of test population. |
| PNEC: | Predicted No Effect Concentration. |
| RID: | Regulation Concerning the International Transport of Dangerous Goods by Rail. |
| STEL: | Short Term Exposure limit. |
| STOT: | Specific Target Organ Toxicity. |
| TLV: | Threshold Limiting Value. |
| TWA: | Time-weighted average |

Safety Data Sheet
ELITE GLASS - BASE

WGK: German Water Hazard Class.

Safety Data Sheet ELITE GLASS - CATALYST

Revision nr. 5
Dated 06/06/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Product Name: ELITE GLASS - CATALYST

Code: C401610

1.2. Relevant identified uses of the substance or mixture and uses advised against

For professional use only. Addition silicone for dental impression.

1.3. Details of the supplier of the safety data sheet

Name

Zhermack S.p.a

Via Bovazecchino 100

45021 Badia Polesine (RO)

Italy

tel. +39 0425-597611

fax +39 0425-597689

Competent person responsible for the safety data sheet:

msds@zhermack.com

1.4. Emergency telephone number

+39 0425 597611 (office hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

None

2.2. Label elements

The Regulation EC 1272/2008, on classification, labelling and packaging of substances and mixtures (CLP), shall not apply to a medical device in the finished state used in direct physical contact with the human body according to art. 1.5, letter d). Therefore the product is exempted from the CLP labeling requirements.

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

here is no exposure silanamine during normal use of this product. For more information see section 11.

Safety Data Sheet

ELITE GLASS - CATALYST

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$
Other Hazards:
No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

| Qty | Name | Ident. Number | Classification |
|-------------------------------|---|---|--|
| $\geq 10\%$ - $< 12,5\%$ | silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide | Index 014-052-00-7 number: CAS: 68909-20-6 EC: 272-697-1 | STOT RE 2 H373 May cause damage to organs (lungs) through prolonged or repeated exposure if inhaled. EUH066 Repeated exposure may cause skin dryness or cracking. |
| $\geq 0,05\%$ - $< 0,09\%$ | octamethylcyclotetrasil oxane; [D4] | Index 014-018-00-1 number: CAS: 556-67-2 EC: 209-136-7 | Flam. Liq. 3 H226 Flammable liquid and vapour. Repr. 2 H361f Suspected of damaging fertility. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. M=10. |

SVHC, PBT, vPvB, endocrine disruptor substances:

$\geq 0,05\%$ - $< 0,09\%$ octamethylcyclotetrasiloxane; [D4]

Index number: 014-018-00-1, CAS: 556-67-2, EC: 209-136-7

PBT, vPvB, SVHC

Substances in nanoform:

$\geq 10\%$ - $< 12,5\%$ silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products
with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide

Index number: 014-052-00-7, CAS: 68909-20-6, EC: 272-697-1

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION
IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

SECTION 5: Firefighting measures

Safety Data Sheet

ELITE GLASS - CATALYST

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

See section 10.5.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

See section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ELITE GLASS - CATALYST

silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide - CAS: 68909-20-6

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

Safety Data Sheet

ELITE GLASS - CATALYST

| OEL Type | TWA | | Duration | STEL | | Duration | Notes | Country |
|-------------------|-----|--|----------|------|--|----------|-------|---------|
| No data available | | | | | | | | |

DNEL Exposure Limit Values

Not available

PNEC Exposure Limit Values

Not available

8.2. Exposure controls

Precautionary measures:

Give adequate ventilation to the premises where the product is stored and/or handled.

Eye protection:

Wear airtight protective goggles (EN 166).

Protection for skin:

Wear professional overalls and safety footwear (EN 14605).

Protection for hands:

Protect hands with work gloves (EN 374).

The following should be considered when choosing work glove material (EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered (e.g. TLV-TWA).

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Properties | Value | Method: | Notes |
|---|---------------|-------------|-------|
| Physical state: | Liquid | -- | -- |
| Colour: | Transparent | -- | -- |
| Odour: | Odourless | -- | -- |
| Melting point/freezing point: | Not Relevant | -- | -- |
| Boiling point or initial boiling point and boiling range: | Not Relevant | -- | -- |
| Flammability: | Not available | -- | -- |
| Lower and upper explosion limit: | Not available | -- | -- |
| Flash point: | >100 ° C | EN ISO 3679 | -- |
| Auto-ignition temperature: | Not available | -- | -- |
| Decomposition temperature: | Not available | -- | -- |

Safety Data Sheet
ELITE GLASS - CATALYST

| | | | |
|---|------------------------|----|----|
| pH: | Not Relevant | -- | -- |
| Kinematic viscosity: | Not available | -- | -- |
| Solubility in water: | Insoluble | -- | -- |
| Solubility in oil: | Not available | -- | -- |
| Partition coefficient n-octanol/water (log value): | Not available | -- | -- |
| Vapour pressure: | Not available | -- | -- |
| Density and/or relative density: | 1.07 g/cm ³ | -- | -- |
| Relative vapour density: | Not available | -- | -- |
| Particle characteristics: | | | |
| Particle size: | Not available | -- | -- |

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity**10.1. Reactivity**

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

"For the purposes of classification of health hazards (Part 3), the route of exposure, information on mechanisms and metabolism studies are useful in determining the relevance of an effect on humans. If this information raises doubts as to the their relevance for humans, although the validity and quality of the data are indisputable, a lower classification may be justified. When it is scientifically proven that the mechanism or mode of action is not relevant for humans, the substance or the mixture must not be classified" (Annex I, point 1.1.1.5, EC Regulation 1272/2008).

Monitoring relating to possible inhalation exposure conducted in the company according to industrial hygiene standards for paste and fluid products have detected levels of exposure to dust lower than the quantification limit of the method, therefore exposure is not expected during the indicated use in section 1.2 for this specific product.

However, the actual levels of dust present in the workplace must be obtained through monitoring as required by the regulations on worker health and safety.

Toxicological information of the product:

ELITE GLASS - CATALYST

a) acute toxicity

Not classified

b) skin corrosion/irritation

Not classified

Safety Data Sheet

ELITE GLASS - CATALYST

Not classified for EUH066. Based on the 2100-RAZ-23128 assessment report, the product does not cause dryness or cracking of the skin.

c) serious eye damage/irritation
Not classified

d) respiratory or skin sensitisation
Not classified

e) germ cell mutagenicity
Not classified

f) carcinogenicity
Not classified

g) reproductive toxicity
Not classified

h) STOT-single exposure
Not classified

i) STOT-repeated exposure
Not classified

j) aspiration hazard
Not classified

Toxicological information of the main substances found in the product:

silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide - CAS: 68909-20-6

a) acute toxicity:

Test: LD50 - Route: Oral > 2000 mg/kg - Source: OECD 401, MSDS supplier

b) skin corrosion/irritation:

Based on available data, the classification criteria are not met - Source: OECD 404, MSDS supplier

c) serious eye damage/irritation:

Based on available data, the classification criteria are not met - Source: OECD 405, MSDS supplier

d) respiratory or skin sensitisation:

Based on available data, the classification criteria are not met - Source: OECD 406, MSDS supplier

e) germ cell mutagenicity:

Based on available data, the classification criteria are not met - Source: MSDS supplier

f) carcinogenicity:

Based on available data, the classification criteria are not met - Source: MSDS supplier
octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

a) acute toxicity:

Test: LC50 - Species: Rat 36 mg/l - Source: (OECD 403, GLP, rat, 4 h, ECHA dossier).

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: (similar to OECD 402, rat, ECHA dossier).

Test: LD50 - Route: Oral - Species: Rat 4800 mg/kg - Source: (similar to OECD 401, rat, ECHA dossier).

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

Safety Data Sheet

ELITE GLASS - CATALYST

SECTION 12: Ecological information

The product is not classified for chronic aquatic hazard: a test based on the bioavailability / release of D4 by the polymer silicone was performed with the OECD 29 method. It was found that the quantity of D4 released by 100mg of polymer is at least below the quantification limit of the method (i.e. 4.4 ppb), a value significantly lower than the limit that would result in the classification for chronic aquatic toxicity, i.e. NOEC of 0.0044 mg / L for fish and 0.0079 mg / L for aquatic invertebrates. Therefore, the product is not classified for this hazard class..

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

ELITE GLASS - CATALYST

The product is classified: -

silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide - CAS: 68909-20-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: rerio > 1000 mg/l - Duration h: 96h MSDS supplier

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48h MSDS supplier

Endpoint: EC50 - Species: Microorganisms > 1000 mg/l MSDS supplier

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

a) Aquatic acute toxicity:

Endpoint: IC50 - Species: Algae > 0.0022 mg/l - Duration h: 72h (EPA OTS 797.1050, Selenastrum capricornutum, freshwater, ECHA dossier).

Endpoint: LC50 - Species: Fish > 0.0022 mg/l (Oncorhynchus mykiss, GLP, ECHA dossier).

Endpoint: NOEC - Species: Fish > 0.0044 mg/l (publication, Oncorhynchus mykiss, GLP, ECHA dossier).

Long-term toxicity to aquatic invertebrates:

Endpoint: NOEC - Species: Daphnia = 7.9 µg/L - Duration h: 21d EPA OTS 797.1330, Daphnia magna, ECHA dossier

12.2. Persistence and degradability

Not available

12.3. Bioaccumulative potential

octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

Test: Kow - Partition coefficient 6.49 - Notes: (Log Pow, ECHA dossier).

12.4. Mobility in soil

Not available

12.5. Results of PBT and vPvB assessment

PBT Substances:

>=0,05% - <0,1% octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

vPvB Substances:

>=0,05% - <0,1% octamethylcyclotetrasiloxane; [D4] - CAS: 556-67-2

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

Safety Data Sheet

ELITE GLASS - CATALYST

14.2. UN proper shipping name

Not available

14.3. Transport hazard class(es)

Not available

14.4. Packing group

Not available

14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

14.6. Special precautions for user

Not available

14.7. Maritime transport in bulk according to IMO instruments

Not Applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

No restriction.

Restrictions related to the substances contained:

No restriction.

SVHC Substances:

Substances in candidate list (Art. 59 Reg. 1907/2006, REACH):

octamethylcyclotetrasiloxane; [D4]

PBT, vPvB

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

WGK Classification (Water hazard class - Verwaltungsvorschrift wassergefährdende Stoffe)

WGK1 - Slightly hazardous for water

Safety Data Sheet

ELITE GLASS - CATALYST

Lagerklasse according to TRGS 510:
LGK 10: Combustible liquids

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:
None.

California Proposition 65
Substance(s) listed under California Proposition 65:
None.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.
Substances for which a Chemical Safety Assessment has been carried out:
None

SECTION 16: Other information

Full text of phrases referred to in Section 3:
H226 Flammable liquid and vapour.
H361f Suspected of damaging fertility.
H410 Very toxic to aquatic life with long lasting effects.

| Hazard class and hazard category | Code | Description |
|----------------------------------|--------|--|
| Flam. Liq. 3 | 2.6/3 | Flammable liquid, Category 3 |
| Repr. 2 | 3.7/2 | Reproductive toxicity, Category 2 |
| STOT RE 2 | 3.9/2 | Specific target organ toxicity - repeated exposure, Category 2 |
| Aquatic Chronic 1 | 4.1/C1 | Chronic (long term) aquatic hazard, category 1 |
| Aquatic Chronic 3 | 4.1/C3 | Chronic (long term) aquatic hazard, category 3 |

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification
SECTION 3: Composition/information on ingredients
SECTION 8: Exposure controls/personal protection
SECTION 11: Toxicological information
SECTION 12: Ecological information
SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| Classification according to Regulation (EC) Nr. 1272/2008 | Classification procedure |
|---|---|
| Aquatic Chronic | According to Article 12 of the CLP Regulation, "Where, as a result of the evaluation carried out pursuant to Article 9, the following properties or effects are identified, manufacturers, importers and downstream users shall take them into account for the purposes of classification: [...] (b) conclusive scientific experimental data show that the substance or mixture is not biologically available and those data have been ascertained to be adequate and reliable." Following a release study of D4 through the |

**Safety Data Sheet
ELITE GLASS - CATALYST**

| | |
|--|---|
| | OECD 29 test on polymeric products representative for quantity of D4, the limit that would result in the classification for chronic aquatic toxicity (NOEC of 0.0044 mg / L for fish and 0.0079 mg / L for invertebrates aquatic) is not reached. |
|--|---|

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECHA – European Chemical Agency

GESTIS - Information system on hazardous substances of the German Social Accident Insurance

IARC – International Agency for Research on Cancer

IPCS INCHEM – International Programme on Chemical Safety

ISS – Istituto Superiore di Sanità

PubChem - open chemistry database at the National Institutes of Health (NIH)

A safety data sheet is not required for this product under article 31 of Regulation 1907/2006/EC. This safety data sheet has been created on a voluntary basis.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

| | |
|-------------|--|
| ADR: | European Agreement concerning the International Carriage of Dangerous Goods by Road. |
| ATE: | Acute Toxicity Estimate |
| ATEmix: | Acute toxicity Estimate (Mixtures) |
| CAS: | Chemical Abstracts Service (division of the American Chemical Society). |
| CLP: | Classification, Labeling, Packaging. |
| DNEL: | Derived No Effect Level. |
| EINECS: | European Inventory of Existing Commercial Chemical Substances. |
| GefStoffVO: | Ordinance on Hazardous Substances, Germany. |
| GHS: | Globally Harmonized System of Classification and Labeling of Chemicals. |
| IATA: | International Air Transport Association. |
| IATA-DGR: | Dangerous Goods Regulation by the "International Air Transport Association" (IATA). |
| ICAO: | International Civil Aviation Organization. |
| ICAO-TI: | Technical Instructions by the "International Civil Aviation Organization" (ICAO). |
| IMDG: | International Maritime Code for Dangerous Goods. |
| INCI: | International Nomenclature of Cosmetic Ingredients. |
| KSt: | Explosion coefficient. |
| LC50: | Lethal concentration, for 50 percent of test population. |
| LD50: | Lethal dose, for 50 percent of test population. |
| PNEC: | Predicted No Effect Concentration. |
| RID: | Regulation Concerning the International Transport of Dangerous Goods by Rail. |
| STEL: | Short Term Exposure limit. |
| STOT: | Specific Target Organ Toxicity. |
| TLV: | Threshold Limiting Value. |
| TWA: | Time-weighted average |

Safety Data Sheet
ELITE GLASS - CATALYST

WGK: German Water Hazard Class.