

3M UK PLC
3M CENTRE, CAIN RD,
BRACKNELL, BERKSHIRE, RG12 8HT
Tel: 01344 858000

3M IRELAND
3M HOUSE, ADELPHI CENTRE,
DUN LAOGHAIRE, CO. DUBLIN
Tel: 01 2803555

Kit MSDS

Document id : 19-3890-1 Issue date : 13/12/2005
Version : 2.00 Supersedes date : 15/04/2005

1 INFORMATION REGARDING KIT

Dear Customer,

This is the cover sheet for the KIT MSDS.

You will find the document numbers of the MSDS that belong to the kit here on this page.

Tradename:

3M(TM) ESPE(TM) IMPREGUM(TM) PENTA(TM) SOFT QUICK INTRO KIT

3M Product ID:

70-2011-2150-9 70-2011-2245-7

Kit Components

16-4015-0	30601 POLYETHER ADHESIVE - 17 ML BOTTLE (NA)
19-2467-9	3M(TM) ESPE(TM) IMPREGUM(TM) PENTA(TM) SOFT QUICK BASE
19-2494-3	3M(TM) ESPE(TM) IMPREGUM(TM) PENTA(TM) SOFT QUICK CATALYST

The information on this Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

□

3M UK PLC
3M CENTRE, CAIN RD,
BRACKNELL, BERKSHIRE, RG12 8HT
Tel: 01344 858000

3M IRELAND
3M HOUSE, ADELPHI CENTRE,
DUN LAOGHAIRE, CO. DUBLIN
Tel: 01 2803555

MATERIAL SAFETY DATA SHEET

Document id : 16-4015-0 Issue date : 11/10/2005
Version : 6.00 Supersedes date : 17/08/2005

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION

Tradename:

30601 POLYETHER ADHESIVE - 17 ML BOTTLE (NA)

3M Product ID:

70-2011-0648-4

 2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient name and classification	CAS number	Percentage
ETHYL ACETATE	141-78-6	25 - 50
EU Hazard Symbols and Risk Phrases: EU - Adaptation 25 (F,Xi; R:11-36-66-67)		
EINECS No: 2055004		
HEPTANE	142-82-5	25 - 35
EU Hazard Symbols and Risk Phrases: EU - Adaptation 25 (F,Xi, Xn,N; R:11-38-65-67)		
ACETONE	67-64-1	5 - 15
EU Hazard Symbols and Risk Phrases: EU - Adaptation 25 (F,Xi; R:11-36-66-67)		
POLYCHLOROPRENE	---	1 - 10
PHENOL RESIN	---	1 - 10
HYDROTREATED LIGHT NAPHTHA (PETROLEUM)	64742-49-0	Less Than 5
EU Hazard Symbols and Risk Phrases: EU - Adaptation 22 (T; R:Carc.Cat.2;45-65) EU - Additional Vendor Classification(F,Xi, N; R:11-38-51/53-67)		

 3 HAZARDS IDENTIFICATION

Critical hazards:

Irritant. Highly flammable. Dangerous to environment.
 Irritating to eyes and skin. Very toxic to aquatic organisms.
 May cause long-term adverse effects in the aquatic
 environment. Vapours may cause drowsiness and dizziness.

 4 FIRST-AID MEASURES

Eye Contact:

Flush eyes with large amounts of water. If signs/symptoms
 persist, get medical attention.

Skin Contact:

Wash affected area with soap and water. If signs/symptoms
 develop, get medical attention.

Inhalation:

Remove person to fresh air. If signs/symptoms develop, get
 medical attention.

Ingestion:

Do not induce vomiting. Get immediate medical attention. Give
 victim two glasses of water. Never give anything by mouth to
 an unconscious person.

 5 FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Use fire extinguishers with class B extinguishing agents (e.g., dry chemical, carbon dioxide).

Exposure Hazards:

Closed containers exposed to heat from fire may build pressure and explode. Vapours may travel long distances along the ground or floor to an ignition source and flash back. Closed containers exposed to heat from fire may build pressure and explode. Vapours may travel long distances along the ground or floor to an ignition source and flash back.

Hazardous Decomposition:

Carbon monoxide - During Combustion. Carbon dioxide - during combustion. Irritant Vapours or Gases - During Combustion.

Fire-Fighting Procedures:

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective equipment and a self-contained breathing apparatus.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Refer to other sections of this Material Safety Data Sheet for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

Methods for Cleaning up:

For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Seal the container. Evacuate unprotected and untrained personnel from hazard area. The spill should be cleaned up by qualified personnel. Remove all ignition sources such as flames, smoking materials, and electrical spark sources. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. **Warning! A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode.** Contain spill. Cover spill area with a fire-extinguishing foam designed for use on solvents, such as alcohols and acetone, that can dissolve in water. An AR - AFFF type foam is recommended. Cover or dilute with water. Remember, adding an absorbent material does not remove a toxic, corrosivity or flammability hazard. Collect as much of the spilled material as possible using non-sparking tools. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and MSDS. Place in a metal container approved for transportation by appropriate authorities. Dispose of collected material as soon as possible.

7 HANDLING AND STORAGE

Incompatible Materials/Conditions:

Store away from heat. Store out of direct sunlight.

Ventilation:

Keep container in a well-ventilated area.

Explosion Prevention:

Flammable liquid and vapour. Keep away from heat, sparks, open flame, pilot lights and other sources of ignition.

Precautions for Safe Handling:

Keep container tightly closed. Contents may be under pressure, open carefully.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection:

Avoid eye contact. The following should be worn alone or in combination, as appropriate to prevent eye contact: Safety glasses with side shields.

Skin Protection:

Avoid skin contact.

Respiratory Protection:

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

Ingestion:

Do not ingest.

Recommended Ventilation:

Use in a well-ventilated area.

Exposure Limits:**ETHYL ACETATE (141-78-6)**

HSE WEL TWA: 400 ppm;

HSE WEL STEL: 400 ppm;

HEPTANE (142-82-5)

HSE WEL TWA: 500 ppm; 1600 mg/m³ OES

HSE WEL STEL: 500 ppm; 2000 mg/m³ OES

ACETONE (67-64-1)

HSE WEL TWA: 500 ppm; 1210 mg/m³ OES

HSE WEL STEL: 1500 ppm; 3620 mg/m³ OES

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odour:

Blue liquid with characteristic solvent odour

pH:

Not determined

Boiling point/boiling range:

56.11 C

Melting point/melting range:

Not determined

Flash point:	- 1.11 C Closed Cup
Autoflammability:	Not determined
Vapour pressure:	180 mmHg
Water Solubility:	Moderate
Specific gravity:	0.8 -0.9
Vapour density:	2 -4
Volatile organic compounds:	Not determined
Evaporation rate:	1
Viscosity:	40000 centipoise
Percent Volatile:	Not determined

10 STABILITY AND REACTIVITY

Conditions to Avoid:

Heat. Sparks and/or Flames.

Materials to Avoid:

None known.

Hazardous Decomposition:

Hazardous polymerisation will not occur. Stable.

11 TOXICOLOGICAL INFORMATION

Effects from Eye Contact:

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Effects from Skin Contact:

Delayed Dermal Irritation: Signs/symptoms may include localised redness, swelling, itching, and pain. These effects may not appear immediately following exposure.

Effects from Inhalation:

Upper Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Effects from Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, nausea, diarrhoea and vomiting.

Other Effects and Information:

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

12 ECOLOGICAL INFORMATION

Ecotoxicity Data:
Not determined.

Ecofate Data:
Not determined.

Special statements for 2001/58/EC:
One or more components of this product have significant known or predicted environmental hazards, but a conservative assessment indicates a low environmental risk. Intended use and proper disposal are unlikely to cause the environmentally hazardous component(s) to enter the environment in quantities or by routes that could cause the adverse environmental impacts.

13 DISPOSAL CONSIDERATIONS

Product as Sold:
Incinerate in a permitted hazardous waste incinerator. As a disposal alternative, dispose of waste product in a permitted hazardous waste facility.

Special Instructions:
Since regulations vary, consult applicable regulations or authorities before disposal.

14 TRANSPORT INFORMATION

UN NUMBER:

UN number: UN1133

UK ROAD/SEA FREIGHT (IMO) CLASSIFICATION:

Substance Identification Number: UN1133
Class: 3.0
Packing Group: II
Proper Shipping Name: ADHESIVES

ADR/RID CLASSIFICATION:

Class: 3.0
ADR classification: F1

ICAO/IATA CLASSIFICATION:

Class: 3.0
Sub-Risk: Not applicable
Packing Group: Not applicable
Proper Shipping Name: Dangerous goods in excepted quantities (class 3, UN1133)

15 REGULATORY INFORMATION

Disclosable Ingredients:

ETHYL ACETATE; HEPTANE; ACETONE.

Symbol(s):

(Xi) St. Andrew's Cross (Irritant). (F) Flame (Highly Flammable). (N) Dangerous to environment.

Risk Phrases:

(R11) Highly Flammable. (R36/38) Irritating to eyes and skin. (R50/53) Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. (R67) Vapours may cause drowsiness and dizziness.

Safety Phrases:

Keep away from sources of ignition - No Smoking. Do not breathe vapour. Avoid contact with the skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of water. Keep in a cool, well ventilated place. Wear eye protection. Use only in well ventilated areas. This material and/or its container must be disposed of as hazardous waste.

16 OTHER INFORMATION

Regulatory Information:

The following UK Regulations as amended may affect the product as supplied: The Chemicals (Hazard Information and Packaging for supply) Regulations, as amended. The Carriage of Dangerous Goods (Classification, Packaging and Labelling) and use of Transportable Pressure Receptacles Regulations 1996, as amended. Carriage of Dangerous Goods by Road regulations, 1996, as amended. The Control of Substances Hazardous to Health Regulations 1999 as amended. The Special Waste Regulations 1996, as amended. The Environmental Protection Act, 1990 The Health and Safety at Work Act, 1974.

Reissue date/Reason for reissue.

Updated section 14.

Intended Use of Product:

Impressions material.

Limitations on Use of Product:

For use only by dental professionals.

The information on this Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

□

3M UK PLC
3M CENTRE, CAIN RD,
BRACKNELL, BERKSHIRE, RG12 8HT
Tel: 01344 858000

3M IRELAND
3M HOUSE, ADELPHI CENTRE,
DUN LAOGHAIRE, CO. DUBLIN
Tel: 01 2803555

MATERIAL SAFETY DATA SHEET

Document id	: 19-2467-9	Issue date	: 14/07/2005
Version	: 2.00	Supersedes date	: 07/04/2005

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION

Tradename:

3M(TM) ESPE(TM) IMPREGUM(TM) PENTA(TM) SOFT QUICK BASE

3M Product ID:

2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient name and classification	CAS number	Percentage
POLYETHER	---	50 - 60
DIATOMACEOUS EARTH	68855-54-9	10 - 20
Regulatory Lists: IARC(Group 1) - Category: SILICA, CRYSTALLINE (AIRBORNE PARTICLES OF RESPIRABLE SIZE)		
NTPCARCIN(Known human carcinogen) - Category: SILICA, CRYSTALLINE (AIRBORNE PARTICLES OF RESPIRABLE SIZE)		
FATTY ACID TRIGLYCERIDES	---	10 - 20
DIBENZYL TOLUENE	---	5 - 15
POLYMERIC ACETATE	---	0 - 6
SULFONAMIDE	---	1 - 5

3 HAZARDS IDENTIFICATION

Critical hazards:
None.

4 FIRST-AID MEASURES

Eye Contact:

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

Skin Contact:

Wash affected area with soap and water. If signs/symptoms develop, get medical attention.

Inhalation:

No need for first aid is anticipated.

Ingestion:

No need for first aid is anticipated.

5 FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Use fire extinguishers with class B extinguishing agents (e.g., dry chemical, carbon dioxide).

Hazardous Decomposition:

Carbon monoxide - During Combustion. Carbon dioxide - during combustion. Irritant Vapours or Gases - During Combustion.

Fire-Fighting Procedures:

Wear full protective equipment and a self-contained breathing apparatus.

Special Instructions:

Not applicable.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Observe precautions from other sections.

Methods for Cleaning up:

Ventilate the area with fresh air. Collect as much of the spilled material as possible. Clean up residue. Collect the resulting residue containing solution. Place in a closed container approved for transportation by appropriate authorities.

7 HANDLING AND STORAGE

Incompatible Materials/Conditions:

Store away from heat. Store out of direct sunlight.

Precautions for Safe Handling:

Observe precautions from other sections.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection:

Avoid eye contact. The following should be worn alone or in combination, as appropriate to prevent eye contact: Safety glasses with side shields.

Skin Protection:

Gloves not normally required. Avoid prolonged or repeated skin contact. Avoid prolonged or repeated skin contact.

Respiratory Protection:

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

Ingestion:

Do not ingest.

Recommended Ventilation:

Not applicable.

Exposure Limits:

DIATOMACEOUS EARTH (68855-54-9)

HSE WEL TWA: 1.2 mg/m3

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odour:	Blue paste with characteristic odour.
pH:	Not determined
Boiling point/boiling range:	Not applicable
Melting point/melting range:	Not determined
Flash point:	Not applicable
Autoflammability:	Not determined
Vapour pressure:	Not applicable
Water Solubility:	Nil
Specific gravity:	1 -1.2 Water=1
Vapour density:	Not applicable
Volatile organic compounds:	Not applicable
Evaporation rate:	Not applicable
Viscosity:	40000 -150000 centipoise
Percent Volatile:	Not applicable

10 STABILITY AND REACTIVITY

Conditions to Avoid:
Heat.

Materials to Avoid:
None known.

Hazardous Decomposition:
Hazardous polymerisation will not occur. Stable.

11 TOXICOLOGICAL INFORMATION

Effects from Eye Contact:
Single exposure may cause: Mild Eye Irritation: Signs/symptoms may include redness, pain, and tearing.

Effects from Skin Contact:
Contact with the skin during product use is not expected to result in significant irritation.

Effects from Inhalation:
No adverse health effects are expected.

Effects from Ingestion:
No health effects are expected.

12 ECOLOGICAL INFORMATION

Ecotoxicity Data:
Not determined.

Ecofate Data:
Not determined.

13 DISPOSAL CONSIDERATIONS

Product as Sold:
Cure (harden, set, or react) the product according to product instructions. Dispose of completely cured (or polymerised) wastes in a sanitary landfill. As a disposal alternative, incinerate in an industrial or commercial facility in the presence of a combustible material.

Special Instructions:
Since regulations vary, consult applicable regulations or authorities before disposal.

14 TRANSPORT INFORMATION

UN NUMBER:

UN number:

Not restricted for
transportation.

UK ROAD/SEA FREIGHT (IMO) CLASSIFICATION:

Substance Identification Number:

Class:

Packing Group:

Proper Shipping Name:

ADR/RID CLASSIFICATION:

Class:

ADR classification:

ICAO/IATA CLASSIFICATION:

Class:

Sub-Risk:

Packing Group:

Proper Shipping Name:

15 REGULATORY INFORMATION

Disclosable Ingredients:

No ingredient required on the label.

Symbol(s):

None.

Risk Phrases:

None.

Safety Phrases:

Avoid contact with the skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of soap and water.

16 OTHER INFORMATION

Regulatory Information:

The following UK Regulations as amended may affect the product as supplied: The Chemicals (Hazard Information and Packaging for supply) Regulations, as amended. The Carriage of Dangerous Goods (Classification, Packaging and Labelling) and use of Transportable Pressure Receptacles Regulations 1996, as amended. Carriage of Dangerous Goods by Road regulations, 1996, as amended. The Control of Substances Hazardous to Health Regulations 1999 as amended. The Special Waste Regulations

1996, as amended. The
Environmental Protection Act,
1990 The Health and Safety at
Work Act, 1974.

Reissue date/Reason for reissue.

UPDATED SECTIONS: 7,10

Intended Use of Product:

Polyether impression material that has a quick set.

Limitations on Use of Product:

For use only by dental professionals.

The information on this Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

□

3M UK PLC
3M CENTRE, CAIN RD,
BRACKNELL, BERKSHIRE, RG12 8HT
Tel: 01344 858000

3M IRELAND
3M HOUSE, ADELPHI CENTRE,
DUN LAOGHAIRE, CO. DUBLIN
Tel: 01 2803555

MATERIAL SAFETY DATA SHEET

Document id	: 19-2494-3	Issue date	: 03/06/2005
Version	: 2.00	Supersedes date	: 07/04/2005

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION

Tradename:

3M(TM) ESPE(TM) IMPREGUM(TM) PENTA(TM) SOFT QUICK CATALYST

3M Product ID:

2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient name and classification	CAS number	Percentage
CITRIC ESTER	77-90-7	35 - 50
SILANE TREATED SILICA	68909-20-6	20 - 30
SULFONIUM SALT	---	15 - 25
DIATOMACEOUS EARTH	68855-54-9	10 - 20

Regulatory Lists: IARC(Group 1) - Category: SILICA,
CRYSTALLINE (AIRBORNE PARTICLES OF RESPIRABLE SIZE)
NTPCARCIN(Known human carcinogen) - Category: SILICA,
CRYSTALLINE (AIRBORNE PARTICLES OF RESPIRABLE SIZE)
POLYETHYLENE-POLYPROPYLENE GLYCOL 9003-11-6 1 - 5

3 HAZARDS IDENTIFICATION

Critical hazards:
None.

4 FIRST-AID MEASURES

Eye Contact:

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

Skin Contact:

Wash affected area with soap and water. If signs/symptoms develop, get medical attention.

Inhalation:

No need for first aid is anticipated.

Ingestion:

No need for first aid is anticipated.

5 FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Use fire extinguishers with class B extinguishing agents (e.g., dry chemical, carbon dioxide).

Hazardous Decomposition:

Irritant Vapours or Gases - During Combustion.

Fire-Fighting Procedures:

Wear full protective equipment and a self-contained breathing apparatus.

Special Instructions:

Not applicable.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Observe precautions from other sections.

Methods for Cleaning up:

Ventilate the area with fresh air. Collect as much of the spilled material as possible. Clean up residue. Collect the resulting residue containing solution. Place in a closed container approved for transportation by appropriate authorities.

7 HANDLING AND STORAGE

Incompatible Materials/Conditions:

Store away from heat. Store out of direct sunlight.

Precautions for Safe Handling:

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection:

Avoid eye contact. The following should be worn alone or in combination, as appropriate to prevent eye contact: Safety glasses with side shields.

Skin Protection:

Gloves not normally required. Avoid prolonged or repeated skin contact.

Respiratory Protection:

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

Ingestion:

Do not ingest.

Recommended Ventilation:

Not applicable.

Exposure Limits:

DIATOMACEOUS EARTH (68855-54-9)
HSE WEL TWA: 1.2 mg/m3

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odour:	Dark red paste with slightly acrid odour.
pH:	Not determined
Boiling point/boiling range:	Not applicable
Melting point/melting range:	Not determined
Flash point:	Not applicable
Autoflammability:	Not determined
Vapour pressure:	Not applicable
Water Solubility:	Nil
Specific gravity:	1.1 -1.4 Water=1
Vapour density:	Not applicable
Volatile organic compounds:	Not applicable

Evaporation rate:	Not applicable
Viscosity:	Not determined
Percent Volatile:	Not applicable

10 STABILITY AND REACTIVITY

Materials to Avoid:
Heat.

Hazardous Decomposition:
Hazardous polymerisation will not occur. Stable.

11 TOXICOLOGICAL INFORMATION

Effects from Eye Contact:
Mechanical eye irritation: Signs/symptoms may include pain, redness, tearing and corneal abrasion.

Effects from Skin Contact:
Contact with the skin during product use is not expected to result in significant irritation.

Effects from Inhalation:
No adverse health effects are expected.

Effects from Ingestion:
No health effects are expected.

12 ECOLOGICAL INFORMATION

Ecotoxicity Data:
Not determined.

Ecofate Data:
Not determined.

13 DISPOSAL CONSIDERATIONS

Product as Sold:
Cure (harden, set, or react) the product according to product instructions. Dispose of completely cured (or polymerised) wastes in a sanitary landfill. As a disposal alternative, incinerate in an industrial or commercial facility in the presence of a combustible material.

Special Instructions:
Since regulations vary, consult applicable regulations or authorities before disposal.

14 TRANSPORT INFORMATION

UN NUMBER:

UN number:

Not restricted for
transportation.

UK ROAD/SEA FREIGHT (IMO) CLASSIFICATION:

Substance Identification Number:

Class:

Packing Group:

Proper Shipping Name:

ADR/RID CLASSIFICATION:

Class:

ADR classification:

ICAO/IATA CLASSIFICATION:

Class:

Sub-Risk:

Packing Group:

Proper Shipping Name:

15 REGULATORY INFORMATION

Disclosable Ingredients:

No ingredient required on label.

Symbol(s):

None.

Risk Phrases:

None.

Safety Phrases:

Avoid contact with the skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of soap and water.

16 OTHER INFORMATION

Regulatory Information:

The following UK Regulations as amended may affect the product as supplied: The Chemicals (Hazard Information and Packaging for supply) Regulations, as amended. The Carriage of Dangerous Goods (Classification, Packaging and Labelling) and use of Transportable Pressure Receptacles Regulations 1996,

as amended. Carriage of Dangerous Goods by Road regulations, 1996, as amended. The Control of Substances Hazardous to Health Regulations 1999 as amended. The Special Waste Regulations 1996, as amended. The Environmental Protection Act, 1990 The Health and Safety at Work Act, 1974.

Reissue date/Reason for reissue.
UPDATED MSDS

Intended Use of Product:
Impression material kit component.

Limitations on Use of Product:
For use only by dental professionals.

The information on this Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

□