



SAFETY DATA SHEET

F.I.T.T. LIQUID

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name F.I.T.T. LIQUID

1.2. Relevant identified uses of the substance or mixture and uses advised against

Applications For Functional Impressions, Temporary Treatment Relines and Tissue Conditioning.

1.3. Details of the supplier of the safety data sheet

Supplier Kerr Italia S.r.l.
Via Passanti, 332
84018 Scafati (SA) - Italy
Tel: +39-081-850-8311
E-mail: safety@kerrhawe.com

Contact person E-mail: safety@kerrhawe.com (Mobile Phone number 08.00 – 23.00:
+39-340.1721884)

Manufacturer Kerr Italia S.r.l.
Via Passanti, 332
84018 Scafati (SA) - Italy
Tel: +39-081-850-8311
E-mail: safety@kerrhawe.com

1.4. Emergency telephone number

Emergency telephone number 112 # The UK National Poisons Emergency number: +44 870 600 6266 WEB:
<http://www.toxbase.org>

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to directives -
67/548/EEC, 99/45/EC & 2001/58/EC
(DSD/DPD) R-50
R-61
R-62

Classification according to directive GHS02, GHS09, GHS08, Danger
1272/2008 (CLP) Flam. Liq. 3: H226
Repr. 1B: H360Df
Aquatic Acute 1: H400

Hazard The product is seen as a medical device and therefore not subject to labelling, regulation (EC) no 1272/2008 of the european parliament and of the council, article 1d; Medical devices as defined in Directives 90/385/EEC and 93/42/EEC, which are invasive or used in direct physical contact with the human body, and in Directive 98/79/EC.

2.2. Label elements

CLP

Hazard pictograms



Signal word Danger

Hazard statements Flam. Liq. 3: H226 Flammable liquid and vapour.
Repr. 1B: H360Df May damage the unborn child. Suspected of damaging fertility.
Aquatic Acute 1: H400 Very toxic to aquatic life.

Precautionary statements P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P243 Take precautionary measures against static discharge.
P281 Use personal protective equipment as required.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P273 Avoid release to the environment.
P501 Dispose of contents/container to approved waste plant in accordance with local regulations.

Contains dibutyl phthalate, DBP
ethanol

2.3. Other hazards

Meets the criteria for vPvB No.

Meets the criteria for PBT No.

Other hazards which do not contribute to classification No known risks.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Ingredients

Name	EC No.	CAS No.	Content	Symbol	Classification
dibutyl phthalate, DBP	201-557-4	84-74-2	75-85 %	T ,N	R-50, R-62, R-61
ethanol	200-578-6	64-17-5	15-22 %	F	R-11

CLP

Name	REACH No.	Content	Symbol	Classification	CAS No.
dibutyl phthalate, DBP	01-21194930 42-44	75-85 %	GHS09, GHS08, , Danger	Repr. 1B: H360Df, Aquatic Acute 1: H400	84-74-2
ethanol	01-21194576 10-43	15-22 %	GHS02, , Danger	Flam. Liq. 2: H225	64-17-5

Composition comments The product contains traces of Methyl Salicylate (See also Sections 11 and 16).

Section 16 contains detailed classification phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

General Remove victim immediately from source of exposure. General first aid, rest, warmth and fresh air. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Specific first aid treatment No specific first aid measures noted.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Provide rest, warmth and fresh air. Get medical attention if any discomfort continues.
Ingestion	Immediately give a couple of glasses of water or milk, provided the victim is fully conscious. DO NOT INDUCE VOMITING! Danger of aspiration and development of chemical pneumonia. Contact physician.
Skin	Wash skin with soap and water. Contact physician if irritation continues.
Eyes	Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Extinguishing media	Powder, foam or CO ₂ .
Special fire fighting procedures	Use supplied air respirator if substance is involved in a fire. Containers close to fire should be removed or cooled with water. Avoid water in straight hose stream; will scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	FLAMMABLE. Vapours are heavier than air and may spread near ground to sources of ignition.
Hazardous combustion products	Fire creates: Carbon dioxide (CO ₂). Carbon monoxide (CO).

5.3. Advice for firefighters

Protective measures in fire	Wear self-contained breathing apparatus (SCBA) to prevent contact with thermal decomposition products.
-----------------------------	--

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Personal protection	Wear appropriate personal protective equipment - see Section 8.
---------------------	---

6.2. Environmental precautions

Environmental protection	Do not allow to enter drains, sewers or watercourses.
--------------------------	---

6.3. Methods and material for containment and cleaning up

Spill cleanup methods	Absorb with sand or other inert absorbent. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Inform Authorities if large amounts are involved.
-----------------------	---

6.4. Reference to other sections

See section 13 for waste handling.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Usage precautions	Be cautious with smoking, open flame, sparks and welding.
-------------------	---

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store in locked, well ventilated room and isolated from acids. Store isolated from oxidising materials. Keep in original container. Keep in cool, dry, ventilated storage and closed containers. Protect from light, including direct sunrays. Store away from water or moisture. Keep away from heat, sparks and open flame. Ground container and transfer equipment to eliminate static electric sparks.
---------------------	--

7.3. Specific end use(s)

Specific use(s)	Contact supplier for more information.
-----------------	--

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Ingredient name	CAS no.	Reference	LT Exp 8 Hrs	ST Exp 15 Min	Date
dibutyl phthalate, DBP	84-74-2	WEL.	5 mg/m ³	10 mg/m ³	
ethanol	64-17-5	WEL.	1000/1920 ppm/mg/m ³		

Ingredient comments

WEL = Workplace exposure limits. SK= Skin absorbance, Rep= Reproduction, Carc= Carcinogenic Senz= Sensitisers, Mut= Carcinogenic

Protective equipment**Process conditions**

Provide eyewash station.

Ventilation

Provide adequate general and local exhaust ventilation.

8.2. Exposure controls**Respirators**

In case of inadequate ventilation or risk of inhalation of vapours/mists, use suitable respiratory equipment with combination filter type A2/P2. Standard EN 149.

Protective gloves

Use protective gloves made of: Nitrile. Time of breakthrough is not known, change gloves regularly. Suitable glove must be chosen in consultation with the gloves supplier, giving information of the breakthrough time for the glove material. Standard EN 374.

Eye protection

Wear approved safety goggles. Standard EN 166.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygienic work practices

Wash at the end of each work shift and before eating, smoking and using the toilet.

DNEL

No data.

PNEC

No data.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties**Appearance**

Fluid. Oily.

Colour

Clear. Yellowish.

Odour

Mint.

Density (g/cm³)

0,983

Temperature (°C)

25

Viscosity (interval)

12 - 1000 mPas

Temperature (°C)

25

Flash point (°C)

16 (ASTM-D93)

Method**9.2. Other information****Safety information**

Not known.

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactive groups.

10.2. Chemical stability

Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions**Hazardous polymerisation**

Will not polymerise.

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid

Strong oxidising agents. Chlorides.

10.6. Hazardous decomposition products

Hazardous decomp. products

No hazardous decomposition products are emitted at recommended use and storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Sensitization

No allergic reaction is known.

Genotoxicity

No known heritable or mutagenic effects.

Carcinogenicity

Carcinogen Category 3. Limited evidence of a carcinogenic effect.

Reproduction toxicity

Suspected of damaging the unborn child. Suspected of damaging fertility.

Inhalation

Vapour may irritate respiratory system or lungs.

Ingestion

Ingestion of large amounts may cause discomfort. Ingestion may cause irritation of the gastrointestinal tract, vomiting and diarrhoea.

Skin

Prolonged contact may cause redness, irritation and dry skin. Product has a defatting effect on skin.

Eyes

May irritate and cause redness and pain.

COMPONENT:

dibutyl phthalate, DBP

Toxicology data

Acute toxicity. TDLO Oral. Human. 140 mg/kg (CNS)

Toxic dose - LD50:

3050 mg/kg (oral rat)

Toxic dose - LD50 (skin):

8000 mg/kg (skin rabbit)

Toxic conc. - LC50:

>15,68 mg/l/4h (inhalation rat)

COMPONENT:

ethanol

Toxic dose - LD50:

7060 mg/kg (oral rat)

Toxic dose - LD50 (skin):

>20000 mg/kg (skin rabbit)

Toxic conc. - LC50:

124,7 mg/l/4h (inhalation rat)

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Very toxic to aquatic life.

12.2. Persistence and degradability

The product is not biodegradable.

12.3. Bioaccumulative potential

Unknown.

12.4. Mobility in soil

Mobility

Unknown.

12.5. Results of PBT and vPvB assessment

PTB/vPvB

Component(s) is not identified as a PBT or vPvB-substance.

12.6. Other adverse effects

No known information.

COMPONENT:	dibutyl phthalate, DBP
LC 50, 96 Hrs, Fish mg/l:	0,71 (Lepomis macrochirus)
EC 50, 48 Hrs, Daphnia, mg/l:	3,4 (Daphnia magna)
IC 50, 72 Hrs, Algae, mg/l:	1,2 (Scenedesmus subspictus)
Bioaccumulative potential	BCF:12
Partition coefficient (log Pow)	4,57
Persistence and degradability	BOD5/COD: 0,63 98 % deg., 30 days, Method: OECD 301C
COMPONENT:	ethanol
LC 50, 96 Hrs, Fish mg/l:	13500 (Pimephales promelas)
EC 50, 48 Hrs, Daphnia, mg/l:	5400 (Daphnia magna)
IC 50, 72 Hrs, Algae, mg/l:	>10,9 (Skeletonema costatum)
Bioaccumulative potential	BCF:0,66
Partition coefficient (log Pow)	-0,32
Persistence and degradability	BOD5/COD: 0,4 - 0,8 85 % deg., 28 days, Method: OECD 301D

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General/cleaning	Waste is classified as hazardous waste.
Disposal methods	Dispose of in accordance with Local Authority requirements.
Waste class	18 01 06* chemicals consisting of or containing dangerous substances The given EWC-code is a guiding, and the code depends on how the waste is formed. User must evaluate the choice of correct code.
Contaminated packaging	The product packaging must be disposed of in compliance with the country specific regulations.

SECTION 14: Transport information

Label for conveyance



ROAD TRANSPORT (ADR):

14.1. UN number

UN no. road	1993
UN no. sea	1993
UN no., air	1993

14.2. UN proper shipping name

Proper shipping name (national)	FLAMMABLE LIQUID, N.O.S.
Proper shipping name (international)	FLAMMABLE LIQUID, N.O.S. (Ethanol)

14.3. Transport hazard class(es)

ADR class no.	3
ADR Hazard labels	3
Classification code	F1
Hazard no. (ADR)	33
Road transport notes	Tunnel restriction code: (D/E)

RAIL TRANSPORT (RID):

RID class no.	3
---------------	---

RID Hazard labels	3
SEA TRANSPORT (IMDG):	
IMDG class	3
EmS no.	F-E, S-E
TRANSPORT BY INLAND WATERWAYS (ADN):	
AIR TRANSPORT (IATA-DGR / ICAO-TI):	
IATA/ICAO class	3
IATA/ICAO Hazard label	3
Air transport notes	Flamm. liquid
14.4. Packing group	
ADR packing group	II
RID packing group	II
IMDG packing group	II
IATA/ICAO packing group	II
14.5. Environmental hazards	
Transport by inland waterways notes	Not applicable.
14.6. Special precautions for user	
	No particular precautions.
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
	No IBC-code for bulk transport offshore (MARPOL).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU directives	Diagnostic medical devices, EU-directive 98/79/EC, EU-regulation 1272/2008, article 1, paragraph 5d, EU-regulation 453/2010/EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.
----------------------	--

15.2. Chemical safety assessment

Chemical Safety Assessment	Chemical Safety Report (CSR) has not been carried out for this product.
-----------------------------------	---

SECTION 16: Other information

Explanations to R-phrases in section 3	R-11 Highly flammable. R-50 Very toxic to aquatic organisms. R-61 May cause harm to the unborn child. R-62 Possible risk of impaired fertility.
Explanations to classification in section 3	H225 Highly flammable liquid and vapour. H360Df May damage the unborn child. Suspected of damaging fertility. H400 Very toxic to aquatic life.
DSD/DPD	
Labeling	T, N,
Risk phrases	R-50 Very toxic to aquatic organisms. R-61 May cause harm to the unborn child. R-62 Possible risk of impaired fertility.

* Information revised since the previous version of the SDS

Issued by	Essenticon AS, Leif Weldingsvei 18, N-3208 Sandefjord, Norway. E-mail: post@essenticon.no. Phone.: +47 33 42 34 50 - Fax: +47 33 42 34 59 www.essenticon.com
Date of issue	17.04.2015
Safety Data Sheet status	CLP 03 ATP

Signature

R. E. Lunde

Disclaimer**CAUTION: PRODUCT FOR PROFESSIONAL USE**

The information on this Safety Sheet is based on presently available data and to our best knowledge for the correct handling of the product under normal conditions. Any use of this product in any way not indicated on this Sheet or the use of this product together with any other process/procedure will be exclusively under the user's responsibility. This document does not constitute explicit or implicit warranty of product quality or fitness for a particular purpose.



SAFETY DATA SHEET

F.I.T.T. POWDER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name F.I.T.T. POWDER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Applications For Functional Impressions, Temporary Treatment Relines and Tissue Conditioning.

1.3. Details of the supplier of the safety data sheet

Supplier Kerr Italia S.r.l.
Via Passanti, 332
84018 Scafati (SA) - Italy
Tel: +39-081-850-8311
E-mail: safety@kerrhawe.com

Contact person E-mail: safety@kerrhawe.com (Mobile Phone number 08.00 – 23.00:
+39-340.1721884)

Manufacturer Kerr Italia S.r.l.
Via Passanti, 332
84018 Scafati (SA) - Italy
Tel: +39-081-850-8311
E-mail: safety@kerrhawe.com

1.4. Emergency telephone number

Emergency telephone number 112 # The UK National Poisons Emergency number: +44 870 600 6266 WEB:
<http://www.toxbase.org>
CHEMTREC® Emergency Call Center. Emergency Telephone Number (for USA only)
001-800-424-9300
International and Maritime Telephone Number +1 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to directives -
67/548/EEC, 99/45/EC & 2001/58/EC
(DSD/DPD)

Classification according to directive
1272/2008 (CLP)

EUH210

Hazard

Not regarded as a health, fire, explosion or environmental hazard under current legislation.

The product is seen as a medical device and therefore not subject to labelling, regulation (EC) no 1272/2008 of the European Parliament and of the Council, article 1d; Medical devices as defined in Directives 90/385/EEC and 93/42/EEC, which are invasive or used in direct physical contact with the human body, and in Directive 98/79/EC.

2.2. Label elements

CLP

Hazard statements EUH210 Safety data sheet available on request.

Contains methacrylate polymers

2.3. Other hazards

Meets the criteria for vPvB	No.
Meets the criteria for PBT	No.
Other hazards which do not contribute to classification	No known risks.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Ingredients**

Name	EC No.	CAS No.	Content	Symbol	Classification
methacrylate polymers				-	

CLP

Name	REACH No.	Content	Symbol	Classification	CAS No.
methacrylate polymers					

Section 16 contains detailed classification phrases.

SECTION 4: First aid measures**4.1. Description of first aid measures**

General	Remove victim immediately from source of exposure. General first aid, rest, warmth and fresh air. Get medical attention if any discomfort continues.
----------------	--

4.2. Most important symptoms and effects, both acute and delayed

Specific first aid treatment	No specific first aid measures noted.
-------------------------------------	---------------------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Provide rest, warmth and fresh air. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water and give large amounts of milk or water to people not unconscious. Do not induce vomiting. Contact physician.
Skin	Wash skin with soap and water. Contact physician if irritation continues.
Eyes	Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Extinguishing media	Powder, foam or CO ₂ .
Special fire fighting procedures	Containers close to fire should be removed or cooled with water.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Non-flammable. Dust may form explosive mixture with air.
Hazardous combustion products	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO ₂).

5.3. Advice for firefighters

Protective measures in fire	Firefighters exposed to combustion gases/decomposition products should use a respiratory protective device.
------------------------------------	---

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Personal protection	Wear appropriate personal protective equipment - see Section 8.
----------------------------	---

6.2. Environmental precautions

Environmental protection No special precautions required.

6.3. Methods and material for containment and cleaning up

Spill cleanup methods Absorb with sand or other inert absorbent.

6.4. Reference to other sections

See section 13 for waste handling.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Usage precautions Avoid inhalation of dust.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep in original container. Store dry. Keep containers tightly closed. Store away from water or moisture.

7.3. Specific end use(s)

Specific use(s) Contact supplier for more information.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Ingredient comments WEL = Workplace exposure limits. SK= Skin absorbance, Rep= Reproduction, Carc= Carcinogenic Senz= Sensitisers, Mut= Carcinogenic

Protective equipment**Ventilation**

Provide adequate general and local exhaust ventilation.

8.2. Exposure controls**Respirators**

Under normal conditions of use respiration protection should not be required. Wear respirator if there is dust formation. Dust filter P2 (for fine dust). Standard EN 149.

Protective gloves

Use protective gloves made of: Impermeable material. Neoprene. Standard EN 374. Time of breakthrough is not known, change gloves regularly. Suitable glove must be chosen in consultation with the gloves supplier, giving information of the breakthrough time for the glove material.

Eye protection

Wear approved safety goggles. Standard EN 166.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygienic work practices

Wash at the end of each work shift and before eating, smoking and using the toilet.

DNEL

No data.

PNEC

No data.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Appearance Powder, dust.

Colour White.

Odour Mild (or faint).

Solubility description Insoluble in water.

Flash point (°C)

304

Method

9.2. Other information

Safety information Not known.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No reactive groups.

10.2. Chemical stability

Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions**Hazardous polymerisation**

Not noted.

10.4. Conditions to avoid

@@@Unngå temperaturer > 240 °C.@@@

10.5. Incompatible materials**Materials to avoid**

Strong oxidising agents.

10.6. Hazardous decomposition products**Hazardous decomp. products**

No hazardous decomposition products are emitted at recommended use and storage conditions.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Sensitization**

No allergic reaction is known.

Genotoxicity

No known heritable or mutagenic effects.

Carcinogenicity

No evidence of carcinogenic properties.

Reproduction toxicity

No known hazardous effects on reproduction, fertility or to the unborn child.

Inhalation

High concentrations of dust may irritate throat and respiratory system and cause coughing.

Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

Skin

Prolonged or repeated contact may cause irritation.

Eyes

Dust in the eyes will cause irritation.

SECTION 12: Ecological information**12.1. Toxicity****Ecotoxicity**

Not regarded as dangerous to the environment. This does not, however, rule out the possibility that large or frequent smaller emissions of the product may be harmful to the environment.

12.2. Persistence and degradability

Unknown.

12.3. Bioaccumulative potential

Unknown.

12.4. Mobility in soil**Mobility**

The product is insoluble in water.

12.5. Results of PBT and vPvB assessment**PTB/vPvB**

Component(s) is not identified as a PBT or vPvB-substance.

12.6. Other adverse effects

No known information.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General/cleaning	Product is not hazardous waste.
Disposal methods	Dispose of in accordance with Local Authority requirements.
Waste class	18 01 07 chemicals other than those mentioned in 18 01 06 The given EWC-code is a guiding, and the code depends on how the waste is formed. User must evaluate the choice of correct code.

SECTION 14: Transport information

General	No dangerous goods (ADR/RID, IMDG, IATA/ICAO)
ROAD TRANSPORT (ADR):	
14.1. UN number	
14.2. UN proper shipping name	
14.3. Transport hazard class(es)	
RAIL TRANSPORT (RID):	
SEA TRANSPORT (IMDG):	
TRANSPORT BY INLAND WATERWAYS (ADN):	
14.4. Packing group	
14.5. Environmental hazards	
Transport by inland waterways notes	Not applicable.
14.6. Special precautions for user	
	No particular precautions.
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
	No IBC-code for bulk transport offshore (MARPOL).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU directives	EC-regulation 453/2010/EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.
15.2. Chemical safety assessment	
Chemical Safety Assessment	Chemical Safety Report (CSR) has not been carried out for this product.

SECTION 16: Other information

Explanations to R-phrases in section 3	
Explanations to classification in section 3	
DSD/DPD	
* Information revised since the previous version of the SDS	
Issued by	Essenticon AS, Leif Weldingsvei 18, N-3208 Sandefjord, Norway. E-mail: post@essenticon.no. Phone.: +47 33 42 34 50 - Fax: +47 33 42 34 59 www.essenticon.com
Date of issue	17.04.2015
Safety Data Sheet status	CLP 03 ATP
Signature	R. E. Lunde
Disclaimer	CAUTION: PRODUCT FOR PROFESSIONAL USE

The information on this Safety Sheet is based on presently available data and to our best knowledge for the correct handling of the product under normal conditions. Any use of this product in any way not indicated on this Sheet or the use of this product together with any other process/procedure will be exclusively under the user's responsibility. This document does not constitute explicit or implicit warranty of product quality or fitness for a particular purpose.